ジェイミスジャパン株式会社
東京都台東区蔵前4丁目8−2
TEL.03-3866-2333　FAX.03-5829-4775
ホームページ：http://www.jamis-japan.com
Facebook：https://www.facebook.com/jamis.japan

- 自転車に乗るときは取扱説明書をよくお読みになり、特に安全についての内容を十分に理解してからお乗りください。
- スポーツバイクについて：スポーツバイクは一般的な自転車比べ、速度も出やすく、走行距離も伸ばすことができますが、走行速度の上昇にともなって、万一の走行事故による危険性も大きくなります。乗車の際はヘルメットや、グローブなどを必ず装着して、万一の事故から身を守りましょう。またマウンテンバイクでのオフロード走行時には、必要に応じて転倒時に体を守るプロテクター等も装着してください。
- 製品カラーは印刷のため実物と異なる場合があります。
- 予告なく改良のため仕様、価格を変更する場合があります。あらかじめご了承ください。
- 本カタログ内の製品記載内容（価格含む）は2015年9月1日現在のものです。

JAMIS

2016

2016



JAMIS 2016

C O N T E N T S

Introduction

WE SPEAK JAMIS 02
JAMIS TECHNOLOGY 10

Road

Competition Road

XENITH
XENITH TEAM 17
XENITH RACE 18
XENITH COMP 18

ICON
ICON ELITE 21
ICON PRO 22

Performance Road

VENTURA
VENTURA RACE 25
VENTURA SPORT 26
VENTURA FEMME 59

QUEST
QUEST COMP 29
QUEST SORT 30
QUEST FEMME 59

Adventure

RENEGADE
RENEGADE ELITE 33
RENEGADE EXPAT 34
RENEGADE EXILE 34

Cyclocross

SUPERNOVA
SUPERNOVA TEAM 36

Touring

AURORA
AURORA 37

MTB650

Enduro Full Suspention

DEFCON
DEFCON EXPERT 39

Trail Hardtail

DRAGONSLAYER
DRAGONSLAYER 41

DRAGON 650
DRAGON PRO 42
DRAGON SPORT 43

XC Hardtail

NEMESIS
NEMESIS TEAM 45
NEMESIS RACE 45

MTB29

XC Full Suspention

DAKAR XCR
DAKAR XCR TEAM 47
DAKAR XCR SPORT 47

XC Hardtail

DAKOTA
DAKOTA TEAM 49
DAKOTA PRO 49

Trail Hardtail

DRAGON 29
DRAGON29 SPORT 43

Street

Urban

CODA
CODA COMP 51
CODA SPORT 52
CODA SPORT FEMME 60

Fitness

ALLEGRO
ALLEGRO COMP 55
ALLEGRO SPORT 56
ALLEGRO SPORT FEMME 61

Appendix

SPECIFICATIONS 62

※本体価格・フレーム価格については税抜き表示です。

We Speak JAMIS

Jamisは、大切にフレームを作る。カーボンもアルミも、もちろん
クロモリも一本一本丁寧に作る。あなたのもとに届くまで、
しっかりと見届ける。ハンドメイドであり、ハートメイドである。

Jamisは常にレースに夢中だ。プロチームが求める性能を持つバイクを、とにかく頭を絞って作るのも、いつの日かJamisのバイクが
世界を制してくれると嬉しいからだ。Jamisを作るサイクリストは、極限まで体を鍛えるレーサーを、心から尊敬しているからでもある。

1979-

Jamisは、大きなブランドになろうとしたことはない。ただいいバイクを作り続けていたいだけだ。35年以上に渡り、自分たちがすべきことをし続けているだけだ。自分が本当に乗りたいバイクを作る、ただそれだけだ。



1993-
DRAGON series



1985-
DAKAR series



1988-
ICON series

25年以上作られ続けてきた歴史あるEclipseというモデルの思想は、現在ではIconシリーズに引き継がれ、新たな素材と設計の元に同じ歴史を刻んでいる







We Speak
JAMIS

なぜならバイクに乗るのは楽しいからだ。ただ乗るだけで楽しいからだ。どこを走ろうと楽しいので、どこでも走れるよう、いろいろなバイクを作っている。それがJamisだ。


JAMIS

TECHNOLOGY



“NEAR NET” CARBON TECHNOLOGY

ーなぜJAMISのカーボンフレームは、見えない内側まで滑らかなのか?



near net MOLDING

一般にカーボンフレームは、カーボンシートを重ねて積層したものをフレームの形状をした型に敷き、熱をかけて成形する。一方でNear Net Molding は、カーボンフレームの主要部分(ヘッドチューブ、BB、シートチューブ、トップチューブ)を、シリコンの軸を用いて成形。これらをフレーム状に配置し、内部から圧力をかける芯材=ブラダー内には、ポリスチレンのコアが使われる。

成形のために過熱されると、内圧を保ったままこのポリスチレンコアは溶け流れ、内側表面が滑らかに保たれたカーボンフレームが完成する。内側表面が滑らかであるというのは、成形に必要のない余分な樹脂が外に押し出され、狙った厚みが保たれているということ。さらに言えば、シワや凸凹など余分な重量を増やし強度を下げる原因を排除できるということである。

そのため設計した理想的な軽さ、剛性、そして強度をそのまま体現した、高い品質のカーボンフレームとなるわけだ。

対応モデル : RENEGADE ELITE、NEMESIS TEAM、DAKAR XCR TEAM、DAKOTA シリーズ

near net SPV


カーボンフレームを、無駄のない理想的な形状にする Near Net Molding を、さらに進化させる製法が、Near Net SPV である。

これはカーボンシートを重ねる積層の際に、真空状態にて行うことで、カーボン積層内にある空気を押し出すというもの。これにより、積層内の空気は限りなく0に近くなり、カーボンは理想的な積層状況、すなわち設計理論に即した高強度、軽量なカーボンとなるのだ。JAMISのトップモデル、XENITHシリーズに採用される技術である。

対応モデル : XENITH シリーズ、SUPERNOVA TEAM

SIZE SPECIFIC TUBING（サイズごとに合わせたパイプ径）

―同じモデルであれば、すべてのフレームサイズが、同じ乗り味であるべきだ。



全く当たり前の話ではあるが、同じモデルのバイクであれば、すべてのフレームサイズで、同じ乗り味であるべきだ。ところが、この当たり前のことを当たり前に行っていると胸を張れるブランドは、いくつあるだろう。というのも、フレームの乗り味、すなわち振動吸収性やハンドリングといった性能は、ジオメトリーという数値だけから生まれるわけではないからだ。

例えば19インチのバイクと14インチのバイクでは、様々な部位のフレームパイプの長さが異なる。長さが違えば、そのパイプのしなり方も変わるのは容易に想像できるはずだ。チューブのしなり方が変われば、乗り味も変わる。この単純明快な事実を無視したバイク作りを行う、JAMISはそんなことはできない。

JAMISのバイクすべてに、SSTと呼ばれる技術が採用される。これはSize Specific Tubing（サイズごとの専用チューブビング）の略。モデルごとに目指す走りの特性を、同一モデルすべてのサイズで実現するため、サイズごとに使うパイプ径を変えるのだ。サイズが違っても乗り心地やハンドリング、そして加速感を同じにするためである。

JAMISのバイクに乗るサイクリストのほとんどから、「乗りやすい」という感想をいただける。これは当たり前のことを当たり前に実現するため、見えない努力を積み重ねているからだとJAMISは信じている。そして、乗る人を裏切れないその一途さこそが、JAMISであると自負している。

対応モデル：XENITHシリーズ、ICONシリーズ、VENTUREシリーズ、QUESTシリーズ、RENEGADEシリーズ、
SUPER NOVA、AURORA、DAKAR XCR TEAM、ALLEGROシリーズ

QUALITY TESTING

―JAMISバイクが誇る大きな性能の一つが、綿密なまでの耐久試験である。



JAMISのすべてのフレームとフォークは、スポーツ自転車における強度規格、EN規格14764、14765、14766、14781をクリアするように作られる。この耐久試験は、継続的に行われている。場合によっては、これら規格をはるかに上回る強度を持たせることもある。

ペダリングによるねじれを始めとする、あらゆるポイントにおける強度、そして歪みへの変形率などを調べ、固定したフレーム、フォークに大きく加重した状態で過酷な試験を実地していく。さらにモデルチェンジの折りには、重りを取り付けたフレームを高みから落下させるという破壊試験を行っている。

破壊試験は強度を図るシンプルな方法ではあるが、製作されたばかりのフレームとフォークへの非破壊検査も重要なパートを占めている。特にカーボンフレームは、一本ずつ重量を量ることで樹脂の過不足を判断し、重要な6箇所については、積層状況を確認しながらの剛性を測定する。各部のたわみは、JAMISにおける標準値から5%以内に収まっていることを確認する。

JAMISが造るフレームの一本一本すべてが、これら試験により私たちの厳格な製造基準を満たすことを保証した上で出荷される。これもJAMISバイクが誇る性能の一つである。

FRAME TECHNOLOGY

REYNOLDS（クロモリ）

JAMISは、クロモリという素材の性能を信じている。その滑らかな乗り味と耐久性を始めとする、自転車素材として時代を超える魅力が備わっているからだ。そのクロモリパイプには、歴史ある英国パイプメーカー、REYNOLDS社のものを使用する。最高級グレードのREYNOLDS 853、クロモリの特性を味わえるREYNOLDS 520、そして4130クロモリパテッドチューブの３種である。

REYNOLDS 853：DRAGON 650 PRO
REYNOLDS 520：QUEST COMP、RENEGADE EXPAT、AURORA、DRAGON SPORT、CODA COMP
4130クロモリパテッドチューブ：DRAGONSLAYER、CODA SPORT

FEMME（女性用）

女性のためにアレンジされたライン。身長の低い女性にも乗りやすいジオメトリーのアレンジ、からだに触れる部位を女性専用パーツとしたコンポーネント、フレーム剛性やパイプ径なども、女性の体格のために配慮され、JAMISの性能を余すところなく味わえる。

対応モデル：VENTURA SPORT FEMME、QUEST SPORT FEMME、CODA SPORT FEMME、ALLEGRO SPORT FEMME

RS SYNTHESIS（アルミ）

2年の製作期間と、数多いテストを重ねて完成された、アルミ素材を使用する最高峰のフレーム、SYNTHESIS（シンセサイズ）。カーボンフレームに肉薄する走行性能、そして重量。これに加え、金属フレームにしかない耐久性とコストパフォーマンスを実現する、JAMISならではのアルミフレームである。

対応モデル：ICONシリーズ

FORK TECHNOLOGY

ECO

Enhanced Compliance Offsetの略。フォークの振動吸収性を高めつつ、確かなコントロール性をキープするフォーク設計である。フォークブレード全体を、前方に押し出したことにより、路面からの振動をより多く吸収させる特性をもたせ、同時に前輪のハブ軸を後方に寄せたことで、ハンドリング性能を決定するトレール値を通常のフォークと同様にした。

対応モデル：VENTURE RACE、RENEGADE ELITE、RENEGADE EXPAT

SUSPENSION TECHNOLOGY

MP4

シートステーに位置するメインピボットを中心としたリアサスペンションシステム。バックのスイングアーム部を一体成型とできたことで、リアホイールの耐ねじれ剛性を格段に上げられ、リアホイールのスムーズな動きを確保している。また挙動軸となるのはBBとほぼ同位置であるため、ペダリング時のキックバックやストローク時のチェーンのたるみを最小限に抑え、自然な走行感をキープしている。

また、モデルごとにリアサスペンションのスプリングレートを変更させており、それぞれのモデル目的に沿ったサスペンションの挙動を実現している。例えばDEFCONの場合は、ストローク時の重心挙動を推進力に変換する味付けが施され、XCRの場合は、路面追従性を最大限に活かすリニアなリンク設定となっている。

対応モデル：DEFCON、DAKAR XCR シリーズ

BB SYSTEM

ENDURO Bearing

アメリカ『ENDURO』社のベアリングを採用するBBとリアサスピボットのシステム。BB部にはABECを採用し、リテーナーの表面積を増やしたことで、回転性を30％向上、耐久性も格段にアップさせている。またリアサスのピボット部には、ステンレスMAXを使用、従来型のベアリングと比較し、耐久性を40%アップさせている。

対応モデル：XENITH シリーズ、ICON シリーズ、RENEGADE ELITE、DAKOTA シリーズ、DEFCON、DAKAR

BB368EVO

BBスピンドルの直径を30mmのままに、全体の幅を86.5mmまで広げた新企画のBBシステム。Qファクターを変えずにBB周りの剛性を高められたことに加え、デザインの自由度も上げられた。その結果、チェーンステー剛性を高めるフレームサイズごとの専用デザイン、そしてタイヤクリアランスを大幅に広げる（RENEGADE）ことが可能となった。

対応モデル：XENITH シリーズ、RENEGADE ELITE、SUPER NOVA

PRESS FIT BB30

BBスピンドルの直径を30mmまで太くし、ベアリング全体の直径も上げたことにより、ベアリングとハウジング接触面での回転抵抗を下げ耐久性を高めるBBシステム。

対応モデル：ICON シリーズ、NEMESIS シリーズ

SHIFTING

ACE

Adaptive Cable Entryの頭文字をとったACEシステム。変速ケーブル、電動変速のワイヤーをフレーム内蔵にするためのシステムである。将来的に電動変速へのアップグレードを見越しライダーのため、それぞれに対応する各種グロメットが付属する。

対応モデル：XENITH シリーズ、RENEGADE ELITE、SUPER NOVA、DAKOTA シリーズ

11 speed

リアの変速システムが、きめ細やかなギア選択を可能とする11速であることを示す。

対応モデル：XENITH シリーズ、ICON シリーズ、RENEGADE ELITE、DEFCON、DAKAR XCR、DAKOTA シリーズ

POSITIONING

Adjustable Threadless System

JAMISが特許を取得する、独自のステム高調整システム、ATS（Adjustable Threadless System）。従来型のステムとスペーサーではなく、特殊な加工を施されたシムとステムを利用し、シム自体がヘッドセットを抑える仕組み。これによりステムの高さを、ヘッドを緩めることなく60mmの範囲で自在にそして細かく調整できる。従来型のステムでは難しかったミリ単位での好みのステム高調整、さらに専門技術を必要としないポジション調整が可能に。サドル高とステム高を合わせて最適な位置へと細かく調整できる、初心者から上級者まですべてのサイクリストが待ち望んでいた、ポジション調整システムだ。

対応モデル：QUEST COMP、AURORA、CODA COMP、ALLEGRO COMP

XENITH

Competition Road

JAMIS 最高峰のレースモデル、XENITH(ゼニス)。きつい登りでタイムを刻み、下りコーナーを絶大の信頼とともに攻め、そのしなやかな乗り心地でゴールラインまで力を振り絞らせる。カーボン内部の空隙を排除するNEARnet SPV製法で造り上げられたフレームは、高剛性、軽量、高耐久性を誇るもの。モデルに合わせ東レのハイエンドカーボンM30、T700、そしてFRPを適切に組み合わせ最高のライドを提供する。プロコンチネンタルチーム Jamis Hagens Berman も愛用するシリーズだ。



XENITH TEAM

Price ¥721,000（本体価格）※受注発注商品

Size 48, 51, 54, 56, 58, 61 / **Frame** Jamis Road Dyad Elite M30/T700 monocoque carbon fiber frame / **Fork** Jamis Road carbon fork / **RearDerailleur** Shimano Dura Ace RD-9000 / **Crank** Shimano Dura Ace FC-9000 / **Wheels** American Classic Argent Tubeless wheelset

nearnet SPV　SST　ACE　9000　11SPEED



Cosmo Blue

XENITH RACE

Price ¥379,000 (本体価格)

Size 48, 51, 54 / **Frame** Jamis Road Dyad Plus T700/FRP monocoque carbon fiber frame / **Fork** Jamis Road carbon composite fork / **RearDerailleur** Shimano Dura Ace RD-9000 / **Crank** Shimano Ultegra FC-6800 / **Wheels** Mavic Aksium Race 11-Speed wheelset



Inferno



Breakaway Grey

XENITH COMP

Price ¥270,000 (本体価格)

Size 48, 51, 54, 56 / **Frame** Jamis Road Dyad Plus T700/FRP monocoque carbon fiber frame / **Fork** Jamis Road carbon composite fork / **RearDerailleur** Shimano 105 RD-5800 / **Crank** Shimano 105 FC-5800 / **Wheels** Alex AT 470 rim with TCS (Tubeless Compatible System)

ICON

Competition Road

アルミ製レースモデル、ICON（アイコン）。特徴的なのはアルミフレーム特有のカチッとした加速の鋭さと、最適なパイプ径を組み合わせた乗り心地の良さ、そして高い耐久性。アルミ素材の真価を引き出すSYNTHESISを存分に活用した、カーボンフレームとは異なるロードバイクの速さと爽快感を体感できる軽量レースモデルである。2013年の発表後、米国『Bicycling』誌より２年連続して賞を獲得したことが、走りの本質的な性能を愛でる熟練ライダーにこそ認められていることを証明している。



ICON ELITE

Price ¥299,000（本体価格）

Size 48, 51 / **Frame** Synthesis double-butted 6061 aluminum / **Fork** Jamis Road carbon fork / **RearDerailleur** Shimano Ultegra RD-6800 / **Crank** Shimano Ultegra FC-6800 / **Wheels** American Classic Victory 30 Tubeless

SYNTHESIS　PRESS FIT 30BB　11 SPEED





Brushed Aluminum

ICON PRO

Price ¥199,000 (本体価格)
Size 48, 51, 54, 56 / **Frame** Synthesis double-butted 6061 aluminum / **Fork** Jamis Road carbon composite fork /
RearDerailleur Shimano 105 RD-5800 / **Crank** Shimano 105 FC-5800 / **Wheels** Mavic Aksium Race wheelset



Ano Black



Cosmo Blue



VENTURA

Performance Road

週末のライドで先頭を切って走れる速さと軽さはレースバイク譲り、そこに走りの心地よさという大切な要素を加えたアルミバイク、VENTURA(ベンチュラ)。JAMIS独自の技術を駆使し、次の日にも疲労を残さない快適さを実現。泊りがけのロングツーリングや毎日の通勤ライドにこそ最適で、もっと遠くへ走りたいというサイクリストの気持ちを、そのまま走りとして実現できる手頃なロードバイクである。



VENTURA RACE

Price ¥139,000 (本体価格)

Size 48, 51, 54, 56 / **Frame** Double-butted 6061 aluminum / **Fork** Jamis ECO carbon composite fork / **RearDerailleur** Shimano Tiagra RD-4700 GS / **Crank** FSA Vero compact double / **Wheels** Alex AT 470 rim with TCS (Tubeless Compatible System)

SST ECO



Ano Galaxy Grey



Gloss Black





Pure Lime

VENTURA SPORT

Price ¥89,900 (本体価格)

Size 44,48(Femme) 48,51,54,56 / **Frame** 6061 aluminum / **Fork** Aero straight blade alloy fork / **RearDerailleur** Shimano Claris RD-2400 / **Crank** FSA Tempo compact double / **Wheels** Alex ID-19

SST

Femme



Aspen Sky

QUEST

Performance Road

1988年に生まれ、アップデートを繰り返してきた万能ロードバイク、QUEST（クエスト）。一つのモデルを時間をかけ熟成させる、JAMISならではの思想を体現するロングセラーだ。滑らかで流れるような走りを実現するクロモリ素材と、上体に負担をかけにくい長めのヘッドチューブによるポジションは、長距離をのんびりと走りたいサイクリストに配慮したもの。キャリアや泥除けなどの取り付けダボ、28cまで対応するタイヤサイズなど、将来のカスタマイズにも対応。長く付き合っていけるスタンダードモデルである。



QUEST COMP

Price ¥129,000（本体価格）※48 サイズはシートステーキャリアダボは付きません

Size 48, 51, 54 / **Frame** Reynolds 520 double-butted chromoly / **Fork** Jamis Road carbon composite / **RearDerailleur** Shimano Sora RD-3500 GS / **Crank** FSA Vero triple / **Wheels** Alex AT 470



Black Ice

QUEST SPORT

Price ¥93,000（本体価格）※48 サイズはシートステーキャリアダボは付きません

Size 48, 51, 54, 56 / **Frame** 4130 double-butted chromoly / **Fork** Full 4130 chromoly / **RearDerailleur** Shimano Claris RD-2400 GS / **Crank** Shimano Claris FC-2450 / **Wheels** Alex ID-19

SST



Gloss Black



Winter Dusk

Femme



Cadenza Rose

RENEGADE

Adventure Road

ロードバイクという概念を一新する、あらゆる可能性を乗り手に与えるアドベンチャーロード、それがRENEGADE(レネゲード)。どんな路面でも走りきれる快適性、そして乗り手が乗りたいようにカスタマイズできる柔軟性のあるスペックこそ、RENEGADEの本質だ。長距離ライドのために設計されたジオメトリー、太くて心地よい40cタイヤまで対応するクリアランス、そして天候に左右されない制動力と耐久性を備えたディスクブレーキ。舗装の果てまで走りオフロードが始まっても、RENEGADEなら脚を止める必要はない。



RENEGADE ELITE

Price ¥633,000（本体価格）※受注発注商品 ※ブレーキは右後、左前となります。

Size 48, 51, 54, 56, 58, 61 / **Frame** Jamis Adventure Omniad M30 monocoque carbon fiber frame / **Fork** Jamis Adventure ECO monocoque carbon fiber fork / **RearDerailleur** Shimano Ultegra RD-6800 GS / **Crank** Shimano Ultegra FC-6800 compact double / **Wheels** American Classic Argent Tubeless



Gloss Carbon

RENEGADE EXPAT

Price ¥160,000（本体価格）

Size 48, 51, 54 / **Frame** Jamis Adventure frame, Reynolds 520 double-butted / **Fork** Jamis Adventure ECO monocoque carbon composite fork / **RearDerailleur** Shimano Tiagra RD-4700 GS / **Crank** FSA Omega MegaExo compact double / **Wheels** Alex ATD 470



Gloss Black



Ano Palladium



Ano Bonfire

RENEGADE EXILE

Price ¥105,000（本体価格）

Size 48, 51, 54, 56 / **Frame** Jamis Adventure Frame Geo, 6061 aluminum double-butted / **Fork** Jamis Adventure aluminum fork / **RearDerailleur** Shimano Claris RD-2400 / **Crank** FSA Tempo compact double / **Wheels** Alex ATD 470





Orange Crush/Gloss Carbon

SUPERNOVA TEAM FRAME SET

Price ¥185,000 (本体価格)

Size 51, 54 / **Frame** Jamis CX Dyad Elite M30/T700 monocoque carbon fiber frame / **Fork** Jamis CX carbon fiber fork



SUPERNOVA Cyclocross

世界の頂点に立ったシクロクロスライダー、ジェシー・アンソニーからのアドバイスから作られたSUPERNOVA(スーパーノバ)。M30 / T700ハイモジュラスカーボン素材を使用し、軽く俊敏なレースジオメトリーを具現化。荒れた路面でも鋭いライン取りを可能とする15mmスルーアクスルのフロントフォークを装備。荒れた泥のコンディションでもトラブルを軽減するため、ディスクブレーキ、内蔵ケーブルルーティングにも対応。シクロクロスで表彰台を狙うライダーが求めるものすべてを装備した、レーシングモデルである。



AURORA Touring

サイクルツーリストからの要望を、JAMISの経験で形にしたツーリングモデル AURORA(オーロラ)。Raynolds 520 クロモリ素材を使うのは、滑らかな乗り味と、信頼の置ける高い耐久性のため。フラップ付きの泥除け、高さが調整可能なATSアジャストステム。すべてのスペックは、快適に、便利に、そして安心して旅を続けていくために、長い経験を元に厳選されたものである。

AURORA

Price ¥126,000 (本体価格)

Size 50, 53 / **Frame** Reynolds 520 double-butted chromoly / **Fork** Lugged semi sloping chromoly / **RearDerailleur** Shimano Tiagra RD-4600 GS / **Crank** FSA Alpha Drive triple / **Wheels** Alex ACE19



Evergreen

DEFCON

MTB650

Enduro Full Suspension

160mmトラベルの、エンデューロ競技を得意とするフルサスペンションMTB、DEFCON(デフコン)。荒れた路面でのハイスピードでも安定しているのは、車体のコントロール性を重視したジオメトリー、MP4による効率の良いペダリング性能、そして後輪のグリップ力を確かに保つプログレッシブなサスペンションが相まみえた結果。タイムを刻む走りでも、楽しく走るためにでも、オフロードの下りなら、このDEFCONの出番だ。



DEFCON EXPERT

Price ¥483,000（本体価格）※受注発注商品　※ブレーキは右後、左前となります

Size 15", 17", 19", 21" / **Frame** Triple-butted 6061 air-formed aluminum, 160mm travel mp4 suspension, Rock Shox Monarch Plus RC3 Debon Air shock / **Fork** Rock Shox Pike RC 27.5", 160mm travel / **RearDerailleur** SRAM GX / **Crank** SRAM S1000 GXP / **Wheels** Loaded Precision X-Lite X30 27.5" tubeless wheels

MP4　11SPEED



Gloss Black



DRAGON Series

MTB650 Trail HardTail

JAMISの歴史を担ってきた伝説的なMTB、DRAGON。アルミやカーボンといった新素材が席巻する中、Raynolds クロモリのしなやかなバネ感と高い総合性能を信じ、その独自の乗り味を愛するMTBライダーに支持され続けているハンドメイドバイクである。時代ごとに進化するMTB機材に合わせて細かなアップデートを行うのもDRAGONの特徴だ。現在では27.5+、650B、29インチと多様化したホイール径それぞれの特性を活かした走りを、DRAGONシリーズ各モデルが担っている。

大径タイヤの走破性と、絶大なグリップ力を提供する柔らかさを両立させた、27.5+タイヤを履くDRAGONSLAYER（ドラゴンスレーヤー）。最新の太い3.0幅タイヤが、オフロードを走る楽しさと安全性を、これまで以上に高めている。すべてのレベルのMTBライダーに自信を持ってお届けする、細身のクロモリフレームには、キャリアダボから３つのボトルケージ台座も完備。トレイル遊びにも長距離ツーリングにも対応する、新世代のMTBである。

DRAGONSLAYER

Price ¥350,000（本体価格）※限定商品

Size 15", 17" / **Frame** Wei Hai Endo Superlight 4130 triple-butted chromoly steel / **Fork** Fox 34 Float Performance Series 27.5"+, 120mm travel / **RearDerailleur** Shimano SLX Shadow Plus / **Crank** Shimano M627 / **Wheels** WTB Scraper i45 TCS 27.5" tubeless



Winter Dusk



トレイルライドでの機敏な動きを楽しめる、650B（27.5インチ）ホイールの特性を存分に引き出すDRAGON 650 SPORT

DRAGON 650 SPORT

Price ¥158,000（本体価格）

Size 15", 17", 19" / **Frame** Reynolds 520 steel / **Fork** Rock Shox XC30 TK 27.5" Solo Air, 120mm travel / **RearDerailleur** Shimano Deore RD-M610 Shadow / **Crank** Shimano Deore M615 / **Wheels** WTB Speed Disc i23 27.5"

REYNOLDS



Thunder Grey

DRAGON 650 PRO FRAME SET

Price ¥120,000（本体価格）

Size 15", 17", 19" **Frame** Reynolds 853 DZB seamless air-hardened steel

REYNOLDS



Puget Sound



Commando

路面を選ばない走破性と、安定したハイスピード感を味わえる29インチホイールの特性に合わせたDRAGON 29 SPORT

DRAGON 29 SPORT

Price ¥168,000（本体価格）

Size 15", 17" / **Frame** Reynolds 520 steel / **Fork** Rock Shox Recon Silver TK Solo Air, 120mm travel / **RearDerailleur** Shimano SLX Shadow / **Crank** Shimano Deore M617 / **Wheels** WTB ST i23 TCS 29" tubeless

REYNOLDS

NEMESIS

MTB 650

XC Hard Tail

NEMESIS(ネメシス)は、27.5ホイールのレーシング・ハードテイルMTBである。細かなコーナーの続くシングルトラックを軽やかに走り抜け、急な上り坂を力強く登りきり、固くしまった路面を飛ぶように走り続ける。2時間のXCレースでも、12時間のマラソンレースでも。ライダーの思うがままに車体を操り、さらに前へと進んでいくために。オフロードでの軽やかな操作性と安定した速さを両立させ、あなたを表彰台へと向かわせる。





Pure White

NEMESIS RACE

Price ¥199,000 (本体価格)

Size 15", 17" / **Frame** Triple-butted 6061 air-formed (SPF) aluminum / **Fork** X-Fusion Streat RL 27.5", 100mm travel / **RearDerailleur** Shimano SLX shadow / **Crank** Shimano Deore / **Wheels** American Classic Terrain 27.5" tubeless wheels

BB30 PRESS-FIT

NEMESIS TEAM FRAME SET

Price ¥185,000 (本体価格)

Size 15", 17" / **Frame** Full high modulus carbon fiber

nearnet MOLDING　BB30 PRESS-FIT



Victory Red

DAKAR

MTB29

XC Full Suspension

高いペダル効率と路面への確かなグリップ力を提供するMP4サスペンションデザインを採用した、29インチ フルサスペンションMTB、DAKAR XCR(ダカール XCR)。前後サスペンションが荒れた路面でもタイヤのグリップを確かなものとし、マラソンレースや耐久イベントのような、長距離オフロードライドでの疲労を軽減、走りの楽しさを確実にアップさせる。MP4サスペンションの滑らかな乗り心地を、DAKAR XCRで体感頂きたい。





Gloss Black

DAKAR XCR SPORT

Price ¥268,000 (本体価格)

Size 15", 17" / **Frame** Triple-butted 6061alloy, 100mm travel mp4 suspension, Rock Shox Monarch R shock / **Fork** Rock Shox Recon Silver TK 29" Solo Air, 100mm travel / **RearDerailleur** Shimano Deore / **Crank** Shimano Deore M617 / **Wheels** WTB SX19

MP4

DAKAR XCR TEAM

Price ¥838,000 (本体価格) ※受注発注商品 ※ブレーキは右後、左前となります

Size 15", 17", 19", 21" / **Frame** High Modulus Omniad Elite M30 carbon fiber, 100mm travel mp4 suspension, Rock Shox Monarch XX shock / **Fork** Rock Shox SID XX 29" Solo Air, 100mm travel / **RearDerailleur** SRAM XO1 Carbon / **Crank** SRAM XO1 / **Wheels** Stan's NoTubes ZTR Crest Team 29" tubeless disc wheels

nearnet MOLDING　SST　PRESS FIT 30BB　MP4　11SPEED



Gloss Carbon

DAKOTA

MTB29

XC Hard Tail

29インチホイールの速さと走破性を活かし切れるMTBをお望みなら、DAKOTA(ダコタ)が最適だ。フルサスペンションで培った振動吸収性と、ロードレーシングフレームで学んだ高速性能を、29erハードテイルとして具現化。高い速度域でも安定した巡航性能を実現し、長く続くオフロードでの最速スピードを求めるライダーに最適な一台に仕上がった。カーボンフレームとアルミフレームの双方を用意する。





Gloss Carbon

DAKOTA PRO

Price ¥435,000（本体価格）※ 受注発注商品 ※ブレーキは右後、左前となります

Size 15", 17", 19", 21" / **Frame** Mid Modulus Dyad Plus carbon fiber / **Fork** Fox 32 Float Performance Series 29", 100mm travel / **RearDerailleur** SRAM GX / **Crank** SRAM S1000 / **Wheels** DT Swiss X-1900 Spline 29" tubeless wheels

nearnet MOLDING　ACE　PRESS FIT 30BB　11 SPEED

DAKOTA TEAM

Price ¥796,000（本体価格）※ 受注発注商品 ※ブレーキは右後、左前となります

Size 15", 17", 19", 21" / **Frame** High Modulus Dyad Supreme carbon fiber / **Fork** Rock Shox SID XX World Cup 29", 100mm travel / **RearDerailleur** SRAM XX1 / **Crank** SRAM XX1 / **Wheels** Stan's NoTubes ZTR Crest Team 29" tubeless disc wheels

nearnet MOLDING　ACE　PRESS FIT 30BB　11 SPEED



Gloss Carbon

CODA

Street

Urban

CODA(コーダ)は、Raynolds クロモリを利用する、ロングセラーのクロスバイク。滑らかな乗り心地と上体の上がったポジションは、周囲の状況を把握しやすく疲れにくい、街を走るのに最適なもの。広いギアレンジで、直線道路でスピードを出すときにも、急な上り坂を越えるときにも走りやすい。簡単に調整できるステムで、好みのポジションをすぐ出せる。CODAはあなたの行動範囲を広げ、街をさらに楽しくする一台だ。



CODA COMP

Price ¥99,000 (本体価格)

Size 15", 17", 19" / **Frame** Reynolds 520 double-butted chromoly / **Fork** Jamis Road carbon fiber / **RearDerailleur** Shimano Acera RD-M3000 SGS / **Crank** Shimano Acera FC-M371 / **Wheels** Alex ID-19

REYNOLDS ATS Adjustable Threadless System







Steel Blue







Sahara Silver

CODA SPORT

Price ¥69,900 (本体価格)

Size 15", 17", 19" / **Frame** Double-butted chromoly / **Fork** Chromoly / **RearDerailleur** Shimano Acera M360 SGS / **Crank** Shimano FC-M171 triple / **Wheels** Alex ID-19











Gloss Black



Glacier Blue

ALLEGRO

Street
Fitness

ALLEGRO(アレグロ)には、スポーツバイクの楽しさが凝縮されている。ロードバイク同様のギアを使い、走りやすい上体の立ったポジションとフラットハンドルによる直感的な操作性。これらが軽量で俊敏なアルミ製フレームにまとめられ、街中での通勤から郊外でのライドまで、小気味よく走るバイクとなった。その性能は、モデル名が最もよく表している。ALLEGRO、すなわち音楽用語での「快活な、速いテンポ」である。



ALLEGRO COMP

Price ¥106,000 (本体価格)

Size 17", 19" / **Frame** Triple-butted 6061 aluminum / **Fork** Jamis Road carbon composite / **RearDerailleur** Shimano Sora RD-3500 SS / **Crank** FSA Tempo compact double / **Wheels** Alex ID-19

SST　Adjustable Threadless System



Galaxy Grey



Orange Crush




Gloss Black

ALLEGRO SPORT

Price ¥69,900（本体価格）

Size 15", 17", 19" / **Frame** 6061 aluminum / **Fork** Redesigned chromoly / **RearDerailleur** Shimano Acera RD-M360 / **Crank** Shimano FC-M171 triple / **Wheels** Alex DC26









Teal Fo' Real

FEMME

Women's

JAMISのモデル群には、女性用FEMME（フェミ）ラインが設定される。14、16といった小さめのサイズであるだけでなく、女性のために細かな配慮を行っている：短めのトップチューブと低めのBBハイトで、身長が低くてもまたぎやすく乗りやすい。体に触れるハンドルバー、ブレーキレバー、サドルといったパーツが女性専用となる。そして一部モデルでは、体重の軽い女性のため剛性を低めた。モデルそれぞれの特性を女性向けにアレンジしたFEMMEラインは、JAMISの性能を余すところなく、すべての女性に体感いただける。



VENTURA SPORT FEMME

ロードバイク譲りのスピードと疲れにくい快適性とを融合させた、アルミ製ロードバイク

Price ¥89,900 （本体価格）

Size 44, 48 / **Frame** 6061 aluminum / **Fork** Aero straight blade road fork, 1.5 aluminum / **RearDerailleur** Shimano Claris RD-2400 / **Crank** FSA Tempo compact double / **Wheels** Alex ID-19

SST



Aspen Sky



Cadenza Rose

QUEST SPORT FEMME

走りの爽快感と毎日でも味わってもらえる、滑らかなのりこごちのクロモリ製ロードバイク

Price ¥93,000 （本体価格）

Size 48, 51, 54 / **Frame** 4130 double-butted chromoly / **Fork** Full 4130 chromoly / **RearDerailleur** Shimano Claris RD-2400 GS / **Crank** Shimano Claris FC-2450 triple / **Wheels** Alex ID-19

SST





Femme



Glacier Blue

クロモリ素材の心地よさと巡航性能を、街乗りに最適なパーツ群で仕上げたクロスバイク

CODA SPORT FEMME

Price ¥69,900 (本体価格)

Size 14", 16" / **Frame** Double-butted chromoly / **Fork** Chromoly / **RearDerailleur** Shimano Acera M360 SGS / **Crank** Shimano FC-M171 triple / **Wheels** Alex ID-19



Teal Fo' Real

心地よい加速感のアルミ製クロスバイクで、街中ライドも週末のフィットネスもより楽しく

ALLEGRO SPORT FEMME

Price ¥69,900 (本体価格)

Size 14", 16" / **Frame** 6061 aluminum / **Fork** Redesigned chromoly / **RearDerailleur** Shimano Acera RD-M360 / **Crank** Shimano FC-M171 triple / **Wheels** Alex DC26

SST

ROAD Specifications

COMPETITION ROAD

Model	XENITH TEAM	XENITH RACE	XENITH COMP	ICON ELITE	ICON PRO
Price	¥721,000	¥379,000	¥270,000	¥299,000	¥199,000
Frame	Jamis Road Dyad Elite M30/T700 monocoque carbon fiber frame, FEA optimized Near NetSPV molding process, formed top and down tubes with SST tubing diameters, oversizedtapered seat tube, 1 1 / 8 "-1.5" head tube with carbon bearing races, EVO386 carbon BB shell,ACE internal cable routing compatible for both Di2 wires or traditional cables, rider tuned twin seat stays with spoiler bridge, oversized asymmetrical chainstays with direct mount brakes, carbon dropouts with replaceable alloy FD mount and RD hanger	Jamis Road Dyad Plus T700/FRP monocoque carbon fiber frame, FEA optimized Near NetSPV molding process, formed top and down tubes with SST tubing diameters, oversized tapered seat tube, 1 1 / 8 "- 1.5" head tube with carbon bearing races, EVO386 carbon BB shell,ACE internal cable routing compatible for both Di2 wires or traditional cables, rider tuned twin seat stays with spoiler bridge, oversized asymmetrical chainstays with direct mount brakes, carbon dropouts with replaceable alloy FD mount and RD hanger.	Jamis Road Dyad Plus T700/FRP monocoque carbon fiber frame, FEA optimized Near Net SPV molding process, formed top and down tubes with SST tubing diameters, oversized tapered seat tube, 1 1 / 8 "-1.5" head tube with carbon bearing races, EVO386 carbon BB shell, ACE internal cable routing compatible for both Di2 wires or traditional cables, rider tuned twin seat stays with spoiler bridge, oversized asymmetrical chainstays with direct mount brakes, carbon dropouts with replaceable alloy FD mount and RD hanger.	Synthesis double-butted 6061 aluminum, tapered top and ovalized down tube with SST tubing diameters, butted chainstays, twin seat stays, 1 1 / 8 "-1.5" tapered head tube, Press Fit 30 BB shell, 34.9mm seat tube and replaceable derailleur hanger	Synthesis double-butted 6061 aluminum, tapered top tube, ovalized down tube, butted chainstays, twin seat stays, 1 1 / 8 "-1.5" tapered head tube, Press Fit 30 BB shell, 34.9mm seat tube and replaceable derailleur hanger
Fork	Jamis Road carbon fork, FEA optimized Near Net SPV molding process, 1.5" hollow formed crown, monocoque one-piece forming technology, carbon dropouts with stainless axle interfaces.	Jamis Road carbon composite fork, FEA optimized Near Net SPV molding process, 1.5" hollow formed crown, monocoque one-piece forming technology, carbon dropouts with stainless axle interfaces	Jamis Road carbon composite fork, FEA optimized Near Net SPV molding process, 1.5" hollow formed crown, monocoque one-piece forming technology, carbon dropouts with stainless axle interfaces	Jamis Road carbon fork, 1.5" hollow formed crown, monocoque one-piece forming technology, carbon dropouts with stainless axle interfaces	Jamis Road carbon composite fork, 1.5" hollow formed crown, monocoque onepiece forming technology, carbon dropouts with stainless axle interfaces
Headset	Ritchey Pro Drop-In, sealed bearing with nylon upper compression ring,1 1 / 8 "- 1.5"	Ritchey Pro Drop-In, sealed bearing with nylon upper compression ring,1 1 / 8 "- 1.5"	FSA integrated, sealed bearing with nylon upper compression ring, 1 1 / 8 "- 1.5"	Ritchey Pro Drop-In, sealed bearing with nylon upper compression ring, 1 1 / 8 "- 1.5"	FSA integrated, sealed bearing with nylon upper compression ring, 1 1 / 8 "- 1.5"
Wheels	American Classic Argent Tubeless 11-Speed wheelset, 18/24H, 30mm rim height with 23x19mm width, AC High-Lowith Micro 58 hubs with stainless steel cartridge bearings including QR and AC stainless steel bladed spokes	Mavic Aksium Race 11-Speed wheelset, 20H, 24mm rim profile with UB Control and H2 technology, Mavic alloy hubs with QRM bearings and FTS-L freehub and self-locking straight pull aerodynamic spokes	Alex AT 470 rim with TCS (Tubeless Compatible System) with CNC sidewalls, 28/32H, Formula alloy hubs with QR and 14g black stainless steel spokes	American Classic Victory 30 Tubeless 11-Speed wheelset, 30mm rim profile, AC alloy hubs with 18/24H aerodynamic spokes	Mavic Aksium Race wheelset, 20H, 24mm rim profile with UB Control and H2 technology, Mavic alloy hubs with QRM bearings and FTS-L freehub and self locking straight pull aerodynamic spokes
Tires	Vittoria Open Corsa CX, 700 x 23c	Vittoria Zaffiro Pro Slick, 700 x 23c, folding	Vittoria Zaffiro Slick, 700 x 23c	Vittoria Rubino Pro, 700 x 23c, folding	Vittoria Zaffiro Slick, 700 x 23c, folding
Derailleurs	Shimano Dura Ace RD-9000 rear and Dura Ace FD-9000 braze-on front	Shimano Dura Ace RD-9000 rear and Ultegra FD-6800 braze-on	Shimano 105 RD-5800 rear and 105 FD-5800 braze-on	Shimano Ultegra RD-6800 rear and Ultegra FD-6800 braze-on front with 34.9mm alloy clamp	Shimano 105 RD-5800 rear and 105 FD-5800 braze-on front with 34.9mm alloy clamp
Shift levers	Shimano Dura Ace ST- 9000 Dual Control STI, 22-Speed	Shimano Ultegra ST- 6800 Dual Control STI, 22-Speed	Shimano 105, ST- 5800 Dual Control STI, 22-Speed	Shimano Ultegra ST- 6800 Dual Control STI, 22-Speed	Shimano 105, ST- 5800 Dual Control STI, 22-Speed
Chain	Shimano Dura-Ace CN-9000	Shimano CN-HG700 11-Speed	Shimano HG600-11-Speed	Shimano 11-Speed CN-HG700	Shimano HG600-11-Speed
Cassette	Shimano Dura Ace CS-9000 11-Speed 11-25T	Shimano Ultegra CS-6800 11-Speed 11-28T	Shimano 11-Speed 12-25T	Shimano 11-Speed 11-28T	Shimano 11-Speed 11-28T
Crankset	Shimano Dura Ace FC-9000, 53/39T, 170mm(48/51), 172.5mm (54/56), 175mm (58/61)	Shimano Ultegra FC-6800 compact double, 52/36T, 170mm(48/51), 172.5mm(54)	Shimano 105 FC-5800, 50/34T, 170mm(48/51), 172.5mm(54/56)	Shimano Ultegra FC-6800, 52/36T, 170mm(48/51)	Shimano 105 FC-5800, 50/34T, 170mm(48/51), 172.5mm(54/56)
BB Set	Enduro PressFit 30 and Wheels MFG EVO adaptors	Enduro PressFit 30 and Wheels MFG EVO adaptors	Enduro PressFit 30 and Wheels MFG EVO adaptors	Enduro PressFit 30 with Wheels MFG adaptors	Enduro PressFit 30 with Wheels MFG adaptors
Pedals	N/A	N/A	N/A	N/A	N/A
Brakeset	Shimano Dura Ace BR-9010 direct mount Super SLR dual pivot calipers and BR-9000 front with cartridge pads and Dura Ace ST-9000 STI carbon brake levers	Shimano BR-6010 direct mount rear and BR-6800 dual pivot front calipers with Shimano Ultegra ST-6800 STI brake levers	Shimano BR-5810 direct mount rear and BR-5800 dual pivot front calipers with cartridge pads and Shimano 105 ST-5800 STI brake levers	Shimano Ultegra BR-6800 Super SLR dual pivot calipers with Shimano Ultegra ST-6800 STI brake levers	Tektro R540 forged alloy dual pivot calipers with cartridge pads and Shimano 105 ST-5800 STI brake levers
Handlebar	Ritchey WCS Logic Curve, 7050 triple-butted aluminum, 31.8 x 400mm (48/51), 420mm (54/56), 440mm (58/61)	Ritchey Comp Logic Curve, 6061 double-butted aluminum, 31.8 x 400mm (48/51), 420mm (54)	Ritchey Comp Logic Curve, 6061 aluminum, 31.8 x 400mm (48/51) 420mm (54/56)	Ritchey Comp Logic Curve, 6061 double-butted aluminum, 31.8 x 400mm (48/51)	Ritchey Comp Logic Curve, 6061 aluminum, 31.8 x 400mm (48/51), 420mm (54/56)
Stem	Ritchey WCS 4-Axis, 3D net forged 2015 alloy, 6° x 90mm (48/51), 100mm (54/56), 120mm (58/61)	Ritchey Comp 4-Axis, 3D net forged 6061 alloy, 6° x 90mm (48/51), 100mm (54)	Ritchey 4-Axis, 3D forged 6061 alloy, 6° x 90mm (48/51), 100mm (54/56)	Ritchey Comp 4-Axis, 3D net forged 6061 alloy, 6° x 90mm (48/51)	Ritchey 4-Axis, 3D forged 6061 alloy, 6° x 90mm (48/51), 100mm (54/56)
Grips	Fizik Superlight Microsoft Touch with Fizik logo and end plug	Fizik Superlight Microsoft Touch with Fizik logo and end plug	Fizik Superlight Microsoft Touch with Fizik logo and end plug	Fizik Superlight Microsoft Touch with Fizik logo and end plug	Fizik Superlight Microsoft Touch with Fizik logo and end plug
Seat Post	Ritchey Carbon, 31.6 x 350mm with Jamis 7075-AL CNC aluminum 1-bolt seat post clamp	Jamis carbon fiber micro-adjust, 31.6 x 300mm with Jamis 7075-AL CNC aluminum 1-bolt seat post clamp	Jamis carbon fiber micro-adjust, 31.6 x 300mm with Jamis 7075-AL CNC aluminum 1-bolt seat post clamp	Jamis carbon fiber micro-adjust, 31.6 x 300mm with Jamis 7075-AL CNC aluminum 1-bolt seat post clamp	Jamis carbon fiber micro-adjust, 31.6 x 300mm with Jamis 7075-AL CNC aluminum 1-bolt seat post clamp
Saddle	Fizik Arione R7 with Intergrated Clip system and MG rails	Fizik Arione R7 with Intergrated Clip system and MG rails	Fizik Arione R7 with Intergrated Clip system and MG rails	Fizik Arione R7, Intergrated Clip system and MG rails	Selle Royal Seta S1 with Integrated Clip System, embossed cover and steel rails
Sizes	48, 51, 54, 56, 58, 61cm	48, 51, 54cm	48, 51, 54, 56cm	48, 51cm	48, 51, 54, 56cm
Color	Cosmo Blue	Inferno	Breakaway Grey	Brushed Aluminum	Ano Black or Cosmo Blue
Weight	6.8kg	7.8kg	8.5kg	7.5kg	8.5kg

PERFORMANCE ROAD

Model	VENTURA RACE	VENTURA SPORT	QUEST COMP	QUEST SPORT
Price	¥139,000	¥89,900	¥129,000	¥93,000
Frame	Double-butted 6061 aluminum, compact sloping top tube frame design, SST tubing diameters, 1 1 / 8 "-1.5" tapered head tube, butted seat tube for 27.2 seat post, replaceable derailleur hanger and fender/rack mount eyelets	6061 aluminum, compact sloping top tube frame design, SST tubing diameters, 1 1 / 8 "-1.5" tapered head tube, 31.8 seat tube for 27.2 seat post, replaceable derailleur hanger and fender/rack mount eyelets	Reynolds 520 double-butted chromoly main tubes with SST tubing diameters, sloping top tube frame design, double-tapered cromo stays, forged dropouts and fender/rack mount eyelets	4130 double-butted chromoly main tubes with SST tubing diameters, sloping top tube frame design, double-tapered cromo stays, forged dropouts and fender/rack mount eyelets
Fork	Jamis ECO carbon composite fork, 1.5" hollow formed crown, monocoque one-piece forming technology, alloy dropouts with hidden fender mount eyelets	Aero straight blade road fork, 1.5 aluminum crown, aluminum blades with chromoly steerer and fender mount eyelets	Jamis Road carbon composite with forged alloy dropouts with fender mount eyelets	Full 4130 chromoly lugged crown, radius blades, forged dropouts with fender mount eyelets
Headset	FSA Integrated, threadless, 1 1 / 8 "	FSA Integrated, threadless, 1 1 / 8 "	Ritchey LB AheadSet, 1 1 / 8 "	Ritchey LB AheadSet, 1 1 / 8 "
Wheels	Alex AT 470 rim with TCS (Tubeless Compatible System), 28/32H, Formula alloy hubs with QR and 14g black stainless steel spokes	Alex ID-19 double wall alloy rims with GSW sidewall, 28/32H, Formula alloy hubs with QR and 14g stainless steel spokes	Alex AT 470 rims with TCS (Tubeless Compatible System), 28/32H, Formula alloy hubs with QR and 14g stainless steel spokes	Alex ID-19 double wall alloy rims with GSW sidewall, 28/32H, Formula alloy hubs with QR and 14g stainless steel spokes
Tires	Vittoria Zaffiro, 700 x 25c	Vittoria Zaffiro, 700 x 25c	Vittoria Zaffiro, 700 x 25c	Vittoria Zaffiro, 700 x 25c
Derailleurs	Shimano Tiagra RD-4700 GS rear and Tiagra FD-4700 front with 31.8mm alloy clamp	Shimano Claris RD-2400 rear and Shimano Claris FD-2400 front with 31.8mm alloy clamp	Shimano Sora RD-3500GS rear and Sora FD-3503 front with 28.6mm alloy clamp	Shimano Claris RD-2400 GS rear and Shimano Claris FD-2403 front with 28.6mm alloy clamp
Shift levers	Shimano Tiagra RD-4700 Dual Control STI, 20-Speed	Shimano Claris ST-2400 Dual Control STI, 16-Speed	Shimano Sora ST-3500 Dual Control STI,27-Speed	Shimano Claris ST-2400 Dual Control STI, 24-Speed
Chain	KMC 10-speed X10	KMC 8-speed Z7	KMC Z99	KMC Z8
Cassette	Shimano 10-Speed 12-28T	SRAM PG-830 8-Speed 11-32T	SRAM PG-950 9-Speed 11-28T	SRAM PG-830 8-Speed 11-30T
Crankset	FSA Vero compact double, 50/34T, 170mm(48/51), 172.5mm (54/56)	FSA Tempo compact double, 50/34, 165mm (44/48), 170mm (48/51), 172.5 (54/56) 175mm (58/61)	FSA Vero triple, 50/39/30T, 170mm (48/51), 172.5mm (54)	Shimano Claris FC-2450, 50/34T, 165mm (48), 170mm (51/54/48/51/54), 175mm (56)
BB Set	FSA PowerDrive sealed cartridge, 68 x 108mm	FSA sealed cartridge, 68 x 110.5mm	FSA sealed cartridge, 68 x 116mm	FSA sealed cartridge, 68 x 116mm
Pedals	N/A	Touring platform style, full alloy with toe clips	Touring platform style, full alloy with toe clips	Touring platform style, full alloy with toe clips
Brakeset	Tektro R312 alloy dual pivot calipers with cartridge pads and Shimano Tiagra RD-4700 STI brake levers	Tektro R317 alloy dual pivot calipers with adjustable pads and Shimano Claris ST-2400 STI brake levers	Tektro R317 long reach dual-pivot calipers with adjustable pads and Shimano Sora ST-3500 STI brake levers	Tektro R317 long reach dual-pivot calipers with adjustable pads Shimano Claris ST-2400 STI brake levers
Handlebar	Ritchey Comp Logic Curve, 6061 double-butted aluminum, 31.8 x 400mm (48/51), 420mm (54/56)	Jamis Ergo, 6061 aluminum, 31.8 x 380mm (44/48), 400mm (48/51), 420mm (54/56)	Ritchey Comp Logic Curve, 6061 aluminum, 31.8 x 400mm (48/51), 420mm (54)	Jamis Ergo, 6061 aluminum, 31.8 x 380mm (48/48), 400mm (51/54/51/54), 420mm (56/58/61)
Stem	Ritchey 4-Axis, 3D net forged 6061 alloy, 6° x 90mm (48/51), 100mm (54/56)	Jamis Road, 3D forged 6061 alloy, 7° x 90mm (44/48/48/51), 100mm (54/56)	Jamis adjustable threadless steering system (ATS) forged aluminum stem, 10° x 90mm (48/51), 105mm (54)	Jamis Road, 3D forged 6061 alloy, 7° x 90mm (48/51/48/51), 100mm (54/54/56), 110mm (58/61)
Grips	Jamis suede tape with Jamis logo and "J" end plug	Jamis suede tape with Jamis logo and "J" end plug	Jamis suede tape with Jamis logo and "J" end plug	Jamis suede tape with Jamis logo and "J" end plug
Seat Post	Post Jamis carbon fiber micro-adjust, 27.2 x 350mm with alloy clamp	Jamis alloy micro-adjust, 27.2 x 350mm with alloy clamp	Jamis alloy micro-adjust, 27.2 x 300mm with cromo seat pin	Jamis alloy micro-adjust, 26.6 x 300mm with cromo seat pin
Saddle	Selle Royal S1 with fine grain cover, steel rails with integrated clip system	Jamis Road Sport with SL top and satin steel rails	Jamis Touring Sport with pressure relief cut-out and satin steel rails	Jamis Touring Sport with pressure relief cut-out and satin steel rails
Sizes	48, 51, 54, 56cm	44, 48cm (Aspen Sky) 48, 51, 54, 56cm	48, 51, 54cm	48, 51, 54 (Cadenza Rose), 48, 51, 54, 56cm
Color	Ano Galaxy Grey	Aspen Sky or Gloss Black or Pure Lime	Black Ice	Cadenza Rose or Gloss Black or Winter Dusk
Weight	9.0kg	10.4kg	10.1kg	11.0kg

※水色表記は FEMME MODEL

ADVENTURE ROAD / CYCLOCROSS / TOURING

Model	RENEGADE ELITE	RENEGADE EXPAT	RENEGADE EXILE	SUPER NOVA TEAM FRAME SET	AURORA
Price	¥633,000	¥160,000	¥105,000	¥185,000	¥126,000
Frame	Jamis Adventure Omniad M30 monocoque carbon fiber frame, Near Net molding process,12 x 142 thru-axle, formed top and down tubes with SST tubing diameters, oversized tapered seat tube, 1 1 / 8 "- 1.5" head tube, EVO386 carbon BB shell, ACE internal cable routing compatible for both Di2 wires or traditional cables, oversized asymmetrical chainstays with cam type disc mount brakes and hidden carrier/ fender mount eyelets, carbon dropouts, replaceable alloy FD mount and RD hanger.	Jamis Adventure frame, Reynolds 520 double-butted SST chromoly main tubes, butted and tapered seat tube for 27.2 seat post, 44mm head tube for tapered fork, threaded BB shell, seat stay disc brake mounts, top tube mounted full cable housing, accepts 3 waterbottles, rack and fender mount eyelets, with clearance for 40c tires.	Jamis Adventure Frame Geo, 6061 aluminum double-butted SST main frame, top tube mounted full cable housing, 1 1/8-1.5" tapered head tube, 31.8mm seat tube for 27.2 seat post, seat stay disc brake mounts, replaceable derailleur hanger, accepts 3 waterbottles, rack and fender mount eyelets, mud clearance and able to fit 40c tires.	Jamis CX Dyad Plus M30/T700 monocoque carbon fiber frame, FEA optimized Near Net SPV molding process, formed down tube and top tube for comfortable portage with SST tubing diameters, oversized tapered seat tube, 1 1 / 8 "- 1.5" head tube with carbon bearing races, EVO386 carbon BB shell, ACE internal cable routing compatible for both Di2 wires or traditional cables, rider tuned twin seat stays with post mount disc mounts and brake strut on non-driveside for vibration-free braking, asymmetrical chainstays, forged one-piece dropouts with replaceable alloy FD mount and RD hanger.	Reynolds 520 double-butted chromoly main tubes with SST tubing diameters, double-tapered cromo stays, extended head tube with reinforced collars, forged dropouts, fender/rack mount yelets and 3 spoke carrier
Fork	Jamis Adventure ECO monocoque carbon fiber fork with 15mm thru-axle system, 1.5" hollow formed crown, cam type post disc brake mounts with carbon dropouts, hidden fender mount eyelets and stainless axle interfaces	Jamis Adventure ECO monocoque carbon composite fork, 15mm thru-axle dropout with stainless interface, tapered steerer with 1.5" hollow formed crown, post disc brake mounts with integrated cable cradle with carbon dropouts, hidden fender mount eyelets and stainless axle interfaces	Jamis Adventure aluminum fork, tapered chromoly steerer, integrated cable cradles with post disc brake mounts and fender eyelets	Jamis CX carbon fiber fork with 15mm Thru-axle, FEA optimized Near Net SPV molding process, 1.5" hollow formed crown, monocoque one-piece forming technology, post disc brake mounts with integrated carbon cable cradle with stainless axle interfaces	Lugged semi-sloping chromoly with canti bosses, low-rider carrier braze-ons, forged dropout with fender mount eyelets
Headset	Ritchey Pro Drop-In, sealed bearing with nylon upper compression ring, 1 1 / 8 "- 1.5"	FSA Orbit ITA B Internal/External, 1 1 / 8 "- 1.5"	FSA Orbit C-40B Internal/External, 1 1 / 8 "- 1.5"	Ritchey Pro Logic Zero Drop In, sealed bearing with nylon upper compression ring, 1 1 / 8 "- 1.5"	Chrome-plated AheadSet, 1 1 / 8 "
Wheels	American Classic Argent Tubeless Center Lock wheelset, 32H, 30mm aero rim profile 22/19.4mm width, AC disc hubs with sealed bearings, front 15mm/rear 12 x 142 thru-axle and AC round spokes	Alex ATD 470 disc rim with TCS (Tubeless Compatible System), 32H, Formula alloy disc road hubs and 14g stainless steel spokes	Alex ATD 470 disc rim with TCS (Tubeless Compatible System), 32H, Formula alloy disc road hubs and 14g stainless steel spokes		Alex ACE19 eyeleted double walled rims, 36H, Shimano Tiagra 4500 hubs with QR and 14g stainless steel spokes
Tires	Clement X Plor USH, 700 x 35c, 60tpi, protection belt and Kevlar folding bead	Clement X Plor USH, 700 x 35c, 30tpi with protection belt	Clement X Plor USH, 700 x 35c, 30tpi with protection belt		Vittoria Randonneur with Double Shielding puncture protection, 700 x 32c
Derailleurs	Shimano 11-Speed Ultegra RD-6800 GS rear and Ultegra FD-6800 braze-on front with 34.9mm alloy clamp	Shimano Tiagra RD-4700 GS rear and Tiagra FD-4700 front with 28.6mm alloy clamp	Shimano Claris RD-2400 rear and Claris FD-2400 front with 28.6mm alloy clamp		Shimano Tiagra RD-4600GS rear and Sora FD-3503 front with 28.6mm alloy clamp
Shift levers	Shimano ST-R685 Dual Control STI with hydraulic disc brake system, 22-Speed	Shimano Tiagra ST-4700 Dual Control STI, 20-Speed	Shimano Claris ST-2400 Dual Control STI, 16-Speed		microSHIFT bar-end shifters with index or friction option, 27-Speed
Chain	Shimano CN-HG600 11-Speed	KMC 10-speed X10	KMC Z7		KMC Z99
Cassette	Shimano 11-Speed 11-32T	Shimano 10-Speed 12-30T	SRAM PG-830 8-Speed 11-32T		SRAM PG-950 9-Speed 11-32T
Crankset	Shimano Ultegra FC-6800 compact double, 50/34T, 165mm (48), 170mm (51), 172.5mm (54/56), 175mm (58/61)	FSA Omega MegaExo compact double, 50/34T, 170mm (48/51) 172.5mm (54)	FSA Tempo compact double, 50/34T, 170mm (48/51) 172.5mm (54/56)		FSA Alpha Drive triple, 48/36/26T, 170mm
BB Set	Enduro EVO PressFit 30 with Wheels MFG EVO adaptors	FSA BB-4000	FSA sealed cartridge, 68 x 110.5mm	FSA EVO Press Fit 30 with adapter for SRAM	FSA sealed cartridge, 68 x 118mm
Pedals	N/A	N/A	N/A		Touring platform, full alloy cage & body with toe clips
Brakeset	Shimano BR-785 hydraulic disc brake system with resin pads, Shimano SM-RT99 Ice Tech FREEZA Center Lock 160mm rotors with Shimano ST-R685 STI brake levers	TRP Spyre mechanical cable actuated disc brake with 160mm rotors and Shimano Tiagra ST-4700 brake levers	Tektro Lyra mechanical cable actuated disc brake with 160mm wave rotors and Shimano Claris ST-2400 brake levers		Tektro 992 forged alloy cantilevers with Tektro RL340 road brake lever
Handlebar	Ritchey Evomax Comp, 6061 aluminum, 73 reach, 120 drop with 12° flare, 31.8 x 420 (48-51) 440mm (54-56), 460mm (56-61)	Ritchey Evomax Comp, 6061 aluminum, 73 reach, 120 drop with 12° flare, 31.8 x 420 (48-51) 440mm (54)	Ritchey Evomax Comp, 6061 aluminum, 73 reach, 120 drop with 12° flare, 31.8 x 420 (48-51) 440mm (54-56)		Jamis Ergo, 6061 aluminum, 31.8 x 400mm
Stem	Ritchey Comp 4-Axis, 3D net forged 6061 alloy, 6° x 80mm (48/51), 90mm (54/56), 110mm (58/61)	Ritchey 4-Axis 3D forged 6061 alloy, 6° x 80mm (48/51), 90mm (54)	Jamis Road 3D forged 6061 alloy, 7° x 80mm (48/51), 90mm (54/56)		Jamis adjustable threadless steering system (ATS) forged aluminum stem, 10° x 90mm (50), 105mm (53). ATS shim length 100mm
Grips	Fizik Superlight Microsoft Touch with Fizik logo with GEL inserts and end plug	Jamis suede tape with Jamis logo and "J" end plug	Jamis suede tape with Jamis logo and "J" end plug		Jamis natural cork bar tape
Seat Post	Ritchey WCS Link FlexLogic Carbon, 31.6 x 350mm, 15mm offset with Jamis 7075-AL CNC aluminum 1-bolt seat post clamp	Ritchey Road, 27.2 x 300mm with cromo seat pin	Jamis Road, micro-adjust, 27.2 x 350mm cromo seat pin		Jamis alloy micro-adjust, 27.2 x 300mm with cromo seat pin
Saddle	Ritchey Comp ZeroMax Vector EVO FlexLogic with synthetic leather cover, EVA foam and EVO rails	Selle Royal Seta S1 with fine grain cover, steel rails with integrated clip system	Jamis Road with SL top, front and rear bumpers and satin steel rails		Jamis Touring Sport with pressure relief cut-out and satin steel rails
Sizes	48, 51, 54, 56, 58, 61cm	48, 51, 54cm	48, 51, 54, 56cm	51, 54cm	50, 53cm
Color	Gloss Carbon	Gloss Black	Ano Palladium or Ano Bonfire	Orange Crush/Gloss Black	Evergreen
Weight	8.6kg	10.8kg	11.2kg	1.55kg	13kg

MTB Specifications

MTB 650

Model	DEFCON EXPERT	DRAGONSLAYER	DRAGON 650 PRO FRAME SET	DRAGON 650 SPORT	NEMESIS TEAM FRAME SET	NEMESIS RACE
Price	¥483,000	¥350,000	¥120,000	¥158,000	¥185,000	¥199,000
Frame	Triple-butted 6061 air-formed aluminum, 160mm travel mp4 suspension, Enduro® Max sealed bearing pivots, 1 1 / 8 "- 1.5" tapered head tube, asymmetrical chainstays, 12 x 142mm thru-axle, dropper post routing, ISCG05 chainguide mounts, Rock Shox Monarch Plus RC3 Debon Air shock with 3-position compression, 10mm hardware, replaceable derailleur hanger, Formula 12 x 142mm axle	Wei Hai Endo Superlight 4130 triple-butted chromoly steel, 44mm head tube, 31.6 I.D. seat tube, dropper post routing, sliding 12x148mm dropouts	Reynolds 853 DZB seamless air-hardened steel, 44mm head tube, 31.6 I.D. seat tube, dropper post routing, ISCG05, curved crown-clearing down tube, sliding 12 x 142mm dropouts	Reynolds 520 steel main tubes, reinforced head tube collars, dropper post routing, ISCG05, gusseted down tube, forged dropouts	Full high modulus carbon fiber, Dyad Supreme lay-up, shaped-optimized top and down tubes, 1.5 - 1 1/8" tapered head tube, PressFit30 BB shell, High Direct Mount (HDM) front derailleur with internal cable routing, over-sized stays with post mount disc brakes & 12x142mm drop-out, stainless steel chain stay protector, replaceable derailleur hanger	Triple-butted 6061 air-formed (SPF) aluminum, 1.5 - 1 1/8" tapered head tube, PressFit 30 BB shell, over-sized stays with post mount disc brakes & 12x142mm drop-out, replaceable derailleur hanger
Fork	Rock Shox Pike RC 27.5", lockout, Charger damper, external rebound, low speed compression adjust & lockout, 15mm axle, 35mm uppers, magnesium lowers, 160mm travel	Fox 34 Float Performance Series 27.5"+ with 3-position compression & lockout, air spring compression, rebound adjust, tapered alloy steerer, 15 x 110mm axle, 120mm travel		Rock Shox XC30 TK 27.5", Solo Air spring, external rebound, TurnKey lockout, 30mm stanchions, aluminum steerer, 120mm travel		X-Fusion Streat RL 27.5", 32mm stanchions, 15mm axle, tapered alloy steerer, air spring, rebound & lockout adjust, magnesium lower legs, 100mm travel
Headset	FSA Orbit 1.5 Zero-Stack internal cup for tapered head tube, 8mm cone spacer	FSA Orbit, Alloy cups	FSA Orbit, alloy cups	FSA Orbit MX, Alloy cups ACB bearings	FSA Orbit 1.5 internal cup, for tapered head tube, 8mm cone spacer	FSA Orbit 1.5 Zero-Stack internal cup, for tapered head tube, 8mm cone spacer
Wheels	Loaded Precision X-Lite X30 27.5" tubeless wheels, 15mm front and 12 x 142mm rear hubs	WTB Scraper i45 TCS 27.5" tubeless rims, Formula sealed bearing Center Lock disc hubs, 15x110mm front, 12x148mm rear, stainless spokes		WTB Speed Disc i23 27.5" rims, Formula sealed bearing Center Lock disc hubs, stainless spokes		American Classic Terrain 27.5" tubeless wheels,15mm front, 12x142mm rear
Tires	Vittoria Goma 27.5 x 2.4" front, Morsa 27.5x2.3 " rear, folding	Vittoria Bomboloni, 27.5 x 3", TNT		Vittoria Barzo, 27.5 x 2.1", folding		Vittoria Peyote, 27.5 x 2.1", folding
Derailleurs	SRAM GX rear, 11-speed	Shimano SLX RD-M675 rear and Deore FD-M616D front		Shimano Deore RD-M610 Shadow rear and Deore FD-M616 front		Shimano SLX shadow rear and Deore front
Shift levers	SRAM GX, 1x11-speed	Shimano SLX, 2x10-speed		Shimano Deore, 2x10-speed		Shimano Deore, 2x10-speed
Chain	KMC X11 EPT, 11-speed	Shimano HG54, 10-speed		Shimano HG54, 10-speed		Shimano HG54, 10-speed
Cassette	SRAM XG-1150, 11-speed, 10-42T	Shimano HG81, 10-speed, 11-36T		Shimano HG50, 10-speed, 11-36T		Shimano HG50, 10-speed, 11-36T
Crankset	SRAM S1000 GXP, 32T, 170mm (15"), 175mm (17-21")	Shimano Deore M627, 36/22T for 52mm chainline, 170mm (15"), 175mm (17")		Shimano Deore M615, 38/24T, 170mm (15"), 175mm (17-21")		Shimano Deore, 38/24T, 170mm (15"), 175mm (17")
BB Set	Enduro® BSA	Shimano external		Shimano external	FSA PressFit 30 with adapter for SRAM	FSA PressFit 30
Pedals	N/A	ATB alloy platform		ATB alloy platform		N/A
Brakeset	SRAM Guide R 4-piston, 180mm Centerline rotors	Shimano Deore M506 hydraulic disc, 180mm front & 160mm rear RT54 rotors		Shimano M445 hydraulic disc, 160mm RT30 rotors		Shimano Deore hydraulic disc, 160mm RT56 6-bolt rotors
Handlebar	Loaded Precision X-Trail Riser, 760mm x 15mm rise, 31.8 mm diameter	Ritchey Trail 2X, 31.8 x 9° x 720mm x +/- 5mm rise		Ritchey Trail, 710mm x 20mm rise		Ritchey Comp Low Riser, 31.8 x 9º sweep x 20mm rise x 710mm
Stem	Loaded Precision X-Trail, 50mm extension, 31.8mm clamp diameter	Ritchey Trail, 0° rise x 60mm (15"), 70mm (17")		Ritchey Trail, 0° x 70MM (15"), 80MM (17"), 90MM (19")		Ritchey Comp, 6º x 90mm (15"), 100mm (17")
Grips	Jamis Lock-On	Jamis Lock-On		Jamis Lock-On		Jamis Lock-On, dual density
Seat Post	KS Supernatural,125mm travel, handlebar remote, 385mm x 31.6	Ritchey Trail, 31.6 x 400mm		Ritchey Trail Low Riser, 27.2 x 400mm		Ritchey Comp 2-Bolt, 31.6 x 400mm
Saddle	WTB Volt Comp	WTB Volt Comp		WTB Volt Sport		WTB Volt Comp
Sizes	15", 17", 19", 21"	15", 17"	15", 17", 19"	15", 17", 19"	15", 17"	15", 17"
Color	Gloss Black	Winter Dusk	Puget Sound	Thunder Grey	Victory Red	Pure White
Weight	13.4kg	13.9kg	2.4kg	12.7kg	N/A	11.8kg

※水色表記は FEMME MODEL

MTB Specifications

MTB 29

Model	DAKAR XCR TEAM	DAKAR XCR SPORT	DAKOTA TEAM	DAKOTA PRO	DRAGON 29 SPORT
Price	¥838,000	¥268,000	¥796,000	¥435,000	¥168,000
Frame	High Modulus Omniad Elite M30 carbon fiber, 100mm travel mp4 suspension, Press Fit 30 bottom bracket shell, 12 x 142 rear thru-axle dropouts, SST size-specific tube diameters, 1 1 / 8 ~ 1.5" tapered head tube, internal dropper post routing, asymmetrical chainstays, stainless steel chain stay protector, Enduro® Max Black Oxide sealed bearing pivots, Rock Shox Monarch XX shock with Full Sprint hydraulic Xloc remote lockout and 10mm shock hardware, replaceable derailleur hanger, Rock Shox Maxle axle	Triple-butted 6061 alloy, 12 x 142 rear dropouts, 100mm travel mp4 suspension, 1 1 / 8 ~ 1.5" tapered head tube, asymmetrical chainstays, Enduro® Max sealed bearing pivots, Rock Shox Monarch R shock with rebound adjust and 10mm hardware, replaceable derailleur hanger, Formula 12mm axle	High Modulus Dyad Supreme carbon fiber, 1 1 / 8 ~ 1.5" tapered head tube, PressFit30 BB shell, High Direct Mount (HDM) front derailleur with internal cable routing, post mount disc brakes & 12 x 142 dropouts, stainless steel chain stay protector, replaceable derailleur hanger	Mid Modulus Dyad Plus carbon fiber, 1 1 / 8 ~ 1.5" tapered head tube, PressFit30 BB shell, High Direct Mount (HDM) front derailleur with internal cable routing, post mount disc brakes & 12 x 142 dropouts, stainless steel chain stay protector, replaceable derailleur hanger	Reynolds 520 steel, 44mm head tube, dropper post routing, gusseted down tube, forged dropouts
Fork	Rock Shox SID XX 29" with 15mm axle, tapered alloy steerer, external rebound, lockout via hydraulic Full Sprint Xloc remote, Solo Air spring, motion control damping, 32mm stanchions, magnesium lowers, 100mm travel	Rock Shox Recon Silver TK 29" Solo Air, 15mm axle, lever actuated lockout, air spring compression, rebound adjust, tapered alloy steerer, 100mm travel	Rock Shox SID XX World Cup 29", 15mm Maxle Lite, carbon tapered steerer & crown, Motion Control damping, remote hydraulic lockout, external rebound, 32mm stanchions, magnesium lowers, 100mm travel	Fox 32 Float Performance Series 29" with 3-position compression & lockout, 15mm axle, air spring compression, rebound adjust, tapered alloy steerer, 100mm travel	Rock Shox Recon Silver TK, Solo Air spring, external rebound, TurnKey lockout adjust, 32mm stanchions, tapered aluminum steerer, 120mm travel
Headset	FSA Orbit 1.5 Integrated, internal bearing for tapered head tube, 8mm cone spacer	FSA Orbit 1.5 Zero-Stack internal cup for tapered head tube, 15mm cone spacer	FSA Orbit 1.5 Zero-Stack internal bearing for tapered head tube, 8mm cone spacer	FSA Orbit 1.5 Zero-Stack internal bearing for tapered head tube, 8mm cone spacer	FSA Orbit, Alloy cups
Wheels	Stan's NoTubes ZTR Crest Team 29" tubeless disc wheels, 3.30 Series 32H 15mm axle front and 12 x 142mm rear hubs, Sapim Custom Force spokes	WTB SX19 rims, 32H, Formula 6-bolt sealed bearing hubs, stainless spokes	Stan's NoTubes ZTR Crest Team 29" tubeless disc wheels, 3.30 Series 32H 15mm axle front and 12 x 142mm rear hubs, Sapim Custom Force spokes	DT Swiss X-1900 Spline 29" tubeless wheels,15mm front, 12 x 142mm rear	WTB ST i23 TCS 29" tubeless rims, Formula Center Lock disc hubs, stainless spokes
Tires	Vittoria Barzo, 29 x 2.1", TNT	Vittoria Barzo, 29 x 2.1"	Vittoria Peyote, 29 x 2.1", TNT	Vittoria Peyote, 29 x 2.1", folding	Vittoria Barzo, 29 x 2.25", folding
Derailleurs	SRAM X01 Carbon, 11-speed rear	Shimano Deore rear and front	SRAM XX1, 11-speed rear	SRAM GX, 11-speed rear	Shimano SLX Shadow rear and Deore front
Shift levers	SRAM X01, 1x11-speed	Shimano Deore, 2x10-speed	SRAM XX1, 1x11-speed	SRAM GX, 1x11-speed	Shimano Deore, 2x10-speed
Chain	KMC X11SL DLC, 11-speed	Shimano HG54, 10-speed	KMC X11SL DLC, 11-speed	KMC X11 EPT, 11-speed	Shimano HG54, 10-speed
Cassette	SRAM XG-1180, 11-speed, 10-42T	Shimano HG50, 10-speed, 11-36T	SRAM XG-1195, 11-speed, 10-42T	SRAM XG-1150, 11-speed, 10-42T	Shimano HG50, 10-speed, 11-36T
Crankset	SRAM X01, PressFit 30, Direct Mount 32T, 170mm (15"), 175mm (17-21")	Shimano Deore M617, 38/24T, 170mm (15"), 175mm (17)	SRAM XX1 PressFit 30, Direct Mount 32T, 170mm (15"),175mm (17"-21")	SRAM S1000 PressFit 30, 32T, 170mm (15"), 175mm (17-21")	Shimano Deore M617, 38/24T, 170mm (15"), 175mm (17")
BB Set	Enduro® PressFit 30	Enduro® BSA	Enduro® PressFit 30	Enduro® PressFit 30	Shimano external
Pedals	N/A	N/A	N/A	N/A	ATB alloy platform
Brakeset	SRAM X0 Carbon hydraulic disc, 180mm front & 160mm rear Centerline X 6-bolt rotors	Shimano M396 hydraulic disc, 180mm front & 160mm rear RT56 6-bolt rotors	SRAM XX hydraulic disc, 160mm front & 140mm rear Centerline X rotors	SRAM DB5 hydraulic disc, 180mm front & 160mm rear Centerline rotors	Shimano M396 hydraulic disc, 180mm front & 160mm rear RT30 Center Lock rotors
Handlebar	Ritchey WCS Carbon 2X, 710mm, +/- 5mm rise, 31.8	Ritchey Comp 2X, 720mm, +/- 5mm rise, 31.8	Ritchey WCS Carbon 2x, 31.8 x 9° sweep x +/- 5mm rise x 710mm	Ritchey Comp 2X, 31.8 x 9° sweep x +/- 5mm rise x 720mm	Ritchey Trail 2X, 31.8 x 9° x 720mm x +/- 5mm rise
Stem	Ritchey WCS C-220, 6° rise x 70mm (15"), 80mm (17"), 90mm (19"), 100mm (21")	Ritchey 4-Axis, 6° x 70mm (15"), 80mm (17)	Ritchey WCS C-220, 6° x 70mm (15"), 80mm (17"), 90mm (19"), 100mm (21")	Ritchey Comp 4-Axis, 6° x 70mm (15"), 80mm (17"), 90mm (19"), 100mm (21")	Ritchey Trail, 0° rise x 60mm (15"), 70mm (17")
Grips	Jamis Lock-On	Jamis Lock-On	Jamis Lock-On	Jamis Lock-On	Jamis Lock-On
Seat Post	Ritchey WCS Carbon, 1-bolt, 31.6 x 400mm	Ritchey, 2-bolt, 31.6 x 400mm	Ritchey WCS Carbon 1-bolt, 31.6 x 400mm	Ritchey Comp 2-bolt, 31.6 x 400mm	Ritchey Trail, 27.2 x 400mm
Saddle	WTB Volt Race	WTB Volt Sport	WTB Volt Race	WTB Volt Comp	WTB Volt Sport
Sizes	15", 17", 19", 21"	15", 17"	15", 17", 19", 21"	15", 17", 19", 21"	15", 17"
Color	Gloss Carbon	Gloss Black	Gloss Carbon	Gloss Carbon	Commando
Weight	10.5kg	14.1kg	8.8kg	10.1kg	13.6kg

STREET

Model	CODA COMP	CODA SPORT	ALLEGRO COMP	ALLEGRO SPORT
Price	¥99,000	¥69,900	¥106,000	¥69,900
Frame	Reynolds 520 double-butted chromoly main tubes, extended head tube with reinforced collars, double tapered cromo stays, forged dropouts and fender/rack mount eyelets	Double-butted chromoly main tubes, extended head tube with reinforced collars, double tapered cromo stays, forged dropouts and fender/rack mount eyelets	Triple-butted 6061 aluminum with hydro-formed top and down tube, taper gauge "S" bend stays, replaceable derailleur hanger and fender/rack mount eyelets	6061 aluminum with hydro-formed top and down tube, taper gauge "S" bend stays, replaceable derailleur hanger and fender/rack mount eyelets
Fork	Jamis Road carbon fiber unicrown with brake mounts, low-rider carrier mounts and forged dropouts with fender mount eyelets	Chromoly unicrown, bulge butted steerer, low-rider carrier mounts and forged dropouts with fender mount eyelets	Jamis Road carbon composite with brake mounts, low-rider carrier mounts and forged dropouts with fender mount eyelets	Redesigned chromoly straight blade unicrown with bulge butted chromoly steerer, low-rider carrier mounts and forged dropout with fender mount eyelets
Headset	AheadSet, 1 1 / 8 "	AheadSet, 1 1 / 8 "	FSA Integrated IS threadless with nylon upper compression ring, 1 1 / 8 "	FSA Integrated IS threadless, 1 1 / 8 "
Wheels	Alex ID-19 double wall alloy rims with GSW sidewall, 32H, Formula hubs with QR and 14g stainless steel spokes	Alex ID-19 double wall alloy rims with GSW sidewall, 32H, Formula alloy hubs with QR and 14g stainless steel spokes	Alex ID-19 double wall alloy rims with GSW sidewall, 28/32H, Formula alloy hubs with QR and 14g stainless steel spokes	Alex DC26 double wall alloy rims, 32H, Formula alloy hubs with QR and 14g stainless steel spokes
Tires	Vittoria Randonneur with Double Shielding puncture protection and reflective sidewalls, 700 x 32c	Vittoria Randonneur with Double Shielding puncture protection and reflective sidewalls, 700 x 32c	Vittoria Randonneur with Double Shield puncture protection and reflective side walls, 700 x 32c	Vittoria Randonneur with Double Shield puncture protection and reflective side walls, 700 x 32c
Derailleurs	Shimano Acera RD-M3000 SGS rear and Acera FD-M3000 top swing	Shimano Acera M360 SGS rear and M191 bottom pull front	Shimano Sora RD-3500 SS rear and Shimano Sora FD-3500 front	Shimano Acera RD-M360 rear and Shimano FD-M191 bottom pull front
Shift levers	Shimano Rapidfire Plus SL-M3000, 27-Speed	Shimano Rapidfire Plus ST-M310, 24-Speed	Shimano Sora SL-3500 for flat-bar, 18-Speed	Shimano Rapidfire ST-M310, 24-Speed
Chain	KMC Z99 9-Speed	KMC Z7 8-Speed	KMC Z99	KMC Z7
Cassette	SRAM 9-Speed 11-34T	SRAM PG 820 8-Speed 11-32T	SRAM PG-950 9-Speed 11-32T	SRAM PG 820 8-Speed 11-32T
Crankset	Shimano Acera FC-M371 triple, 48/36/26T, 170mm (15-19")	Shimano FC-M171 triple, 48/38/28T, 170mm (14-16"/15-19")	FSA Tempo compact double, 50/34, 170mm (17"), 175mm (19")	Shimano FC-M171 triple, 48/38/28, 170mm (14-16"/15-17"), 175mm (19"),
BB Set	FSA sealed cartridge, 68 x 110.5mm	FSA sealed cartridge, 68 x 110.5mm	FSA sealed cartridge, 68 x 110.5mm	FSA sealed cartridge, 68 x 110.5mm
Pedals	Full alloy platform, toe clip attachable	Platform style, steel cage/resin body, toe clip attachable	Platform style, steel cage/resin body, toe clip attachable	Comfort platform style with TPE non-slip insert
Brakeset	Tektro alloy linear-pull brakes with front power modulator and Tektro brake levers	Tektro alloy linear-pull brakes with front power modulator and Shimano brakelevers	Tektro RX-1.0 linear-pull with front power modulator and RX1.0 brake levers	Tektro RX-1.0 linear-pull with front power modulator and Shimano brake levers
Handlebar	Jamis Urban bar, 6061 T-6 aluminum, 25.4 x 10° sweep x 580mm	Jamis flat bar, 6061 T-6 aluminum, 31.8 x 10° sweep x 580mm	Jamis flat bar, 6061 T-6 aluminum, 31.8 x 10° sweep x 580mm	Jamis flat bar, 6061 T-6 aluminum, 31.8 x 10° sweep x 580mm
Stem	Jamis adjustable threadless steering system (ATS) forged aluminum stem, 25.4 x 10° x 90mm (15"), 105mm (17-19"), ATS shim length 100mm	Jamis Road, 3D forged 6061 alloy, 10° x 90mm (14/16/15/17"), 110mm (19")	Jamis adjustable threadless steering system (ATS), forged aluminum stem, 10° x 90mm (17"), 105mm (19"). ATS shim length 100mm	Jamis Trekking, 3D forged alloy, 10° rise x 90mm (14-16"/15-17"), 110mm (19")
Grips	New Anatomic double density kraton grip with end plug	New Anatomic double density kraton grip with end plug	New Anatomic double density kraton grip with end plug	New Anatomic double density kraton grip with end plug
Seat Post	Jamis alloy micro-adjust, 27.2 x 350mm alloy clamp with QR seatpin	Post Jamis alloy micro-adjust, 27.2 x 350mm alloy clamp with QR seatpin	Jamis alloy micro-adjust, 27.2 x 350mm alloy clamp with QR seatpin	Jamis alloy micro-adjust, 27.2 x 350mm, alloy clamp with QR seatpin
Saddle	Selle Royal S1 with fine grain cover, steel rails with integrated clip system	Jamis Road Sport with SL top and satin steel rails , Jamis Touring Femm	Selle Royal S1 with fine grain cover, steel rails with integrated clip system	JJamis Road Sport with SL top and satin steel rails , Jamis Touring Femm
Sizes	15", 17", 19"	14", 16" (Glacier Blue), 15", 17", 19"	17", 19"	14",16" (Teal Fo' Real), 15", 17", 19"
Color	Steel Blue	Glacier Blue or Gloss Black or Sahara Silver	Galaxy Grey	Teal Fo' Real or Gloss Black or Orange Crush
Weight	11.5kg	11.9kg	10.7kg	11.6kg

※水色表記は FEMME MODEL

Geometries



A = Seat Tube

B = Effective TT Length

C = Head Tube Angle

D = Seat Tube Angle

E = Chainstay

F = Wheelbase

G = Fork Rake

H = Bottom Bracket Drop/Height

I = Head Tube

J = Standover

K = Stack

L = Reach

MODEL	SIZE		Ⓐ SEAT TUBE	Ⓑ EFFECTIVE TT LENGTH	Ⓒ HEAD ANGLE	Ⓓ SEAT ANGLE	Ⓔ CHAINSTAY	Ⓕ WHEEL BASE	Ⓖ FORK RAKE	Ⓗ BB DROP	Ⓘ HEAD TUBE	Ⓙ STAND OVER	Ⓚ STACK	Ⓛ REACH	REAR OLD
Xenith Team	48	cm	438	515	71.5	73	405	958	50	68	100	713	496	363	130
Xenith Race	51	cm	445	529	72	73	405	968	50	68	120	741	517	371	130
Xenith Comp	54	cm	481	544	73	73	405	967	43	68	140	764	542	378	130
	56	cm	495	565	73	73	405	988	43	68	160	780	561	394	130
	58	cm	511	580	73	73	405	1003	43	68	180	797	580	402	130
	61	cm	527	590	73	73	405	1014	43	68	200	815	599	407	130
Icon Elite	48	cm	425	515	71.5	73	405	958	50	68	100	715	496	363	130
Icon Pro	51	cm	467	529	72	73	405	968	50	68	120	745	517	371	130
	54	cm	485	544	73	73	405	967	43	68	140	766	541	379	130
	56	cm	505	565	73	73	405	988	43	68	160	786	561	394	130
Ventura Race	48	cm	415	515	71	74	415	979	50	73	120	712	532	361	130
Ventura Sport	51	cm	462	525	71.5	74	415	986	50	73	140	746	553	365	130
	54	cm	477	538	72	73.5	415	985	45	73	160	747	575	367	130
	56	cm	498	555	72.54	73	415	987	43	73	180	785	598	372	130
Ventura Sport Femme	44	cm	383	495	70.5	76	415	986	50	68	120	712	525	361	130
	48	cm	416	505	71	75.5	415	985	50	68	120	717	527	366	130
Quest Comp	48	cm	422	515	71	74.5	415	989	50	68	120	736	536	365	130
Quest Sport	51	cm	464	530	72	74	415	983	43	68	140	769	562	368	130
	54	cm	483	540	72	73	415	984	43	68	160	786	581	362	130
	56	cm	505	555	73	73	415	988	43	68	180	807	604	370	130
Quest Sport Femme	48	cm	422	505	71	75.5	415	988	50	68	120	726	536	365	130
	51	cm	464	515	71.5	75	415	991	50	68	140	768	557	365	130
	54	cm	482	530	71.5	74	415	996	50	68	160	785	558	364	130
Renegade Elite	48	cm	430	517	70.5	73	427	998	57	73.5	95.9	729	515	360	142
	51	cm	452	532	71	73	427	1005	53	73.5	114.3	752	535	369	142
	54	cm	482	551	71.5	73	430	1023	53	72	145.6	785	565	378	142
	56	cm	506	569	71.5	73	430	1042	53	72	176.7	808	595	387	142
	58	cm	527	586	72	73	430	1051	50	70.5	202	830	620	396	142
	61	cm	549	601	72.5	73	435	1066	50	70.5	220.9	853	640	405	142
Renegade Expat	48	cm	430	519	70.5	73	427	997	57	73.5	83	724	515	360	135
Renegade Exile	51	cm	452	534	71	73	427	1005	53	73.5	100	745	535	369	135
	54	cm	482	551	71.5	73	430	1023	53	72	132	776	554	375	130
	56	cm	506	570	71.5	73	430	1042	53	72	163	801	595	387	135
Super Nova Team	51	cm	471	529	71.5	74	425	1001	48	68	130	775	559	368	135
	54	cm	501	545	72	73	425	1002	48	68	145	797	575	368	135
Aurora	50	cm	497	542	71.5	74	440	1033	50	65	115	784	541	386	130
	53	cm	527	552	71.5	73	440	1034	50	65	135	808	560	380	130
Defcon Expert	15	inch	277	570	66.5	73.5	435	1126		7	100	719	584	394	142
	17	inch	284	595	66.5	73.5	435	1151		7	110	751	593	415	142
	19	inch	351	620	66.5	73.5	435	1176		7	120	784	593	436	142
	21	inch	380	645	66.5	73.5	435	1191		7	130	817	611	457	142
Dragonslayer	15	inch	359	580	68	73	435	1106		50	80	762	608	394	148
	17	inch	410	600	68	73	435	1128		50	100	800	626	408	148
Dragon 650 Pro	13	inch	303	539	68	73	425	1044	42	39	85	723			Pro =
Dragon 650 Sport	15	inch	356	565	68	73	425	1070	42	39	85	759	587	385	142
	17	inch	411	584	68	73	425	1090	42	39	90	794	591	403	Sport =
	19	inch	461	603	68	73	425	1110	42	39	110	830	610	416	135
DRAGON 29 SPORT	15	inch	359	576	68.5	73	435	1089		55	95	768	613	384	135
	17	inch	410	600	68.5	73	435	1114		55	100	807	631	407	135
NEMESIS TEAM	15	inch	336	560	70	72.5	435	1045	42	34	100	750			142
	17	inch	385	585	70	72.5	435	1070	42	34	110	785			142
NEMESIS RACE	15	inch	336	560	70	72.5	435	1048	42	34	100	736			142
	17	inch	385	585	70	72.5	435	1073	42	34	110	771			142
DAKAR XCR TEAM	15	inch	357	563	71	74	455	1086		35	105	793	594	391	142
DAKAR XCR SPORT	17	inch	377	585	71	74	455	1103		35	110	803	599	412	142
	19	inch	391	610	71	74	455	1133		35	110	812	599	437	142
	21	inch	409	627	71	74	455	1150		35	120	821	608	450	142
DAKOTA TEAM	15	inch	339	575	70.5	73	438	1066		58	100	752	608	389	142
DAKOTA PRO	17	inch	394	600	70.5	73	438	1088		58	110	755	618	410	142
	19	inch	440	620	70.5	73	438	1112		58	115	773	623	430	142
	21	inch	498	640	70.5	73	438	1132		58	130	817	638	445	142
CODA COMP	15	inch	385	545	71	74	435	1029	45	65	105	715	518	395	130
	17	inch	422	560	71	74	435	1045	45	65	120	742	532	407	130
	19	inch	472	570	72	73.5	435	1041	45	65	135	776	550	407	130
CODA SPORT	15	inch	385	545	71	74	435	1035	50	65	105	723	537	390	130
	17	inch	422	560	71	74	435	1051	50	65	120	750	551	401	130
	19	inch	472	570	72	73.5	435	1047	50	65	135	785	569	401	130
CODA SPORT FEMME	14	inch	347	520	70	75	435	1028	50	65	95	696	524	378	130
	16	inch	385	530	71	75	435	1030	50	65	105	725	537	385	130
ALLEGRO COMP	15	inch	371	545	71	74	435	1040	50	55	135	733	545	387	130
ALLEGRO SPORT	17	inch	408	560	71	74	435	1056	50	55	150	760	559	398	130
	19	inch	459	570	72	73.5	435	1052	50	55	175	799	586	395	130
ALLEGRO SPORT FEMME	14	inch	335	520	70.5	74.5	435	1024	50	55	125	721	533	370	130
	16	inch	372	530	71	74	435	1025	50	55	135	733	545	372	130



We Speak
JAMIS

私たちが語るのはJamisの一部にすぎません。
次はあなたたちがJamisに乗り、Jamisを知り、
Jamisの語り手になってください。