


JAMIS
THE POWER OF DESIGN

JAMIS 2017



JAMIS

ジェイミスジャパン株式会社

東京都台東区蔵前4丁目8-2

TEL.03-3866-2333 FAX.03-5829-4775

ホームページ： <http://www.jamis-japan.com>

Facebook： <https://www.facebook.com/jamis.japan>

- 自転車に乗るときは取扱説明書をよくお読みになり、特に安全についての内容を十分に理解してからお乗りください。
- スポーツバイクについて：スポーツバイクは一般的な自転車比べ、速度も出やすく、走行距離も伸ばすことができますが、走行速度の上昇にともなって、万一の走行事故による危険性も大きくなります。乗車の際はヘルメットや、グローブなどを必ず装着して、万一の事故から身を守りましょう。またマウンテンバイクでのオフロード走行時には、必要に応じて転倒時に体を守るプロテクター等も装着してください。
- 製品カラーは印刷のため実物と異なる場合があります。
- 予告なく改良のため仕様、価格を変更する場合があります。あらかじめご了承ください。
- 本カタログ内の製品記載内容（価格含む）は2016年9月1日現在のものです。



INTRODUCTION	WE SPEAK JAMIS	02
	JAMIS TECHNOLOGY	08

ROAD Racing Road / Carbon	XENITH	
	XENITH TEAM	15
	XENITH PRO	16
	XENITH RACE	17
	XENITH COMP	17

Racing Road / Aluminium	ICON	
	ICON ELITE	19
	ICON PRO DISC	20
	ICON PRO	21

Performance Road / Aluminium	VENTURA	
	VENTURA RACE	23
	VENTURA SPORT	24
	VENTURA FEMME	57

Performance Road / Chromoly	QUEST	
	QUEST ELITE	27
	QUEST COMP	28
	QUEST SORT	30
	QUEST FEMME	57

Adventure Road	RENEGADE	
	RENEGADE ELITE	35
	RENEGADE EXPERT	36
	RENEGADE EXPAT	37
	RENEGADE EXILE SORA	38
	RENEGADE EXILE CLARIS	38

Touring / Chromoly	AURORA	
	AURORA	39

MOUNTAIN Enduro Full Suspension	DEFCON	
	DEFCON 2	41
	DEFCON 3	41

27.5+ MTB / Chromoly	DRAGONSLAYER	
	DRAGONSLAYER 27.5+ PRO	43
	DRAGONSLAYER 27.5+ SPORT	44

27.5+ MTB / Aluminium	KOMODO	
	KOMODO 27.5+ EXPERT	46
	KOMODO 27.5+ SPORT	47

URBAN Urban / Chromoly	CODA	
	CODA COMP	49
	CODA SPORT	50
	CODA SPORT FEMME	58


Urban Fitness / Aluminium	ALLEGRO	
	ALLEGRO COMP	53
	ALLEGRO SPORT	54
	ALLEGRO SPORT FEMME	59

APPENDIX	SPECIFICATIONS	60
-----------------	-----------------------	----



We Speak
JAMIS

Jamisは、大切にフレームを作る。
カーボンもアルミも、もちろんクロモリも一本一本丁寧に作る。
あなたのもとに届くまで、しっかりと見届ける。
ハンドメイドであり、ハートメイドである。



We Speak
JAMIS

1979-

Jamisは、大きなブランドになろうとしたことはない。
ただいいバイクを作り続けていただけた。
35年以上に渡り、自分たちがすべきことをし続けているだけだ。
自分が本当に乗りたいバイクを作る、ただそれだけだ。



1988-

QUEST series



1988-

ICON series

25年以上作られ続けてきた歴史あるEclipseという
モデルの思想は、現在ではIconシリーズに引き継がれ、
新たな素材と設計の元に同じ歴史を刻んでいる。



1993-

DRAGON series

2003-

XENITH series



2015-

RENEGADE series

2015年、新たに登場したアドベンチャー ロードバイク
RENEGADEは、これからその歴史と轍を刻んでいく。




Jamisは常にレースに夢中だ。プロチームが求める性能を持つバイクを、とにかく頭を絞って作るのも、いつの日かJamisのバイクが世界を制してくれると嬉しいからだ。Jamisを作るサイクリストは、極限まで体を鍛えるレーサーを、心から尊敬しているからでもある。



“NEAR NET” CARBON TECHNOLOGY

— なぜJAMISのカーボンフレームは、見えない内側まで滑らかなのか？



near net
MOLDING

一般にカーボンフレームは、カーボンシートを重ねて積層したものをフレームの形状をした型に敷き、熱をかけて成形する。一方で Near Net Molding は、カーボンフレームの主要部分(ヘッドチューブ、BB、シートチューブ、トップチューブ)を、シリコンの軸を用いて成形。これらをフレーム状に配置し、内部から圧力をかける芯材=ブラダー内には、ポリスチレンのコアが使われる。

成形のために過熱されると、内圧を保ったままこのポリスチレンコアは溶け流れ、内側表面が滑らかに保たれたカーボンフレームが完成する。内側表面が滑らかであるというのは、成形に必要な余分な樹脂が外に押し出され、狙った厚みが保たれているということ。さらに言えば、シワや凸凹など余分な重量を増やし強度を下げる原因を排除できるということである。

そのため設計した理想的な軽さ、剛性、そして強度をそのまま体現した、高い品質のカーボンフレームとなるわけだ。

対応モデル：RENEGADE ELITE、RENEGADE EXPERT

nearnet
SPV


カーボンフレームを、無駄のない理想的な形状にする Near Net Molding を、さらに進化させる製法が、Near Net SPV である。

これはカーボンシートを重ねる積層の際に、真空状態にて行うことで、カーボン積層内にある空気を押し出すというもの。これにより、積層内の空気は限りなく0に近くなり、カーボンは理想的な積層状況、すなわち設計理論に即した高強度、軽量なカーボンとなるのだ。JAMISのトップモデル、XENITHシリーズに採用される技術である。

対応モデル：XENITH シリーズ

SIZE SPECIFIC DESIGN (サイズごとに合わせたデザイン)

— 同じモデルであれば、すべてのフレームサイズが、同じ乗り味であるべきだ。



JAMISはフレームサイズを、トップチューブやシートチューブなどの数字ではなく、フレーム構造全体として考える。それが、JAMISの提唱する《SSD》＝フレームサイズごとに合わせたデザイン、の基礎となる考え方である。同じモデルであれば、すべてのフレームサイズが同じ乗り味であるべきだ。JAMISが提唱する《SST》＝サイズごとにパイプの太さまで変更するこの考えを、さらに推し進めたものである。

起点となるのは、リーチとスタックの設定だ。スタックとはBBの中心から垂直に、トップチューブ高(現実でも仮想でも)までの距離、そしてリーチとはヘッドチューブ中心からこのスタックまでの距離のこと。この2つの線がつくる逆L字を基準として、サイズごとの調整が行われる。

さらに、4種のBBドロップ(フレームにおけるBBの位置)と3種のチェーンステー長を使い(上図参照)、異なるサイズでも変わらないフレームの走りを作り出す。例えば身長の高いライダーはクランクも長くなるものだが、それにBBドロップも対応させないと、ライダーの位置は理想よりも高く、あるいは低くなってしまい、バイクの乗り心地を大きく左右してしまうからだ。加えて異なるオフセットのフォークを2種用意し、サイズごとに最適なものを利用。そしてRENEGADEのため、太いサイズのタイヤを履いても繊細なステアリングを実現する新たなフォークも用意した。

1988年から続くSST(Size Specific Tubing)は、このSSDの核となる考え方だ。メインチューブ群とシートステーの太さをサイズごとに太く、または細くすることで、全体の剛性や乗りごこちをより同じくする。SSTは、それぞれのモデルに託された真の走り心地を、チューブの太さという要素まで使い、体現する技術である。

QUALITY TESTING

— JAMISバイクが誇る大きな性能の一つが、綿密なまでの耐久試験である。



JAMISのすべてのフレームとフォークは、スポーツ自転車における強度規格、ISO4210をクリアするように作られる。この耐久試験は、継続的に行われている。場合によっては、これら規格をはるかに上回る強度を持たせることもある。

ペダリングによるねじれを始めとする、あらゆるポイントにおける強度、そして歪みへの変形率などを調べ、固定したフレーム、フォークに大きく加重した状態で過酷な試験を実地していく。さらにモデルチェンジの折には、重りを取り付けたフレームを高みから落下させるという破壊試験を行っている。

破壊試験は強度を図るシンプルな方法ではあるが、製作されたばかりのフレームとフォークへの非破壊検査も重要なパートを占めている。特にカーボンフレームは、一本ずつ重量を量ることで樹脂の過不足を判断し、重要な6箇所については、積層状況を確認しながらの剛性を測定する。各部のたわみは、JAMISにおける標準値から5%以内に収まっていることを確認する。

JAMISが造るフレームの一本一本すべてが、これら試験により私たちの厳格な製造基準を満たすことを保証した上で出荷される。これもJAMISバイクが誇る性能の一つである。

FRAME TECHNOLOGY

REYNOLDS (クロモリ)

JAMISは、クロモリという素材の性能を信じている。その滑らかな乗り味と耐久性を始めとする、自転車素材として時代を超える魅力が備わっているからだ。そのクロモリパイプには、歴史ある英国パイプメーカー、REYNOLDS社のものを使用する。高級グレードのREYNOLDS 631、クロモリの特性を味わえるREYNOLDS 520、そして4130クロモリバテッドチューブの3種である。

REYNOLDS 631 : QUEST ELITE
REYNOLDS 520 : QUEST COMP, RENEGADE EXPAT,
AURORA, DRAGONSLAYER, CODA COMP
4130クロモリバテッドチューブ : QUEST SPORT, CODA SPORT



RS SYNTHESIS (アルミ)

2年の製作期間と、数多いテストを重ねて完成された、アルミ素材を使用する最高峰のフレーム、SYNTHESIS (シンセサイズ)。カーボンフレームに肉薄する走行性能、そして重量。これに加え、金属フレームにしかない耐久性とコストパフォーマンスを実現する、JAMISならではのアルミフレームである。

対応モデル : ICON シリーズ

FEMME (女性用)

女性のためにアレンジされたライン。身長の高い女性にも乗りやすいジオメトリーのアレンジ、からだに触れる部位を女性専用パーツとしたコンポーネント、フレーム剛性やパイプ径なども、女性の体格のために配慮され、JAMISの性能を余すところなく味わえる。

対応モデル : VENTURA SPORT FEMME, QUEST SPORT FEMME,
CODA SPORT FEMME, ALLEGRO SPORT FEMME



FORK TECHNOLOGY

ECO

Enhanced Compliance Offsetの略。フォークの振動吸収性を高めつつ、確かなコントロール性をキープするフォーク設計である。フォークブレード全体を、前方に押し出したことにより、路面からの振動をより多く吸収させる特性をもたせ、同時に前輪のハブ軸を後方に寄せたことで、ハンドリング性能を決定するトレール値を通常のフォークと同様にした。

対応モデル : VENTURE RACE, RENEGADE ELITE,
RENEGADE EXPERT, RENEGADE EXPAT



BOOST SPACING

BOOST 148

現在MTBでの一般的なリアエンド幅、142mmに、6mmをプラスして148mm幅としたのがBOOST 148だ。これはリアハブのフランジ幅を広げてスポークの組み角度を大きくすることで、さらに剛性高く組まれたホイールが装備可能となる。さらには太いタイヤを履くクリアランスを設け、チェーンステーも短くできる。嬉しいのは、リアエンド幅は広がるが、クランクのQファクターは広がらないよう新デザインのクランクアームスパイダーを装備すること。変わらぬ走り心地で走りの質を変える新規格である。

対応モデル : DRAGONSLAYER 27.5+PRO,
DRAGONSLAYER 27.5+SPORT,
KOMODO 27.5+EXPERT, KOMODO 27.5+SPORT



SUSPENSION TECHNOLOGY

MP4

シートステーに位置するメインピボットを中心としたリアサスペンションシステム。バックのスイングアーム部を一体成型とできたことで、リアホイールの耐ねじれ剛性を格段に上げられ、リアホイールのスムーズな動きを確保している。また挙動軸となるのはBBとほぼ同位置であるため、ペダリング時のキックバックやストローク時のチェーンのたるみを最小限に抑え、自然な走行感をキープしている。

また、モデルごとにリアサスペンションのスプリングレートを変更させており、それぞれのモデル目的に沿ったサスペンションの挙動を実現している。例えばDEFCONの場合は、ストローク時の重心挙動を推進力に変換する味付けが施され、XCRの場合は、路面追従性を最大限に活かすリニアなリンク設定となっている。

対応モデル : DEFCON シリーズ



BB SYSTEM

ENDURO Bearing

BBの回転を担うベアリング、そしてリアサスの滑らかな動きを実現するベアリングには、アメリカ製『ENDURO』社のものが使われる。このベアリングは、リテーナーの表面積を増やしたことで耐荷重性を一般より35~45%アップ。さらにベアリングの両脇をシールで防護しグリスの流出を90%防いでいる。またカーボンフレームには、磁鉄鉱にて表面加工したMAX BLACK OXIDEを採用。ボールの固さと耐久性を高め、BB、ピボットともに長期間の滑らかな回転を実現する。

対応モデル : XENITH シリーズ、ICON シリーズ、
RENEGADE ELITE, DEFCON シリーズ



BB386EVO

BBスピンドルの直径を30mmのままに、全体の幅を86.5mmまで広げた新規格のBBシステム。Qファクターを変えずにBB周りの剛性を高められたことに加え、デザインの自由度も上げられた。その結果、チェーンステー剛性を高めるフレームサイズごとの専用デザイン、そしてタイヤクリアランスを大幅に広げる(RENEGADE)ことが可能となった。

対応モデル : XENITH シリーズ、RENEGADE ELITE



PRESS FIT BB30

BBスピンドルの直径を30mmまで太くし、ベアリング全体の直径も上げたことにより、ベアリングとハウジング接触面での回転抵抗を下げ耐久性を高めるBBシステム。

対応モデル : ICON シリーズ



SHIFTING

ACE

Adaptive Cable Entryの頭文字をとったACEシステム。変速ケーブル、電動変速のワイヤーをフレーム内蔵にするためのシステムである。将来的に電動変速へのアップグレードを見越しライダーのため、それぞれに対応する各種グロメットが付属する。

対応モデル : XENITH シリーズ、
RENEGADE ELITE, RENEGADE EXPERT



TIRES

PLUS TIRES

サイズ3.0、太めのタイヤを履く『プラス』規格だ。太めのタイヤには、多くの空気量=エアボリュームがある。このため空気圧を下げてもパンクせず、やわらかなタイヤがしっかりと路面をつかむ。登りでさらにトラクションを高め、ドロや岩場など不安定な路面でも安定したグリップ力を発揮する。つまり大きな自信を持ち、オフロードをこれまで以上に楽しく走れる、タイヤの太さなのだ。

対応モデル : DRAGONSLAYER 27.5+PRO,
DRAGONSLAYER 27.5+SPORT,
KOMODO 27.5+EXPERT, KOMODO 27.5+SPORT



POSITIONING

Adjustable Threadless System

JAMISが特許を取得する、独自のステム高調整システム、ATS (Adjustable Threadless System)。従来型のステムとスパーサーではなく、特殊な加工を施されたシムとステムを利用し、シム自体がヘッドセットを抑える仕組み。これによりステムの高さを、ヘッドを緩めることなく60mmの範囲で自在にそして細かく調整できる。従来型のステムでは難しかったミリ単位での好みのステム高調整、さらに専門技術が必要としないポジション調整が可能に。サドル高とステム高を合わせて最適な位置へと細かく調整できる、初心者から上級者まですべてのサイクリストが待ち望んでいた、ポジション調整システムだ。

対応モデル : QUEST COMP, AURORA, CODA COMP, ALLEGRO COMP



XENITH

Racing Road / Carbon

JAMIS 最高峰のレースモデル、XENITH(ゼニス)は2017年、ディスクブレーキを装備し新たな走り創造した。これまでいくつもの賞を獲得し、レースでも実証されてきたXENITHの性能ではあったが、JAMISエンジニアは、さらなる高みを求めた。それはただディスクブレーキを搭載するだけではなく、XENITH全体の再デザイン、全く新しい製法の採用にまで行き着く。そして新デザインのフレームとフォークは、軽さ、剛性、そしてエアロ効果をこれまでにないレベルに高めた最速ロードバイクを創りだした。チーム Jamis-Sutter Homeの勝利を担うマシンである。



XENITH TEAM

Price ¥635,000 (完成車 本体価格) ※受注生産商品

Size 48, 51, 54, 56, 58, 61cm / **Frame** Jamis Road Dyad Elite M30/T700 Monocoque Carbon Fiber Frame / **Fork** Jamis Road Disc carbon fork / **RearDerailleur** Shimano Dura Ace RD-9100 / **Crank** Shimano Dura Ace FC-9100 / **Wheels** American Classic Argent Tubeless wheelset, Front: 12mm, Rear 12x142mm thru-axle

nearnet
SPV

EST

ACE▶

386

Equipped with
Enduro



Gloss Carbon



ディスクブレーキへの進化

2017年Jamisは、ロードレーシングバイクの多くに、状況を選ばず、強力で操作しやすい制動力のディスクブレーキを採用した。悪天候でも指先のかじかむ寒さでも、確かに減速止まれる理想的なブレーキシステムだからだ。またリムブレーキのように摩擦によるリムへの加熱もなく、これはカーボンリムへの大きな利点でもある。

XENITH PRO

Price ¥571,000 (本体価格) ※受注生産商品

Size 48, 51, 54, 56, 58, 61cm / **Frame** Jamis Road Dyad Elite M30/T700 Monocoque Carbon Fiber Frame / **Fork** Jamis Road Disc carbon fork / **Rear Derailleur** Shimano Dura Ace RD-R9100 / **Crank** Shimano Dura Ace FC-R9100 / **Wheels** American Classic Argent Tubeless wheelset, Front: 12mm, Rear: 12x142mm thru-axle



Gloss Carbon

XENITH RACE

Price ¥355,000 (本体価格)

Size 48, 51, 54cm / **Frame** Jamis Road Dyad Plus T700/FRP Monocoque Carbon Fiber Frame/ **Fork** Jamis Road Disc carbon composite fork / **Rear Derailleur** Shimano Ultegra RD-6800 / **Crank** Shimano Ultegra FC-6800 compact double / **Wheels** American Classic Victory 30 Centerlock disc Tubeless, Front: 12mm, Rear: 12x142mm thru-axle



Gloss Carbon

XENITH COMP

Price ¥280,000 (本体価格)

Size 48, 51, 54, 56cm / **Frame** Jamis Road Dyad Plus T700/FRP Monocoque Carbon Fiber Frame/ **Fork** Jamis Road Disc carbon composite fork / **Rear Derailleur** Shimano 105 RD-5800 / **Crank** Shimano 105 FC-5800 / **Wheels** Alex ATD 470 disc rim with TCS, Front: 12mm, Rear: 12x142mm thru-axle



Gloss Carbon

ICON

Racing Road / Aluminium

アルミ製のICON。2013年の発表以来、その性能の確かさは、専門各誌でのいく度もの受賞歴が実証する。その確証をもとにICONは2017年、素材まで全てを新たに基本思想を最新技術で進化させた。天候を選ばず確かな制動力を生むディスクブレーキを搭載させたのはもちろん、トップモデルXENITHの走り性質をアルミ素材に特化させたのだ。プロトタイプは常にXENITHと乗り比べ、走り心地を近づけた。コーナーでの小気味良いハンドリング、スプリントでの圧倒的な加速感、高速で下るときの安心感。高い耐久性に加え、踏んだその瞬間に走り出すアルミの特性が、ICONならではの推進力を生む。



ICON ELITE

Price ¥299,000 (本体価格)

Size 48, 51, 54cm / **Frame** Jamis Road frame, Synthesis double-buttet 6061 aluminum tubeset, SST / **Fork** Jamis Road Disc carbon fork / **RearDerailleur** Shimano Ultegra RD-6800 / **Crank** Shimano Ultegra FC-6800 / **Wheels** American Classic Victory 30 Centerlock disc Tubeless, Front: 12mm, Rear: 12x142mm thru-axle



Charcoal

Racing Road

ICON PRO DISC

Price ¥229,000 (本体価格)
Size 48, 51, 54, 56cm / **Frame** Jamis Road frame, Synthesis double-buttod 6061 aluminum tubeset, SST / **Fork** Jamis Road Disc carbon fork / **RearDerailleur** Shimano 105 RD-5800/ **Crank** Shimano 105 FC-5800 / **Wheels** American Classic 2218 Tubeless wheelset, Front: 12mm, Rear: 12x142mm thru-axle



Inferno

ICON PRO

Price ¥178,000 (本体価格)
Size 48, 51, 54, 56cm / **Frame** Jamis Road frame, Synthesis double-buttod 6061 aluminum / **Fork** Jamis Road carbon composite fork / **RearDerailleur** Shimano 105 RD-5800 / **Crank** Shimano 105 FC-5800 / **Wheels** Mavic Aksium Race wheelset



Ano Black

VENTURA

Performance Road /
Aluminium

週末のライドで先頭をきって走れる速さと軽さは上位レースバイク譲り。それに加え疲れにくい心地よさ、という要素を大切にしたアルミバイク、VENTURA(ベンチュラ)。土曜日の市民レースにも、ツーリングでの頂上までのレースにも全力を注ぐライダーのため、XENITHとICONの性能を存分に取り入れながらも、その研ぎ澄まされた機能を少し丸め、体に疲れが残りにくい設計となった。米国・Bicycling誌のエディターズ・チョイスとして何度も選ばれているのも、楽しく走るための基本性能を実直に積み上げていることの証明だ。



VENTURA RACE

Price ¥125,000 (本体価格)

Size 48, 51, 54, 56cm / **Frame** Double-buttet 6061 aluminum / **Fork** Jamis ECO carbon composite fork / **RearDerailleur** Shimano Tiagra RD-4700 GS / **Crank** FSA Vero compact double / **Wheels** Alex AT 470 rim with TCS

JAMIS **ECO**



Ano Galaxy Grey

Performance Road



Cosmo Blue



Gloss Black



Cherryade

Femme

VENTURA SPORT

Price ¥85,000 (本体価格)
Size 48, 51, 54, 56cm / 44, 48[Femme] / **Frame** Redesigned Performance geometry, 6061 aluminum, compact sloping top tube frame design, SST / **Fork** Aero straight blade alloy road fork / **Rear Derailleur** Shimano Claris RD-2400 / **Crank** FSA Tempo compact double / **Wheels** Alex ID-19



QUEST

Performance Road / Chromoly

1988年に生まれ、アップデートを繰り返してきた万能スチールロードバイク、QUEST(クエスト)。なめらかな走りのクロモリ素材を基に、長めのヘッドチューブと寝かせ気味のヘッド角でハンドリングはゆったり、長めのホイールベースで疲れにくくなっている。そしてリアギアには最大歯数32Tを選択、長距離をのんびり走りたいサイクリストに配慮した。キャリアや泥除けなどの取り付けダボ、28cまで対応するタイヤサイズなど、将来のカスタマイズにも確かに対応する。クロモリ素材の優しい乗り心地と耐久性の高さも含め、長く付き合えるスタンダードなロードバイクだ。



QUEST ELITE

Price ¥190,000 (本体価格) ※受注生産商品

Size 48, 51, 54, 56, 58, 61cm / **Frame** Reynolds 631 seamless air-hardened chromoly main tubes / **Fork** Jamis Road carbon composite with forged alloy dropouts and fender eyelets / **Rear Derailleur** Shimano 105 RD-5800 / **Crank** Shimano 105 FC-5800 / **Wheels** Ritchey Comp Zeta tubeless ready wheelset



Charcoal

Performance Road

QUEST COMP

Price ¥110,000 (本体価格) ※ 48サイズはシートステーキャリアダボは付きません

Size 48, 51, 54cm / **Frame** Redesigned Performance geometry, Reynolds 520 double-buttet chromoly main tubes, SST / **Fork** Jamis Road carbon composite / **RearDerailleur** Shimano Sora RD-R3000 GS / **Crank** FSA Vero triple / **Wheels** Alex AT 470 rim with TCS



Midnight Blue



QUEST SPORT

Price ¥85,000（本体価格）※ 48サイズはシートステーキャリアダグボは付きません
Size 48, 51, 54, 56cm / **Frame** 4130 double-buttet chromoly / **Fork** Full 4130 chromoly / **RearDeraillieur** Shimano Claris RD-2400 GS / **Crank** Shimano Claris FC-2450 / **Wheels** Alex ID-19



Gloss Black



Winter Dusk



Cadenza Rose

Femme

RENEGADE

Adventure Road

この先にあるものを知らない道を走るなら、RENEGADE(レネゲード)と走りたい。あらゆる路面をそのまま走れる、行き先の可能性を大きく広げるアドベンチャーロード、それがRENEGADEだ。長距離ライドのために設計されたジオメトリー。太くて心地よい40cタイヤまで対応するクリアランス。そして天候に左右されない安定した制動力を備えたディスクブレーキ。これら性能がRENEGADEの走破性の高い走りを実現。さらには、すべてのモデルのホイールに、より走り心地を軽くしなやかにするチューブレスシステム対応リムを採用、泥除けやキャリアの取り付けなど好みでカスタムできる、柔軟性のある仕様とスペック。舗装が尽きオフロードが始まって、RENEGADEなら喜んで前に進んでいる。



Jamis Adventure Bikes

JAMISのいうアドベンチャーとは、自由に走って
いくのに必要な、ライダーの気持ちと体力のこと
である。いまその場に必要となる装備を、すべて
自分で運んで、生きるように走っていく。

つまり試走のない走りである。走っていく先
にある楽しみを最大に、苦しみを最小にするため
考えぬいた、最小限の装備。一式積んだ重そうで
軽いバイクを走らせる。自分の体力を信じつつ
なだめすかし、峠越えの林道も、装備の多さも気
にならない太いタイヤをどんどん転がす。一番取
出しやすいところにしまうのはチタン製マグカップ。
こいつの出番が待ち遠しい。



距離をかせぐたび心が踊る、粘るような向かい風の中では特に。景色と木陰が最大のごちそう。いつもの補給食が、よりおいしくなる。知らなかった道は時に、おやこんなところに出るんだ、と知っている道に出る。また一つ賢くなった気にもなるのがアドベンチャーライドの思わぬ恩恵でもある。

RENEGADE ELITE

Price ¥490,000 (本体価格) ※受注発注商品 ※ブレーキは右後、左前となります。

Size 48, 51, 54, 56, 58, 61cm / **Frame** Jamis Adventure Omniad M30 Monocoque Carbon Fiber Frame / **Fork** Jamis Adventure ECO monocoque carbon fork / **RearDerailleur** Shimano 11-Speed Ultegra RD-6800 GS / **Crank** Shimano Ultegra FC-6800 compact double / **Wheels** American Classic MTB RACE Tubeless wheelset, Front: 12mm, Rear: 12x142mm thru-axle

nearnet
MOLDING

SSD
SPORTS SCIENCE DESIGN

ECO

JBS

ACE

Equipped with
Enduro



Carbon

Adventure Road

RENEGADE EXPERT

Price ¥293,000 (本体価格)
Size 48, 51, 54, 56cm / **Frame** Jamis Adventure Dyad Plus T700/FRP Monocoque Carbon Fiber Frame / **Fork** Jamis Adventure ECO monocoque carbon composite fork / **RearDeraillieur** Shimano 105 RD-5800 GS / **Crank** Shimano 105 FC-5800 compact double / **Wheels** WTB i23 STS disc rim with TCS, Front: 12mm, Rear: 12x142mm thru-axle



Carbon



Ano Palladium

RENEGADE EXPAT

Price ¥139,000 (本体価格)
Size 48, 51, 54, 56, 58cm / **Frame** Jamis Adventure Frame, Reynolds 520 double-buttet SST chromoly main tubes / **Fork** Jamis Adventure ECO monocoque carbon composite fork / **RearDeraillieur** Shimano Tiagra RD-4700 GS / **Crank** FSA Gossamer MegaExo compact double / **Wheels** WTB i23 STP disc rim with TCS, Front: 12mm thru-axle



RENEGADE EXILE SORA

Price ¥105,000 (本体価格)
Size 48, 51, 54, 56cm / **Frame** Jamis Adventure Frame Geo, 6061 aluminum double-buttet SST main frame / **Fork** Jamis Adventure aluminum fork, tapered chromoly steerer / **RearDerailleur** Shimano Sora RD-3000 / **Crank** FSA Vero compact double / **Wheels** WTB i23 STP disc rim with TCS



Ano Inferno

RENEGADE EXILE CLARIS

Price ¥95,000 (本体価格)
Size 48, 51, 54, 56, 58cm / **Frame** Jamis Adventure Frame Geo, 6061 aluminum double-buttet SST main frame / **Fork** Jamis Adventure aluminum fork, tapered chromoly steerer / **RearDerailleur** Shimano Claris RD-2400 / **Crank** FSA Vero compact double / **Wheels** WTB i23 STP disc rim with TCS



Cosmic Dust



Gloss Black

AURORA Touring / Chromoly

賢いサイクルツーリストのためのロードバイクを、JAMISが知恵を絞って形にしたのがこのAURORA(オーロラ)だ。Raynolds 520クロモリ素材を使うのは、滑らかな乗り味と、信頼の置ける高い耐久性のため。フラップ付きの泥除け、高さが調整可能なATSアジャストステム。あらゆるスペックにスタンダードなものを使い、快適に、便利に、そして安心と共に旅を続けていける。そんな機能性を、旅人の賢さに負けないよう盛り込んだ、旅する人のためのバイクである。



AURORA

Price ¥110,000 (本体価格)
Size 50,53cm / **Frame** Reynolds 520 double-buttet chromoly main tubes with SST / **Fork** Lugged semi-sloping chromoly with canti bosses / **RearDerailleur** Shimano Tiagra RD-4600 GS / **Crank** FSA Alpha Drive triple / **Wheels** Alex ACE19



Midnight Blue

DEFCON

Enduro Full Suspension

160mmトラベルの、エンデューロ競技を得意とするフルサスペンションMTB、DEFCON(デフコン)。荒れた路面でのハイ
スピードでも安定しているのは、車体のコントロール性を重視したジオメトリー、MP4による効率の良いペダリング性能、そして
後輪のグリップ力を確かに保つプログレッシブなサスペンションが相まみえた結果。タイムを刻む走りでも、楽しく走るために
でも、オフロードの下りなら、このDEFCONの出番だ。



Raw Aluminum

DEFCON 3

Price ¥326,000 (本体価格) ※受注発注商品 ※ブレーキは右後、左前となります
Size 15", 17", 19", 21" / **Frame** Triple-buttet 6061 air-formed aluminum, 160mm travel
mp4 suspension, X-Fusion 02 Pro RLX High Volume air shock / **Fork** X-Fusion Sweep
Roughcut RCP 27.5", 160mm travel / **RearDerailleur** SRAM NX, 11S / **Crank** SRAM NX
32T / **Wheels** WTB ST i29 TCS tubeless 27.5", Front:15mm, Rear:12x142mm thru-axle



DEFCON 2

Price ¥457,000 (本体価格) ※受注発注商品 ※ブレーキは右後、左前となります
Size 15", 17", 19", 21" / **Frame** Triple-buttet 6061 air-formed aluminum, 160mm travel mp4
suspension, Rock Shox Monarch Plus RC3 Debon Air shock / **Fork** Rock Shox Pike RC 27.5", 160mm
travel / **RearDerailleur** Shimano SLX Shadow Plus, 11s / **Crank** Shimano SLX 32T / **Wheels** Stan's
NoTubes Flow MK3 Team 27.5" tubeless wheels, Front:15x100mm, Rear:12x142mm thru-axle



Charcoal



DRAGONSLAYER

27.5+ MTB / Chromoly

JAMISの歴史を担ってきた伝説的なクロモリMTB、DRAGONシリーズが、新機軸 27.5+（プラス）タイヤを履くDRAGONSLAYER（ドラゴンスレイヤー）として進化を遂げた。Raynolods 520クロモリの滑らかに路面振動を吸収するバネ感はDRAGONシリーズならではの。これにサイズ3.0の太い『プラス』規格のタイヤが、通常のMTBでは体感できないフワリとした自然な乗り心地の良さを加え、さらには荒れた路面、緩い路面でも、想像を超える安定したグリップ感を獲得。自転車という乗り物の概念を変えるかもしれない、地球の路面と人との新たなつながり、それがDRAGONSLAYERの役目である。


低い空気圧で滑らない、圧倒的なグリップ力

27.5+規格の『プラス』とは、その外径が、ひとつ上のホイールサイズのタイヤとほぼ同じとなる、ということなのだ。

大きいホイールサイズの通常タイヤと同じ外径であるというのは、同じような走破性と速度を得られるということだ。ただしプラス規格で重要とされるのは、その太さによる空気量の多さである。空気量が多ければ、リムとタイヤとの距離も長くなり、パンクしにくくなる。つまりその分タイヤの空気圧を落とせるというわけだ。

タイヤの空気圧を落とすと（最低が1.5気圧程度）、接地面積は圧倒的に広がる。より広い範囲で路面をつかみ、これまで以上のグリップ力を作るのだ。特に、細かな根っこの多い凸凹した路面、ドロや砂などのやわらかな路面でペダルを踏んでも滑らず前に進む推進力、荒れた岩場での安心したライン取りを可能とする。

つまり、『プラス』でなければ感じられない、MTBに最適な走り心地となるのである。



MTBの一般的タイヤサイズは2.25。これがプラスサイズになると幅3.0となるのだが、太いサイズのタイヤというのはそのぶん高さも増える。そのため、プラス規格のタイヤは、26プラスであれば27.5x2.25と同じ外径、27.5プラスなら29x2.25と同じになる。

DRAGONSLAYER 27.5+ PRO

Price ¥267,000（本体価格）※限定商品

Size 15", 17" / **Frame** Reynolds 520 steel, sliding 12x148mm dropouts / **Fork** Fox Rhythm 34 Float 29/27.5+, 120mm travel / **RearDerailleur** Shimano SLX Shadow Plus, 11S / **Crank** Shimano SLX, 32T / **Wheels** WTB Scraper i40 TCS tubeless 27.5", Front:15x110mm, Rear:12x142mm thru-axle / **Tires** WTB Trail Boss, 27.5 x 3.0"

REYNOLDS TIRES BOOST 148



Ano Twilight

DRAGONSLAYER 27.5+ SPORT

Price ¥161,000（本体価格）※限定商品
Size 15", 17", 19" / **Frame** Reynolds 520 steel, sliding 12x148mm dropouts / **Fork** Rock Shox Recon Silver RL 29/27.5+, 120mm travel / **RearDerailleur** SRAM NX, 11S / **Crank** SRAM NX, 32T / **Wheels** WTB Scraper i40 TCS tubeless 27.5", Front:15x110mm, Rear:12x142mm thru-axle / **Tires** WTB Trail Boss, 27.5 x 3.0"

REYNOLDS

TIRES

BOOST 148



Ano Black



KOMODO

27.5+ MTB / Aluminium

最先端のMTB遊びを、存分に味わうためのマシン。それが太めの27.5+(プラス) タイヤを履くKOMODO(コモド)である。アルミフレームの軽さと反応性の良さによる走るの軽さを備えつつ、寝かせ気味のヘッドアングルが、トレールで自信を持てるライン取りを可能とした。トラベル量125mmのフロントサスの実力と、サイズ3.0幅の27.5+タイヤのやわらかく路面をつかむグリップ力が合い混じり、初級者には路面を選ばない安心感を、遊び好きにはタイヤの跳ね返りの力という新たなジャンプ力を与えもする。

KOMODO 27.5+ EXPERT

Price ¥191,000 (本体価格)
Size 15", 17" / **Frame** Triple-buttled 6061 aluminum / **Fork** SR Suntour XCR 32 LOR 29/27.5+, 120mm travel / **RearDerailleur** Shimano Deore Shadow / **Crank** SR Suntour XCM, 36/22T / **Wheels** WTB Scraper i40 TCS tubeless 27.5", Front:15x110mm, Rear:12x142mm thru-axle / **Tires** WTB Trail Boss, 27.5 x 3.0"

 **BOOST 148**



Inferno

KOMODO 27.5+ SPORT

Price ¥123,000 (本体価格)
Size 15", 17", 19" / **Frame** Triple-buttled 6061 aluminum / **Fork** SR Suntour XCR 32 LOR 29/27.5+, 120mm travel / **RearDerailleur** Shimano Deore Shadow / **Crank** SR Suntour XCM, 36/22T / **Wheels** WTB Scraper i40 TCS tubeless 27.5", Front:15x110mm, Rear:12x142mm thru-axle / **Tires** WTB Trail Boss, 27.5 x 3.0"

 **BOOST 148**



Ink

CODA

Urban / Chromoly

CODA(コーダ)は、Raynoldsクロモリを利用する、ロングセラーのクロスバイク。Raynolds クロモリ素材特有の滑らかな乗り心地と、上体の立ったポジションは、周囲の状況を把握しやすく疲れにくい、街を走るのに最適な設定。リア変速に設定された広いギアレンジで、直線道路でスピードを出すときにも、急な上り坂を越えるときにもあなたの思い通りに反応する。ポジション調整も可能なJAMIS独自のステムで、慣れるに連れ好みのポジションに変更できる。CODAはあなたの行動範囲を広げ、街をさらに楽しくする一台だ。



CODA COMP

Price ¥88,000 (本体価格)

Size 15", 17", 19" / **Frame** Disc Brake Reynolds 520 double-buttet chromoly main tubes / **Fork** Jamis alloy fork / **RearDerailleur** Shimano Acera RD-M360 SGS / **Crank** Shimano Acera FC-TY501 triple / **Wheels** Alex TD-26

REYNOLDS

Adjustable Threadless System



Flat Steel

Urban 49

CODA SPORT

Price ¥65,000 (本体価格)
Size 15", 17", 19" / **Frame** Double-buttet chromoly frame / **Fork** Chromoly unicrown /
RearDerailleur Shimano Acera M360 SGS / **Crank** Shimano FC-TY501 triple / **Wheels** Alex ID-19



Gloss Black



Sahara Silver



Pearl White

Femme

ALLEGRO

Fitness / Aluminium

ALLEGRO(アレグロ)には、スポーツバイクの楽しさが凝縮されている。ロードバイク同様のギアを使い、走りやすい上体の立ったポジションとフラットハンドルによる直感的な操作性。これらが軽量で俊敏なアルミ製フレームにまとめられ、街中の通勤から郊外でのライドまで、小気味よく走るバイクとなった。その性能は、モデル名が最もよく表している。ALLEGRO、すなわち音楽用語での「快活な、速いテンポ」である。



ALLEGRO COMP

Price ¥99,000 (本体価格)

Size 17", 19" / **Frame** Triple-buttressed 6061 aluminum / **Fork** Jamis Road carbon composite / **RearDerailleur** Shimano Sora RD-3500 SS / **Crank** FSA Tempo compact double / **Wheels** Alex ID-19

EST

Adjustable Threadless System

Galaxy Grey

Fitness 53



Gloss Black

ALLEGRO SPORT

Price **¥65,000** (本体価格)
Size 15", 17", 19" / **Frame** 6061 aluminum / **Fork** Redesigned chromoly straight blade unicrown / **RearDerailleur** Shimano Acera RD-M360 / **Crank** Shimano FC-M171 triple / **Wheels** Alex DC26



Orange Crush



Teal Fo' Real

Femme

FEMME

Women's

JAMISのモデル群には、女性用FEMME(フェミ)ラインが設定される。14、16といった小さめのサイズであるだけでなく、女性のために細かな配慮を行っている:短めのトップチューブと低めのBBハイトで、身長が低くてもまたぎやすく乗りやすい。体に触れるハンドルバー、ブレーキレバー、サドルといったパーツが女性専用となる。そして一部モデルでは、体重の軽い女性のため剛性を低めた。モデルそれぞれの特性を女性向けにアレンジしたFEMMEラインは、JAMISの性能を余すところなく、すべての女性に体感いただける。



Cherryade

ロードバイク譲りのスピードと疲れにくい快適性とを融合させた、アルミ製ロードバイク

VENTURA SPORT FEMME

Price ¥85,000 (本体価格)

Size 44, 48cm/ **Frame** Redesigned Performance geometry, 6061 aluminum with SST / **Fork** Full 4130 chromoly / **RearDerailleur** Shimano Claris RD-2400 GS / **Crank** Shimano Claris FC-2403 triple / **Wheels** Alex AT 470 rim with TCS



Cadenza Rose

走りの爽快感と毎日でも味わってもらえる、滑らかなのりこごちのクロモリ製ロードバイク

QUEST SPORT FEMME

Price ¥85,000

Size 48, 51, 54cm / **Frame** 4130 double-butt chromoly / **Fork** Full 4130 chromoly / **RearDerailleur** Shimano Claris RD-2400 GS / **Crank** Shimano Claris FC-2450 triple / **Wheels** Alex ID-19





Femme



Pearl White



Teal Fo' Real

クロモリ素材の心地よさと巡航性能を、街乗りに最適なパーツ群で仕上げたクロスバイク

CODA SPORT FEMME

Price ¥65,000 (本体価格)
Size 14", 16" / **Frame** Double-buttet chromoly main tubes with SST / **Fork** Full Chromoly unicrown, / **RearDerailleur** Shimano Acera M360 SGS / **Crank** Shimano FC-TY501 triple / **Wheels** Alex ID-19

心地よい加速感のアルミ製クロスバイクで、街中ライドも週末のフィットネスもより楽しく

ALLEGRO SPORT FEMME

Price ¥65,000 (本体価格)
Size 14", 16" / **Frame** 6061 aluminum / **Fork** Redesigned chromoly straight blade unicrown / **RearDerailleur** Shimano Acera RD-M360 / **Crank** Shimano FC-M171 triple / **Wheels** Alex DC26



ROAD Specifications

RACING ROAD

Model	XENITH TEAM	XENITH PRO	XENITH RACE	XENITH COMP
Price	¥635,000	¥571,000	¥355,000	¥280,000
Frame	Jamis Road carbon fiber monocoque Dyad Elite M30/T700, FEA optimized Near Net SPV molding process, SST tubing diameters, oversized seat tube, 1.5 - 1 1/8 " head tube with carbon bearing races, EVO386 carbon BB shell, ACE internal cablerouting compatible for both Di2 wires or traditional cables, rider tuned twin seatstays, oversized asymmetrical chainstays with Flat Mount disc brake mounts, 12x142 thru-axle with Jamis MTS (modular thru-axle system), carbon drop outs with replaceable alloy FD mount and RD hanger.	Jamis Road carbon fiber monocoque Dyad Elite M30/ T700, FEA optimized Near Net SPV molding process, SST tubing diameters, oversized seat tube, 1.5 - 1 1/8" head tube with carbon bearing races, EVO386 carbon BB shell, ACE internal cable routing compatible for both Di2 wires or traditional cables, rider tuned twin seat stays, oversized asymmetrical chainstays with flat mount disc brake mounts, 12x142 thru-axle with Jamis MTS (Modular Thru-axle System), carbon drop outs with replaceable alloy FD mount and RD hanger	Jamis Road carbon fiber monocoque Dyad Plus T700/FRP, FEA optimized Near Net SPV molding process, SST tubing diameters, oversized seat tube, 1.5 - 1 1/ 8 " head tube with carbon bearing races, EVO386 carbon BB shell, ACE internal cable routing compatible for both Di2 wires or traditional cables, rider tuned twin seat stays, oversized asymmetrical chainstays with flat mount disc brake mounts, 12x142 thru-axle with Jamis MTS (Modular Thru-axle System), carbon drop outs with replaceable alloy FD mount and RD hanger	Jamis Road Dyad Plus T700/FRP Monocoque Carbon Fiber Frame, FEA optimized Near Net SPV molding process, SST tubing diameters, oversized seat tube, 1.5 - 1 1/8 " head tube with carbon bearing races, EVO386 carbon BB shell, ACE internal cable routing compatible for both Di2 wires or traditional cables, rider tuned twin seat stays, oversized asymmetrical chainstays with Flat Mount disc brake mounts, 12x142 thru-axle with Jamis MTS (modular thru-axle system), carbon drop outs with replaceable alloy FD mount and RD hanger.
Fork	Jamis Road Disc carbon fork, FEA optimized Near Net SPV molding process, 1.5" hollow formed crown, monocoque one-piece forming technology, Flat mount disc brakes with internal cable, 12mm Jamis MTS (modular thru-axle system) with carbon dropouts	Jamis Road Disc carbon fiber, FEA optimized Near Net SPV molding process, 1.5" hollow formed crown, monocoque one-piece forming technology, flat mount disc brakes with internal cable, 12mm Jamis MTS (Modular Thru-axle System) with carbon dropouts	Jamis Road Disc carbon composite, FEA optimized Near Net SPV molding process, 1.5" hollow formed crown, monocoque one-piece forming technology, flat mount disc brakes with internal cable, 12mm Jamis MTS (Modular Thru-axle System) with carbon dropouts	Jamis Road Disc carbon composite fork, FEA optimized Near Net SPV molding process, 1.5" hollow formed crown, monocoque one-piece forming technology, Flat mount disc brakes with internal cable, 12mm Jamis MTS (modular thru-axle system) with stainless interface and carbon dropouts
Headset	Ritchey Pro Drop-In, sealed bearing with nylon upper Compression ring, 1.5 - 1 1/8 "	Ritchey Pro Drop-In, sealed bearing with nylon upper compression ring, 1 1/8"-1.5"	Ritchey Pro Drop-In, sealed bearing with nylon upper Compression ring, 1.5 - 1 1/8 "	FSA integrated, sealed bearing with nylon upper Compression ring, 1.5 - 1 1/8 "
Wheels	American Classic Argent Tubeless Centerlock 11-Speed wheelset, 24H, 30mm rim height with 23x19mm width, AC High-Low/Micro 58 hubs with stainless steel cartridge bearings and AC stainless steel bladed spokes, front 12mm/rear 12x142 thru-axle]	American Classic Argent Tubeless Centerlock 11-Speed wheelset, 24H, 30mm rim height with 23x19mm width, AC High-Low/Micro 58 hubs with stainless steel cartridge bearings and AC stainless steel bladed spokes, front 12mm/rear 12x142 thru axle	American Classic Victory 30 Centerlock disc Tubeless 11-Speed wheelset, 24H, 30mm rim height with 22.7x18.1 width, AC Victory 30 alloy hubs and bladed spokes, front 12mm/rear 12x142 thru-axle	Alex ATD 470 disc specific rim with TCS (Tubeless Compatible System), 32H, Formula 6-boltalloy hubs, 14g stainless steel spokes, front 12mm/rear 12x142 thru-axle
Tires	Vittoria Corsa Speed Open TLR Tubeless, 700 x 23c	Vittoria Rubino Pro, 700 x 23c, folding	Vittoria Zaffiro Pro Slick, 700 x 23c, folding	Vittoria Zaffiro Slick, 700 x 23c
Deraileurs	Shimano Dura Ace RD-R9100 rear and Dura Ace FD-R9100 braze-on front	Shimano Dura Ace RD-R9100 rear and Dura Ace FD-R9100 braze-on front	Shimano Ultegra RD-6800 rear and Ultegra FD-6800 braze-on	Shimano 105 RD-5800 rear and 105 FD-5800 braze-on
Shift levers	Shimano Dura Ace ST-R9120 Dual Control STI, 22-Speed	Shimano ST-RS685 Dual Control STI, 22-speed	Shimano ST-RS685 Dual Control STI, 22-Speed	Shimano ST-RS505 Dual Control STI, 22-Speed
Chain	Shimano Dura-Ace CN-HG901	Chain Shimano Dura-Ace CN-HG901	Shimano CN-HG701 11-Speed	Shimano HG601-11-Speed
Cassette	Shimano Dura Ace CS-R9100 11-Speed 11-28T	Shimano Dura Ace CS-R9100 11-speed, 11-28T	Shimano Ultegra CS-6800 11-Speed 11-28T	Shimano 11-Speed 12-28T
Crankset	Shimano Dura Ace FC-R9100, 52/36T, 170mm (48/51), 172.5mm (54/56), 175mm (58/61)	Shimano Dura Ace FC-R9100, 50/34T, 170mm (48/51), 172.5mm (54/56), 175mm (58/61)	Shimano Ultegra FC-6800 compact double, 50/34T, 170mm (48/51), 172.5mm (54)	Shimano 105 FC-5800, 50/34T, 170mm (48/51), 172.5mm (54/56)
BB Set	Enduro PressFit 30 and Wheels MFG EVO adaptors	Enduro PressFit 30 and Wheels MFG EVO adaptors	Enduro PressFit 30 and Wheels MFG EVO adaptors	Enduro PressFit 30 and Wheels MFG EVO adaptors
Pedals	N/A	N/A	N/A	N/A
Brakeset	Shimano Dura Ace BR-R9170 flat mount hydraulic disc brake system with resin pads, Centerlock Ice Tech Freeza front 160mm/rear 140mm rotors with Shimano ST-R9120 Dual Control STI brake levers	Shimano BR-RS805 flat mount hydraulic disc brakes with resin pads, Centerlock Ice Tech 160mm rotors with Shimano ST-RS685 Dual Control STI levers	Shimano BR-RS805 flat mount hydraulic disc brakes with resin pads, Centerlock Ice Tech 160mm rotors with Shimano ST-RS685 Dual Control STI levers	Shimano BR-RS505 flat mount hydraulic disc brake system with resin pads, Shimano 6-bolt 160mm rotors with Shimano ST-RS505 Dual Control STI brake levers
Handlebar	Ritchey WCS Logic Curve, 7050 triple-buttet aluminum, 31.8 x 400mm (48/51), 420mm (54/56), 440mm (58/61)	Ritchey Comp EVO Curve, 7075 triple-buttet aluminum, 31.8 x 400mm (48/51), 420mm (54/56), 440mm (58/61)	Ritchey Comp Logic Curve, 6061 double-buttet aluminum, 31.8 x 400mm (48/51), 420mm (54/56)	Ritchey Comp Logic, 6061 aluminum, 31.8 x 400mm (48/51) 420mm (54/56)
Stem	Ritchey WCS C-220, 3D net forged 2015 alloy, 6" x 90mm (48/51), 100mm (54/56), 120mm (58/61)	Ritchey Comp 4-Axis 44, 3D net forged 6061, 6" x 90mm (48/51), 100mm (54/56), 120mm (58/61)	Ritchey Comp 4-Axis, 3D net forged 6061 alloy, 6" x 90mm (48/51), 100mm (54)	Ritchey 4-Axis, 3D forged 6061 alloy, 6" x 90mm (48/51), 100mm (54/56)
Grips	Fizik Microtex Superlight Glossy Fluo tape	Fizik Microtex Superlight Soft Touch tape	Fizik Microtex Superlight Soft Touch tape	Fizik Microtex Superlight Soft Touch tape
Seat Post	Ritchey Carbon, 31.6 x 350mm with Jamis 7075-AL CNC aluminum 1-bolt seat post clamp	Ritchey Carbon, 31.6 x 350mm with Jamis 7075-AL CNC aluminum 1-bolt seat post clamp	Jamis carbon fiber micro-adjust, 31.6 x 300mm with 7075 aluminum 1-bolt seat post clamp	Jamis carbon fiber micro-adjust, 31.6 x 300mm with Jamis 7075-AL CNC aluminum 1-bolt seat post clamp
Saddle	Fizik Arione R5 with Intergrated Clip system and manganese rails	Fizik Arione R7 with intergrated clip system and manganese rails	Fizik Arione R7 with intergrated clip system and manganese rails	Fizik Arione R7 with intergrated clip system and manganese rails
Sizes	48, 51, 54, 56, 58, 61cm	48, 51, 54, 56, 58, 61cm	48, 51, 54cm	48, 51, 54, 56cm
Color	Gloss Carbon	Gloss Carbon	Gloss Carbon	Gloss Carbon
Weight	7.48kg	7.6kg	8.16kg	8.96kg

RACING ROAD

Model	ICON ELITE	ICON PRO DISC	ICON PRO
Price	¥299,000	¥229,000	¥178,000
Frame	Synthesis double-buttet 6061 aluminum tubeset, SST tubing diameters,12x142 thru-axle with Jamis MTS (Modular Thru-axle System), buttet chainstays with flat mount disc brake mounts, twin seat stays, 1.5 - 1 1/8 " tapered head tube, Press Fit 30 BB shell,34.9mm seat tube and replaceable derailleur hanger	Synthesis double-buttet 6061 aluminum tubeset, SST tubing diameters,12x142 thru-axle with Jamis MTS (Modular Thru-axle System), buttet chainstays with flat mount disc brake mounts, twin seat stays, 1.5 - 1 1/8 " tapered head tube, Press Fit 30 BB shell,34.9mm seat tube and replaceable derailleur hanger	Synthesis double-buttet 6061 aluminum, tapered top tube, ovalized down tube, buttet chainstays, twin seat stays, 1 1/8 "-1.5" tapered head tube, Press Fit 30 BB shell, 34.9mm seat tube and replaceable derailleur hanger
Fork	Jamis Road Disc carbon fiber, FEA optimized Near Net SPV molding process, 1.5" hollow formed crown, monocoque one-piece forming technology, flatmount disc brakes with internal cable, 12mm Jamis MTS (Modular Thru-axle System) with stainless interface and carbon dropouts	Jamis Road Disc carbon fiber, FEA optimized Near Net SPV molding process, 1.5" hollow formed crown, monocoque one-piece forming technology, flatmount disc brakes with internal cable, 12mm Jamis MTS (Modular Thru-axle System) with stainless interface and carbon dropouts	Jamis Road carbon composite fork, 1.5" hollow formed crown, monocoque one- piece forming technology, carbon dropouts with stainless axle interfaces
Headset	Ritchey Pro Drop-In, sealed bearing with nylon upper Compression ring, 1.5 - 1 1/8 "	FSA integrated, sealed bearing with nylon upper Compression ring, 1.5 - 1 1/8 "	FSA integrated, sealed bearing with nylon upper compression ring, 1 1/8 "- 1.5"
Wheels	American Classic Victory 30 Centerlock disc Tubeless 11-Speed wheelset, 24H, 30mm rim height with 22.7x18.1 width, AC Victory 30 alloy hubs and bladed spokes, front 12mm/rear 12x142 thru-axle	American Classic 2218 Tubeless 6-bolt Disc wheelset, 11-Speed wheelset, 32H, 18mm rim height with 22.3x18 width, AC 6-bolt alloy hubs with round spokes, front 12mm/rear 12x142 thru-axle	Mavic Aksium Race wheelset, 20H, 24mm rim profile with UB Control and H2 technology, Mavic alloy hubs with QRM bearings and FTS-L freehub and self- locking straight pull aerodynamic spokes
Tires	Vittoria Rubino Pro, 700 x 23c, folding	Vittoria Zaffiro Slick, 700 x 23c, folding	Vittoria Zaffiro Slick, 700 x 23c, folding
Deraileurs	Shimano Ultegra RD-6800 rear and FD-6800 braze-on front with 34.9mm alloy clamp	Shimano 105 RD-5800 rear and 105 FD-5800 braze-on front with 34.9mm alloy clamp	Shimano 105 RD-5800 rear and 105 FD-5800 braze-on front with 34.9mm alloy clamp
Shift levers	Shimano ST-RS685 Dual Control STI, 22-Speed	Shimano ST-RS505 Dual Control STI, 22-Speed	Shimano 105, ST- 5800 Dual Control STI, 22-Speed
Chain	Shimano 11-Speed CN-HG701	Shimano HG601-11-Speed	Shimano HG600-11-Speed
Cassette	Shimano 11-Speed 11-28T	Shimano 11-Speed 11-28T	Shimano 11-Speed 11-28T
Crankset	Shimano Ultegra FC-6800, 52/36T, 170mm (48/51), 172.5mm (54)	Shimano 105 FC-5800, 50/34T, 170mm (48/51), 172.5mm (54/56)	Shimano 105 FC-5800, 50/34T, 170mm (48/51), 172.5mm (54/56)
BB Set	Enduro PressFit 30 with Wheels MFG adaptors	Enduro PressFit 30 with Wheels MFG adaptors	Enduro PressFit 30 with Wheels MFG adaptors
Pedals	N/A	N/A	N/A
Brakeset	Shimano BR-RS805 hydraulic disc brake system with resin pads, Centerlock Ice Tech 160mm rotors, with Shimano ST-RS685 Dual Control STI brake levers	Shimano BR-RS505 hydraulic disc brake system with resin pads, Shimano 160mm rotors, with Shimano ST-RS505 Dual Control STI brake levers	Tektro R540 forged alloy dual pivot calipers with cartridge pads and Shimano 105 ST-5800 STI brake levers
Handlebar	Ritchey Comp Logic Curve, 6061 double-buttet aluminum, 31.8 x 400mm (48/51), 420mm (54)	Ritchey Comp Logic Curve, 6061 aluminum, 31.8 x 400mm (48/51), 420mm (54/56)	Ritchey Comp Logic Curve, 6061 aluminum, 31.8 x 400mm (48/51), 420mm (54/56)
Stem	Ritchey Comp 4-Axis, 3D net forged 6061 alloy, 6" x 90mm (48/51), 100mm (54)	Ritchey 4-Axis, 3D forged 6061 alloy, 6" x 90mm (48/51), 100mm (54/56)	Ritchey 4-Axis, 3D forged 6061 alloy, 6" x 90mm (48/51), 100mm (54/56)
Grips	Fizik Microtex Superlight Soft Touch tape	Fizik Microtex Superlight Soft Touch tape	Fizik Superlight Microsoft Touch with Fizik logo and end plug
Seat Post	Jamis carbon fiber micro-adjust, 31.6 x 300mm with 7075 aluminum 1-bolt seat post clamp	Jamis carbon fiber micro-adjust, 31.6 x 300mm with Jamis 7075-AL CNC aluminum 1-bolt seat post clamp	Jamis carbon fiber micro-adjust, 31.6 x 300mm with Jamis 7075-AL CNC aluminum 1-bolt seat post clamp
Saddle	Fizik Arione R7, intergrated clip system and manganese rails	Selle Royal Seta S1 with Integrated Clip System, embossed cover and steel rails	Selle Royal Seta S1 with Integrated Clip System, embossed cover and steel rails
Sizes	48, 51, 54cm	48, 51, 54, 56cm	48, 51, 54, 56cm
Color	Charcoal	Inferno	Ano Black
Weight	8.28kg	8.73kg	8.5kg

PERFORMANCE ROAD

Model	VENTURA RACE	VENTURA SPORT	QUEST ELITE	QUEST COMP	QUEST SPORT
Price	¥125,000	¥85,000	¥190,000	¥110,000	¥85,000
Frame	Double-buttet 6061 aluminum, compact sloping top tube frame design, SST tubing diameters, 1 1/8 “-1.5” tapered head tube, butted seat tube for 27.2 seat post, replaceable derailleur hanger and fender/rack mount eyelets	6061 aluminum, compact sloping top tube frame design with SSD frame geometry and SST tubing diameters, 1.5 - 1 1/8 ” tapered head tube, 31.8 seat tube for 27.2 seat post, replaceable derailleur hanger and fender/rack eyelets	Reynolds 631 seamless air-hardened chromoly main tubes with SSD frame geometry and SST tubing diameters, sloping top tube design, double-tapered heat-treated stays, reinforced head tube collars, lost wax dropouts and fender/ rack eyelets	Reynolds 520 double-buttet chromoly main tubes with SSD frame geometry and SST tubing diameters, sloping top tube frame design, double-tapered cromo stays, forged dropouts and fender/rack eyelets	4130 double-buttet chromoly main tubes with SST tubing diameters, sloping top tube frame design, double-tapered cromo stays, forged dropouts and fender/rack mount eyelets
Fork	Jamis ECO carbon composite fork, 1.5” hollow formed crown, monocoque one-piece forming technology, alloy dropouts with hidden fender mount eyelets	6061 aluminum, 1.5 crown with chromoly steerer and fender eyelets	Jamis Road carbon composite with forged alloy dropouts and fender eyelets	Jamis Road carbon composite with forged alloy dropouts with fender mount eyelets	Full 4130 chromoly lugged crown, radius blades, forged dropouts with fender mount eyelets
Headset	FSA Integrated, threadless, 1.5 - 1 1/8 ”	FSA Integrated, threadless, 1.5 - 1 1/8 ”	Ritchey LB threadless, 1 1 / 8 ”	Ritchey LB AheadSet, 1 1/8 ”	Ritchey LB AheadSet, 1 1/8 ”
Wheels	Alex AT 470 rim with TCS (Tubeless Compatible System), 28/32H, Formula alloy hubs with QR and 14g black stainless steel spokes	Alex ID-19 double wall alloy rims with GSW sidewall, 28/32H, Formula alloy hubs with QR and 14g stainless steel spokes	Ritchey Comp Zeta tubeless ready wheelset, 20/24H, 24mm rim profile, cold forged hubs with cup and cone bearings and DT Competition spokes	Alex AT 470 rim with TCS (Tubeless Compatible System), 28/32H, Formula alloy hubs with QR and 14g stainless steel spokes	Alex ID-19 double wall alloy rims with GSW sidewall, 28/32H, Formula alloy hubs with QR and 14g stainless steel spokes
Tires	Vittoria Zaffiro, 700 x 25c	Vittoria Zaffiro, 700 x 25c	Vittoria Zaffiro Pro, 700 x 25c, folding	Vittoria Zaffiro, 700 x 25c	Vittoria Zaffiro, 700 x 25c
Derailleurs	Shimano Tiagra RD-4700 GS rear and Tiagra FD-4700 front with 31.8mm alloy clamp	Shimano Claris RD-2400 rear and Shimano Claris FD-2400 front with 31.8mm alloy clamp	Shimano 105 RD-5800 rear and Shimano 105 FD-5800 front with 28.6mm alloy clamp	Shimano Sora RD-R3000GS rear and Sora FD-R3030 front with 28.6mm alloy clamp	Shimano Claris RD-2400 GS rear and Shimano Claris FD-2400 front with 28.6mm alloy clamp
Shift levers	Shimano Tiagra RD-4700 Dual Control STI, 20-Speed	Shimano Claris ST-2400 Dual Control STI, 16-Speed	Shimano 105 ST-5800 Dual Control STI, 22-speed	Shimano Sora ST-R3030 Dual Control STI, 27-Speed	Shimano Claris ST-2400 Dual Control STI, 16-Speed
Chain	KMC 10-speed X10	KMC 8-speed Z7	Shimano CN-HG601	KMC Z99	KMC Z8
Cassette	Shimano 10-Speed 11-32T	Shimano HG41 8-Speed 11-32T	Shimano 11-speed, 11-28T	Shimano HG200 9-Speed 11-32T	SRAM PG-830 8-Speed 11-30T
Crankset	FSA Vero compact double, 50/34T, 170mm (48/51), 172.5mm (54/56)	FSA Tempo compact double, 50/34, 170mm (48/51), 172.5 (54/56) . 165mm (44/48)	Shimano 105 FC-5800, 50/34T, 170mm (48/51), 172.5mm (54/56), 175mm (58/61)	FSA Vero triple, 50/39/30T, 170mm (48/51), 172.5mm (54)	Shimano Claris FC-2450, 50/34T, 165mm (48) , 170mm (51/54/48/51/54), 175mm (56)
BB Set	FSA PowerDrive sealed cartridge, 68 x 108mm	FSA sealed cartridge, 68 x 110.5mm	Shimano BB4600 external	FSA sealed cartridge, 68 x 116mm	FSA sealed cartridge, 68 x 116mm
Pedals	N/A	Touring platform style, full alloy with toe clips	N/A	Touring platform style, full alloy with toe clips	Touring platform style, full alloy with toe clips
Brakeset	Tektro R312 alloy dual pivot calipers with cartridge pads and Shimano Tiagra RD-4700 STI brake levers	Tektro R317 alloy dual pivot calipers with adjustable pads and Shimano Claris ST-2400 STI brake levers	Shimano BR451 Super SLR long reach dual pivot calipers with adjustable pads and Shimano 105 ST-5800 STI levers	Tektro R317 long reach dual-pivot calipers with adjustable pads and Shimano Sora ST-R3030 STI levers	Tektro R317 long reach dual-pivot calipers with adjustable pads Shimano Claris ST-2400 STI brake levers
Handlebar	Ritchey Comp Logic Curve, 6061 double-buttet aluminum, 31.8 x 400mm (48/51), 420mm (54/56)	Jamis Ergo, 6061 aluminum, 31.8 x 400mm (48/51), 420mm (54/56), 380mm (44/48)	Ritchey Comp Logic Curve, 6061 aluminum, 31.8 x 400mm (48/51), 420mm (54/65) 440mm (58/61)	Ritchey Comp Logic Curve, 6061 aluminum, 31.8 x 400mm (48/51), 420mm (54)	Jamis Ergo, 6061 aluminum, 31.8 x 380mm (48/48) , 400mm (51/54/51/54) , 420mm (56)
Stem	Ritchey 4-Axis, 3D net forged 6061 alloy, 6” x 90mm (48/51), 100mm (54/56)	Jamis Road, 3D forged 6061 alloy, 7” x 90mm (48/51), 100mm (54/56), 90mm (44/48)	Ritchey 4-Axis, 3D forged 6061 alloy, 6” x 90mm (48/51), 100mm (54/56) 120mm (58/61).	Jamis adjustable threadless system (ATS) forged aluminum stem, 10” x 90mm (48/51), 105mm (54). ATS shim length 80mm	Jamis Road, 3D forged 6061 alloy, 7” x 90mm (48/51/48/51) , 100mm (54/54/56) , 110mm (58/61)
Grips	Jamis suede tape with Jamis logo and "J" end plug	Jamis suede tape	Fizik Microtex Superlight Soft Touch tape	Jamis suede tape	Jamis suede tape with Jamis logo and "J" end plug
Seat Post	Post Jamis carbon fiber micro-adjust, 27.2 x 350mm with alloy clamp	Jamis alloy micro-adjust, 27.2 x 350mm with alloy clamp	Ritchey Road, 27.2 x 300mm with cromo seatpin	Jamis alloy micro-adjust, 27.2 x 300mm with cromo seat pin	Jamis alloy micro-adjust, 26.6 x 300mm with cromo seat pin
Saddle	Selle Royal S1 with fine grain cover, steel rails with integrated clip system	Jamis Road Sport with SL top	Selle Royal Seta S1 with integrated clip system	Selle Royal Seta S1 with integrated clip system	Jamis Touring Sport with pressure relief cut-out and satin steel rails
Sizes	48, 51, 54, 56cm	48, 51, 54, 56 cm , 44, 48cm	48, 51, 54, 56, 58, 61cm	48, 51, 54cm	48, 51, 54 (Cadenza Rose) , 48, 51, 54, 56cm
Color	Galaxy Grey	Gloss Black or Cosmo Blue or Cherryade	Charcoal	Midnight Blue	Cadenza Rose or Gloss Black or Winter Dusk
Weight	9.0kg	10.55kg	9.07kg	10.43kg	11.0kg

※水色表記は FEMME MODEL

ADVENTURE ROAD / TOURING

Model	RENEGADE ELITE	RENEGADE EXPERT	RENEGADE EXPAT	RENEGADE EXILE SORA / CLARIS	AURORA
Price	¥490,000	¥293,000	¥139,000	¥105,000 (¥95,000)	¥110,000
Frame	Jamis SSD Omniad M30 monocoque carbon fiber frame, Near Net molding process, 12x142 thru-axle with Jamis MTS (Modular Thru-axle System), SST tubing diameters, integrated seat post clamp, 1.5 - 1-1 / 8 ” head tube, EV0386 carbon BB shell, ACE internal cable routing compatible for both Di2 wires or traditional cables and internal dropper post, oversized asymmetrical chainstays with flat mount disc brakes and exposed carrier/fender mount eyelets, carbon drop outs, replaceable FD mount and RD hanger	Jamis SSD Dyad Plus T700/FRP monocoque carbon fiber frame, Near Net molding process, 12x142 thruaxle with Jamis MTS (Modular Thru-axle System), SST tubing diameters, integrated seat post clamp,1.5 - 1 1/8 ” head tube, EV0386 carbon BB shell, ACE internal cable routing compatible for both Di2 wires or traditional cables and internal dropper post, oversized asymmetrical chainstays with flat mount disc brakes and exposed carrier/fender mount eyelets, carbon drop outs, replaceable FD mount and RD hanger	Jamis SSD frame geometry, Reynolds 520 double-buttet SST chromoly main tubes, 44mm head tube for tapered fork, threaded BB shell, seat stay disc brake mounts, top tube mounted full cable housing, 3 waterbottle mounts, rack and fender eyelets, clearance for 40c tires.	Jamis SSD frame geometry, 6061 aluminum double-buttet SST main frame, top tube mounted full cable housing, 1.5 - 1 1/8 ” tapered head tube, 31.8mm seat tube for 27.2 seat post, seat stay disc brake mounts, replaceable derailleur hanger, 3 waterbottle mounts, rack and fender eyelets, clearance for 40c tires.	Reynolds 520 double-buttet chromoly main tubes with SST tubing diameters, double-tapered cromo stays, extended head tube with reinforced collars, forged dropouts, fender/rack mount eyelets and 3 spoke carrier
Fork	Jamis Adventure ECO monocoque carbon fork, 12mm Jamis MTS (modular thru-axle system) with stainless interface and carbon dropouts, tapered steerer with 1.5” hollow formed crown, Flat mount disc brakes with internal cable, exposed fender, lowrider and water bottle mounts.	Jamis Adventure ECO monocoque carbon composite, 12mm Jamis MTS (Modular Thru-axle System) with stainless interface and carbon dropouts, tapered steerer with 1.5” hollow formed crown, flat mount disc brakes with internal cable routing, exposed fender, lowrider and water bottle eyelets	Jamis Adventure ECO monocoque carbon composite, 12mm Jamis MTS (Modular Thru-axle System) with stainless interface and carbon dropouts, tapered steerer with 1.5” hollow formed crown, flat mount disc brakes with internal cable routing, exposed fender, lowrider and water bottle eyelets	Jamis Adventure aluminum fork, tapered chromoly steerer, integrated cable cradles with post disc brake mounts and fender eyelets	Lugged semi-sloping chromoly with canti bosses, low-rider carrier braz-ons, forged dropout with fender mount eyelets
Headset	Ritchey Pro Drop-In, sealed bearing with nylon upper Compression ring, 1.5 - 1 1/8 ”	FSA integrated, sealed bearing with nylon upper Compression ring, 1.5 - 1 1/8 ”	FSA Orbit ITA B Internal/External, 1.5 - 1 1/8 ”	FSA Orbit C-40B Internal/External, 1.5 - 1 1/8 ”	Threadless, 1 1 / 8 ”
Wheels	American Classic MTB RACE Tubeless Centerlock 11-Speed wheelset, 32H, 22mm rim height with 28x24mm width, AC hubs with sealed bearings and round spokes, front 12mm/rear 12x142 thru-axle	WTB i23 STS disc rim with TCS (UST Tubeless Compliant System), 32H, Formula alloy Centerlock sealed bearing hubs with front 12mm/ rear 12x142 thru-axle and 14g black stainless steel spokes	WTB i23 STP disc rim with TCS (UST Tubeless Compliant System), 32H, Formula 12mm front and QR rear alloy 6-bolt hubs and 14g stainless steel spokes	WTB i23 STP disc rim with TCS (UST Tubeless Compliant System), 32H, Formula alloy 6-bolt hubs and 14g stainless steel spokes	Alex ACE19 eyeleted double walled rims, 36H,Shimano Tiagra RS400 hubs with QR and 14g stainless steel spokes
Tires	Clement X Plor MSO 700 x 36c, 60TPI, protection belt and Kevlar folding bead	Clement X Plor MSO, 700 x 36c, 30TPI with protection belt	Clement X Plor MSO, 700 x 36c, 30TPI with protection belt	Clement X Plor MSO 700 x 36c, 30TPI with protection belt	Vittoria Randonneur with Double Shielding puncture protection, 700 x 32c
Derailleurs	Shimano 11-Speed Ultegra RD-6800 GS rear and Ultegra FD-6800 braze-on	Shimano 105 RD-5800 GS rear and 105 FD-5800 braze-on	Shimano Tiagra RD-4700 GS rear and Tiagra FD-4700 front with 28.6mm alloy clamp	Shimano Sora RD-3000 GS (Claris RD-2400) rear and Sora FD-3000 (Claris FD-2400) front with 28.6mm alloy clamp	Shimano Tiagra RD-4601GS rear and Sora FD-R3030 front with 28.6mm alloy clamp
Shift levers	Shimano ST-R685 Dual Control STI with hydraulic disc brakes, 22-speed	Shimano RS505 Dual Control STI, 22-Speed	Shimano Tiagra ST-4700 Dual Control STI, 20-Speed	Shimano Sora ST-3000(Claris ST-2400) Dual Control STI, 18-Speed (16-Speed)	microSHIFT bar-end shifters with index or friction option, 27-Speed
Chain	Shimano CN-HG601	Shimano HG601-11-Speed	KMC 10-speed X10	KMC Z99 (KMC Z7)	KMC Z99
Cassette	Shimano 11-Speed 11-32T	Shimano 105 11-Speed 11-32T	Shimano 10-Speed 11-32T	Shimano HG40 9-Speed (HG41 8-Speed) 11-32T	Shimano HG200 9-Speed 11-32T
Crankset	Shimano Ultegra FC-6800 compact double, 50/34T, 165mm (48), 170mm (51), 172.5mm (54/56), 175mm (58/61)	Shimano 105 FC-5800 compact double, 50/34T, 165mm (48), 170mm (51), 172.5mm (54/56), 175mm (58/61)	FSA Gossamer MegaExo compact double, 50/34T, 165mm (48), 170mm (51) 172.5mm (54)	FSA Vero compact double, 50/34T, 165mm (48), 170mm (51) 172.5mm (54/56)	FSA Alpha Drive triple, 48/36/26T, 170mm (50/53)
BB Set	Enduro EVO PressFit 30 with Wheels MFG EVO adaptors	Enduro EVO PressFit 30 with Wheels MFG EVO adaptors	FSA BB-4000	FSA sealed cartridge, 68 x 110.5mm	FSA sealed cartridge, 68 x 118mm
Pedals	N/A	N/A	N/A	N/A	Touring platform, full alloy cage & body with toe clips
Brakeset	Shimano BR-RS805 hydraulic disc brake system with resin pads, Centerlock Ice Tech Freeza 160mm rotors with Shimano ST-R685 Dual Control STI brake levers	Shimano BR-RS505 hydraulic disc brake system with resin pads, Centerlock Ice Tech 160mm rotors and Shimano ST-RS505 Dual Control STI brake levers	TRP Spyre mechanical disc brake with 160mm rotors and Shimano Tiagra ST-4700 brake levers	Tektro Lyra mechanical cable actuated disc brake with 160mm wave rotors and Shimano Sora ST-3000 (Claris ST-2400) brake levers	Tektro 992 forged alloy cantilevers with Tektro RL340 road brake lever
Handlebar	Ritchey Evomax Comp, 6061 aluminum, 73 reach, 120 drop with 12° flare, 31.8 x 420 (48-51) 440mm (54-56), 460mm (58-61)	Ritchey Evomax Comp, 6061 aluminum, 73 reach, 120 drop with 12° flare, 31.8 x 420 (48-51) 440mm (54-56)	Ritchey Evomax Comp, 6061 aluminum, 73 reach, 120 drop with 12° flare, 31.8 x 420 (48-51) 440mm (54-56), 460mm (58)	Ritchey Evomax Comp, 6061 aluminum, 73 reach, 120 drop with 12° flare, 31.8 x 420 (48-51) 440mm (54-56)	Jamis Ergo, 6061 aluminum, 31.8 x 400mm (50/53)
Stem	Ritchey Comp 4-Axis, 3D net forged 6061 alloy, 6” x 80mm (48/51), 90mm (54/56), 110mm (58/61)	Ritchey 4-Axis, 3D forged 6061 alloy, 6” x 80mm (48/51), 90mm (54/56)	Ritchey 4-Axis 3D forged 6061 alloy, 6” x 80mm (48/51), 90mm (54-56), 110mm (58)	Jamis Road 3D forged 6061 alloy, 7” x 80mm (48/51), 90mm (54/56)	Jamis adjustable threadless steering system (ATS) forged aluminum stem, 10” x 90mm (50), 105mm (53). ATS shim length 100mm
Grips	Fizik Microtex Superlight Soft Touch with gel inserts	Fizik Microtex Superlight Soft Touch with gel inserts	Jamis suede tape	Jamis suede tape with Jamis logo and “J” end plug (Jamis suede tape)	Jamis natural cork bar tape
Seat Post	Ritchey Comp Carbon, 27.2 x 350mm, 25mm offset with Jamis 7075-AL CNC aluminum 1-bolt seat post clamp	Jamis carbon fiber micro-adjust, 27.2 x 300mm with Jamis 7075-AL CNC aluminum 1-bolt seat post clamp	Ritchey Road, 27.2 x 300mm with cromo seat pin	Jamis Road, micro-adjust, 27.2 x 350mm cromo seat pin	Jamis alloy micro-adjust, 27.2 x 300mm with cromo seat pin
Saddle	Fizik Aliante Delta with Intergrated Clip system and MG rails	Selle Royal Seta S1 with Integrated Clip System	Selle Royal Seta S1 with integrated clip system	Jamis Road with SL top, front and rear bumpers and satin steel rails	Jamis Touring Sport with pressure relief cut-out and satin steel rails
Sizes	48, 51, 54, 56, 58, 61cm	48, 51, 54, 56cm	48, 51, 54, 56, 58cm	48, 51, 54, 56cm	50, 53cm
Color	Carbon	Carbon	Ano Palladium	Ano Inferno (Cosmic Dust or Gloss Black)	Midnight Blue
Weight	8.62kg	9.52kg	11kg	10.5kg (10.9kg)	13.5kg

※オレンジ色表記はRENEGADE EXILE CLARIS

MTB Specifications

ENDURO FULL SUSPENSION / PLUS TIRE

Model	DEFCON 2	DEFCON 3	DRAGONSLAYER 27.5+ PRO
Price	¥457,000	¥326,000	¥267,000
Frame	Triple-buttéd 6061 air-formed aluminum, 160mm travel mp4 suspension, Enduro® Max sealed bearing pivots, 1.5 - 1 1/8 " tapered head tube, asymmetrical chainstays,12x142mm thru-axle, dropper post routing, ISCG05 chainguide mounts, Rock Shox Monarch Plus RC3 Debon Air shock w/3-position compression, 10mm hardware, replaceable derailleur hanger, Rock Shox Maxle axle	Triple-buttéd 6061 air-formed aluminum, 160mm travel mp4 suspension, Enduro® Max sealed bearing pivots, 1.5 - 1 1/8 " tapered head tube, asymmetrical chainstays,12x142mm thru-axle, dropper post routing, ISCG05 chainguide mounts, X-Fusion 02 Pro RLX High Volume air shock w/3-position compression, 10mm hardware, replaceable derailleur hanger, Formula axle	Reynolds 520 steel, 44mm head tube, 31.6 I.D. seat tube, internal dropper post routing, ISCG05, sliding 12x148mm dropouts, Formula axle
Fork	Rock Shox Pike RC 27.5", lock-out, Charger damper, external rebound, low speed compression adjust & lock-out, 15x110mm axle, 35mm uppers, magnesium lowers, 160mm travel	X-Fusion Sweep Roughcut RCP 27.5" w/ 3-position compression, 15x100mm axle, air spring compression & lock-out, rebound adjust, tapered alloy steerer, 34mm uppers,160mm travel	Fox Rhythm 34 Float 29/27.5+ w/ sweep adjust compression & lock-out,15x110mm axle, air spring compression, rebound adjust, tapered alloy steerer, 120mm travel
Headset	FSA Orbit 1.5 Zero-Stack internal cup, 8mm cone spacer	FSA Orbit 1.5 Zero-Stack internal cup, 8mm cone spacer	FSA Orbit, Alloy cups
Wheels	Stan's NoTubes Flow MK3 Team 27.5" tubeless wheels, Neo Series 15x110mm axle front and 12x142 mm rear hubs, Sapim Race spokes	WTB ST i29 TCS 27.5" tubeless rims, Formula sealed bearing 6-bolt hubs, stainless spokes & brass nipples	WTB Scraper i40 TCS tubeless 27.5" rims, Formula sealed bearing 15x110mm front & 12x148mm rear 6-bolt disc hubs, stainless spokes
Tires	Vittoria Goma 27.5 x 2.4" front & 2.25" rear, TNT tubeless	Vittoria Goma 27.5 x 2.4" front & 2.25" rear, TNT tubeless	WTB Trail Boss, 27.5 x 3.0", TCS tubeless
Derailleurs	Shimano SLX Shadow Plus, 11-speed	SRAM NX, 11-speed	Shimano SLX Shadow Plus, 11-speed
Shift levers	Shimano SLX, 1x11-speed	SRAM NX, 1x11-speed	Shimano SLX, 1x11-speed
Chain	KMC X11-1 EPT (Anti-Rust), 11-speed	KMC X11-1 EPT (Anti-Rust), 11-speed	KMC X11-1, 11-speed
Cassette	Shimano XT M8000, 11-speed, 11-46T	SRAM 1130, 11-speed, 11-42T	Shimano XT M8000, 11-speed, 11-46T
Crankset	Shimano SLX, 32T, 170mm (15"), 175mm (17-21")	SRAM NX, 32T, 170mm (15"), 175mm (17-21")	Shimano SLX, 32T, 170mm (15"), 175mm (17")
BB Set	Enduro® BSA	Enduro® BSA	Shimano External
Pedals	N/A	N/A	N/A
Brakeset	Shimano Zee 4-piston, 180mm RT66 rotors	TRP Slate T4 4-piston hydraulic disc, 180mm 2-piece rotors	Shimano SLX hydraulic disc,180mm front & 160mm rear RT66 6-bolt rotors
Handlebar	Answer ProTaper Riser, 780mm x 25mm rise, 31.8 mm diameter	Answer ProTaper Riser, 780mm x 25mm rise, 31.8 mm diameter	Ritchey Trail 2X, 31.8 x 9" x 720mm x +/- 5mm rise
Stem	Answer ATAC AME, 50mm extension, 31.8mm clamp diameter	Answer ATAC AME, 50mm extension, 31.8mm clamp diameter	Ritchey Trail, 60mm (15"), 70mm (17")
Grips	Jamis Lock-On	Jamis Lock-On	Jamis Lock-On
Seat Post	KS Supernatural,125mm travel, Southpaw remote	KS eTen,100mm travel, Southpaw remote	KS eTen Integra, 100mm travel, Southpaw remote
Saddle	WTB Volt Comp	WTB Volt Sport	WTB Volt Comp
Sizes	15", 17", 19", 21"	15", 17", 19", 21"	15", 17"
Color	Charcoal	Raw Aluminum	Ano Twilight
Weight	14.51kg	14.85kg	14.17kg

Model	DRAGONSLAYER 27.5+ SPORT	KOMODO 27.5+ EXPERT	KOMODO 27.5+ SPORT
Price	¥161,000	¥191,000	¥123,000
Frame	Reynolds 520 steel, 44mm head tube, 31.6 I.D. seat tube, internal dropper post routing, ISCG05, sliding 12x148mm dropouts, Formula axle	Triple-buttéd 6061 aluminum, 1.5 - 1 1/8" tapered head tube, post mount disc brakes, 12x148mm thru-axle drop-outs, High Direct Mount (HDM) front derailleur with front-pull internal cable routing, internal dropper post routing, replaceable derailleur hanger, Formula axle	Triple-buttéd 6061 aluminum, 1.5 - 1 1/8 " tapered head tube, post mount disc brakes, 12x148mm thru-axle drop-outs, High Direct Mount (HDM) front derailleur with front-pull internal cable routing, internal dropper post routing, replaceable derail-leur hanger, Formula axle
Fork	Rock Shox Recon Silver RL 29/27.5+, Solo Air spring, external rebound, lockout adjust, 32mm stanchions, 15x110mm axle, tapered aluminum steerer, 120mm travel	Rock Shox Recon Silver RL 29/27.5+, Solo Air spring, external rebound, lockout adjust, 32mm stanchions, 15x110mm axle, tapered aluminum steerer, 120mm travel	SR Suntour XCR 32 LOR 29/27.5+, coil spring , external rebound, lockout adjust, 32mm stanchions, tapered aluminum steerer,15x110mm axle, 120mm travel
Headset	FSA Orbit, Alloy cups	FSA Orbit 1.5 Zero-Stack internal cup, 8mm cone spacer	FSA Orbit 1.5 Zero-Stack internal cup, 8mm cone spacer
Wheels	WTB Scraper i40 TCS tubeless 27.5" rims, Formula sealed bearing 15x110mm front & 12x148mm rear 6-bolt disc hubs, stainless spokes	WTB Scraper i40 TCS tubeless 27.5" rims, Formula sealed bearing 15x110mm front & 12x148mm rear 6-bolt disc hubs, stainless spokes	WTB Scraper i40 TCS tubeless 27.5" rims, Formula 15x110mm front & 12x148mm rear sealed bearing 6-bolt disc hubs, stainless spokes
Tires	WTB Trail Boss, 27.5 x 3.0", TCS tubeless	WTB Trail Boss, 27.5 x 3.0", TCS tubeless	WTB Ranger, 27.5 x 3.0"
Derailleurs	SRAM NX, 11-speed	SRAM NX, 11-speed	Shimano Deore Shadow rear & Deore front
Shift levers	SRAM NX, 1x11-speed	SRAM NX, 1x11-speed	Shimano Deore, 2x10-speed
Chain	KMC X11-1, 11-speed	KMC X11-1, 11-speed	KMC X10, 10-speed
Cassette	SRAM 1130, 11-speed, 11-42T	SRAM 1130, 11-speed, 11-42T	Shimano HG50, 10-speed, 11-36T
Crankset	SRAM NX, 32T, 170mm (15"), 175mm (17-19")	SRAM NX, 32T, 170mm (15"), 175mm (17")	SR Suntour XCM, 36/22T, 170mm (15"), 175mm (17-19")
BB Set	SRAM GXP	SRAM GXP	SR Suntour External

	DRAGONSLAYER 27.5+ SPORT	KOMODO 27.5+ EXPERT	KOMODO 27.5+ SPORT
Pedals	ATB alloy platform	N/A	ATB alloy platform
Brakeset	Shimano M396 hydraulic disc, 180mm front & 160mm rear RT26 6-bolt rotors	Shimano Deore M506 hydraulic disc, 180mm front & 160mm rear RT56 6-bolt rotors	Tektro M285 hydraulic disc, 180mm front & 160mm rear 6-bolt rotors
Handlebar	Ritchey Trail 2X, 31.8 x 9" x 720mm x +/- 5mm rise	Ritchey Trail 2X, 31.8 x 9" x 720mm x +/- 5mm rise	Ritchey Trail 2X, 31.8 x 9" x 720mm x +/- 5mm rise
Stem	Ritchey Trail, 60MM (15"), 70MM (17"), 80MM (19")	Ritchey Trail, 60mm (15"), 70mm (17")	Ritchey Trail, 60MM (15"), 70MM (17"), 80MM (19")
Grips	Jamis Lock-On	Jamis Lock-On	Dual compound
Seat Post	Ritchey Trail Comp, 31.6 x 400mm	KS eTen Integra, 100mm travel, Southpaw remote	Ritchey Trail, 31.6 x 400mm
Saddle	WTB Volt Sport	WTB Volt Comp	WTB Volt Sport
Sizes	15", 17", 19"	15", 17"	15", 17", 19"
Color	Ano Black	Inferno	Ink
Weight	13.83kg	14.5kg	14.5kg

URBAN Specifications

URBAN / FITNESS

Model	CODA COMP	CODA SPORT	ALLEGRO COMP	ALLEGRO SPORT
Price	¥88,000	¥65,000	¥99,000	¥65,000
Frame	Disc Brake Reynolds 520 double-buttéd chromoly main tubes, extended head tube with reinforced collars, double tapered cromó stays, forged dropouts and fender/rack mount eyelets	Double-buttéd chromoly frame, extended head tube with reinforced collars, double tapered cromó stays, forged dropouts and fender/rack mount eyelets, chainstay frame lock mounts	Triple-buttéd 6061 aluminum with hydro-formed top and down tube, taper gauge "S" bend stays, replaceable derailleur hanger and fender/rack mount eyelets	6061 aluminum with hydro-formed top and down tube, taper gauge "S" bend stays, replaceable derailleur hanger and fender/rack mount eyelets
Fork	Aluminum fork with disc brake mounts, aluminum steerer, low-rider carrier mounts, forged dropouts and fender eyelets	Chromoly unicrown, bulge buttéd steerer, low-rider carrier mounts and forged dropouts with fender mount eyelets	Jamis Road carbon composite with brake mounts, low-rider carrier mounts and forged dropouts with fender mount eyelets	Chromoly straight blade unicrown with bulge buttéd chromoly steerer, low-rider carrier mounts and forged dropout with fender mount eyelets
Headset	Threadless, 1 1/8 "	Threadless, 1 1/8 "	FSA Integrated IS threadless with nylon upper compression ring, 1 1/8 "	FSA Integrated IS threadless, 1 1/8 "
Wheels	Alex TD-26 double wall disc specific alloy rims, 32H, Formula hubs with QR and 14g stainless steel spokes	Alex ID-19 double wall alloy rims with GSW sidewall, 32H, Formula alloy hubs with QR and 14g stainless steel spokes	Alex ID-19 double wall alloy rims with GSW sidewall, 28/32H, Formula alloy hubs with QR and 14g stainless steel spokes	Alex DC26 double wall alloy rims, 32H, Formula alloy hubs with QR and 14g stainless steel spokes
Tires	Vittoria Randonneur with Double Shielding puncture protection and reflective sidewalls, 700 x 32c	Vittoria Randonneur with Double Shielding puncture protection and reflective sidewalls, 700 x 32c	Vittoria Randonneur with Double Shield puncture protection and reflective side walls, 700 x 32c	Vittoria Randonneur with Double Shield puncture protection and reflective side walls, 700 x 32c
Derailleurs	Shimano Acera RD-M360 SGS rear and Acera FD-M313 down swing	Shimano Acera M360 SGS rear and FD-TY710 bottom pull front	Shimano Sora RD-3500 SS rear and Shimano Sora FD-3500 front	Shimano Acera RD-M360 rear and Shimano FD-M191 bottom pull front
Shift levers	Shimano RapidFire Plus SL-M310, 24-Speed	Shimano RapidFire Plus SL-M310, 24-Speed	Shimano Sora SL-3500 for flat-bar, 18-Speed	Shimano Rapidfire ST-M310, 24-Speed
Chain	KMC Z99 9-Speed	KMC Z7 8-Speed	KMC Z99	KMC Z7
Cassette	Shimano HG41 8-Speed 11-34T	Shimano HG41 8-Speed 11-32T	SRAM PG-950 9-Speed 11-32T	SRAM PG 820 8-Speed 11-32T
Crankset	Shimano Acera FC-TY501 triple, 48/36/26T, 170mm (15-17")	Shimano FC-TY501 triple, 48/38/28T, 170mm (14-16"/15-19")	FSA Tempo compact double, 50/34, 170mm (17"), 175mm (19")	Shimano FC-M171 triple, 48/38/28, 170mm (14-16"/15-17"), 175mm (19").
BB Set	FSA sealed cartridge, 68 x 110.5mm	FSA sealed cartridge, 68 x 110.5mm	FSA sealed cartridge, 68 x 110.5mm	FSA sealed cartridge, 68 x 110.5mm
Pedals	Full alloy platform, toe clip attachable	Platform style, steel cage/resin body	Platform style, steel cage/resin body, toe clip attachable	Comfort platform style with TPE non-slip insert
Brakeset	Tektro Novelo mechanical disc brakes and Tektro brake levers	Tektro 855AL alloy linear-pull brakes with front power modulator and Tektro brake levers	Tektro RX-1.0 linear-pull with front power modulator and RX1.0 brake levers	Tektro RX-1.0 linear-pull with front power modulator and Shimano brake levers
Handlebar	Jamis Urban bar, 6061 T-6 aluminum, 25.4 x 10" sweep x 580mm	Jamis flat bar, 6061 T-6 aluminum, 31.8 x 10" sweep x 580mm	Jamis flat bar, 6061 T-6 aluminum, 31.8 x 10" sweep x 580mm	Jamis flat bar, 6061 T-6 aluminum, 31.8 x 10" sweep x 580mm
Stem	Jamis adjustable threadless system (ATS) forged aluminum stem, 25.4 x 10" x 90mm (15"), 105mm (17"). ATS shim length 100mm	Jamis Trekking, 3D forged alloy, 10° rise x 90mm (14-16"/15-17"), 110mm (19")	Jamis adjustable threadless steering system (ATS), forged aluminum stem, 10° x 90mm (17"), 105mm (19"). ATS shim length 100mm	Jamis Trekking, 3D forged alloy, 10° rise x 90mm (14-16"/15-17"), 110mm (19")
Grips	New Anatomic double density kraton grip with end plug	Anatomic double density kraton	New Anatomic double density kraton grip with end plug	New Anatomic double density kraton grip with end plug
Seat Post	Jamis alloy micro-adjust, 27.2 x 350mm alloy clamp with QR seatpin	Jamis alloy micro-adjust, 27.2 x 350mm alloy clamp with QR seatpin	Jamis alloy micro-adjust, 27.2 x 350mm alloy clamp with QR seatpin	Jamis alloy micro-adjust, 27.2 x 350mm, alloy clamp with QR seatpin
Saddle	Selle Royal S1 with fine grain cover, steel rails with integrated clip system	Jamis Touring with SL cover	Selle Royal S1 with fine grain cover, steel rails with integrated clip system	JJamis Road Sport with SL top and satin steel rails , Jamis Touring Femm
Sizes	15", 17"	14", 16",15", 17", 19"	17", 19"	14",16" (Teal Fo' Real), 15", 17", 19"
Color	Flat Steel	Gloss Black or Inferno or Pearl White	Galaxy Grey	Teal Fo' Real or Gloss Black or Orange Crush
Weight	11.9kg	12.24kg	10.7kg	11.6kg

※水色表記は FEMME MODEL

Geometries

- A = SEAT TUBE
- B = EFFECTIVE TT LENGTH
- C = HEAD TUBE ANGLE
- D = SEAT TUBE ANGLE
- E = CHAINSTAY
- F = WHEELBASE
- G = FORK RAKE
- H = BOTTOM BRACKET DROP/HEIGHT
- I = HEAD TUBE
- J = STANDOVER
- K = STACK
- L = REACH



ROAD BIKE Geometries

RACING ROAD

MODEL	SIZE		A SEAT TUBE	B EFFECTIVE TT LENGTH	C HEAD ANGLE	D SEAT ANGLE	E CHAIN STAY	F WHEEL BASE	G FORK RAKE	H BB DROP	I HEAD TUBE	J STAND OVER	K STACK	L REACH	REAR OLD
XENITH TEAM XENITH PRO XENITH RACE XENITH COMP	48	cm	438	515	71.5	73	415	968	50	68	100	713	496	363	142
	51	cm	445	529	72	73	415	979	50	68	120	741	517	371	142
	54	cm	481	544	73	73	415	977	43	68	140	764	542	378	142
	56	cm	495	565	73	73	415	998	43	68	160	780	561	394	142
	58	cm	511	580	73	73	415	1013	43	68	180	797	580	402	142
	61	cm	527	590	73	73	415	1024	43	68	200	815	599	407	142
ICON ELITE ICON PRO DISC	48	cm	473	515	71.5	73	415	968	50	68.5	100	715	496	363	142
	51	cm	491	529	72	73	415	979	50	68.5	120	745	517	371	142
	54	cm	511	544	73	73	415	977	43	68.5	140	766	541	379	142
	56	cm	527	565	73	73	415	998	43	68.5	160	785	561	394	142
	58	cm	544	580	73	73	415	1013	43	68.5	180	803	580	403	142
	61	cm	473	590	73	73	415	1023	43	68.5	200	820	599	407	142
ICON PRO	48	cm	425	515	71.5	73	405	958	50	68	100	715	496	363	130
	51	cm	467	529	72	73	405	968	50	68	120	745	517	371	130
	54	cm	485	544	73	73	405	967	43	68	140	766	541	379	130
	56	cm	505	565	73	73	405	988	43	68	160	786	561	394	130

PERFORMANCE ROAD

MODEL	SIZE		A SEAT TUBE	B EFFECTIVE TT LENGTH	C HEAD ANGLE	D SEAT ANGLE	E CHAIN STAY	F WHEEL BASE	G FORK RAKE	H BB DROP	I HEAD TUBE	J STAND OVER	K STACK	L REACH	REAR OLD
VENTURA RACE VENTURA SPORT	48	cm	415	515	71	74	415	979	50	73	120	712	532	361	130
	51	cm	462	525	71.5	74	415	986	50	73	140	746	553	365	130
	54	cm	477	538	72	73.5	415	985	45	73	160	747	575	367	130
	56	cm	498	555	72.54	73	415	987	43	73	180	785	598	372	130
QUEST ELITE QUEST COMP	48	cm	422	514	71	74.5	415	993	50	71	133	737	547	367	130
	51	cm	464	534	72	74	415	994	50	69.5	151	768	566	371	130
	54	cm	483	555	72	73	420	999	43	68	168	787	586	376	130
	56	cm	505	565	73	73	420	1004	43	68	186	807	605	380	130
QUEST SPORT	48	cm	422	515	71	74.5	415	989	50	68	120	736	536	365	130
	51	cm	464	530	72	74	415	983	43	68	140	769	562	368	130
	54	cm	483	540	72	73	415	984	43	68	160	786	581	362	130
	56	cm	505	555	73	73	415	988	43	68	180	807	604	370	130

ADVENTURE ROAD / TOURING

MODEL	SIZE		A SEAT TUBE	B EFFECTIVE TT LENGTH	C HEAD ANGLE	D SEAT ANGLE	E CHAIN STAY	F WHEEL BASE	G FORK RAKE	H BB DROP	I HEAD TUBE	J STAND OVER	K STACK	L REACH	REAR OLD
RENEGADE ELITE RENEGADE EXPERT	48	cm	430	517	70.5	73	427	998	57	73.5	95.9	729	515	360	142
	51	cm	452	532	71	73	427	1005	53	73.5	114.3	752	535	369	142
	54	cm	482	551	71.5	73	430	1023	53	72	145.6	785	565	378	142
	56	cm	506	569	71.5	73	430	1042	53	72	176.7	808	595	387	142
	58	cm	527	586	72	73	430	1051	50	70.5	202	830	620	396	142
	61	cm	549	601	72.5	73	435	1066	50	70.5	220.9	853	640	405	142
RENEGADE EXPAT	48	cm	430	519	70.5	73	427	997	57	73.5	83	724	515	360	135
RENEGADE EXILE SORA RENEGADE EXILE CLARIS	51	cm	452	534	71	73	427	1005	53	73.5	100	745	535	369	135
	54	cm	482	551	71.5	73	430	1023	53	72	132	776	554	375	130
	56	cm	506	570	71.5	73	430	1042	53	72	163	801	595	387	135
AURORA	50	cm	497	542	71.5	74	440	1033	50	65	115	784	541	386	130
	53	cm	527	552	71.5	73	440	1034	50	65	135	808	560	380	130

MOUNTAIN BIKE Geometries

ENDURO FULL SUSPENSION / PLUS TIRE

MODEL	SIZE		A SEAT TUBE	B EFFECTIVE TT LENGTH	C HEAD ANGLE	D SEAT ANGLE	E CHAIN STAY	F WHEEL BASE	G FORK RAKE	H BB DROP	I HEAD TUBE	J STAND OVER	K STACK	L REACH	REAR OLD
DEFCON 2 DEFCON 3	15	inch	277	570	66.5	73.5	435	1126		7	100	719	584	394	142
	17	inch	284	595	66.5	73.5	435	1151		7	110	751	593	415	142
	19	inch	351	620	66.5	73.5	435	1176		7	120	784	593	436	142
	21	inch	380	645	66.5	73.5	435	1191		7	130	817	611	457	142
DRAGONSLAYER 27.5+ PRO DRAGONSLAYER 27.5+ SPORT	15	inch	359	580	68	73	435	1106		50	80	762	608	394	148
	17	inch	410	600	68	73	435	1128		50	100	800	626	408	148
KOMODO 27.5+ EXPERT KOMODO 27.5+ SPORT	15	inch	359	580	68	73	435	1106		50	80	762	608	394	148
	17	inch	410	600	68	73	435	1128		50	100	800	626	408	148

URBAN BIKE Geometries

URBAN / FITNESS

MODEL	SIZE		A SEAT TUBE	B EFFECTIVE TT LENGTH	C HEAD ANGLE	D SEAT ANGLE	E CHAIN STAY	F WHEEL BASE	G FORK RAKE	H BB DROP	I HEAD TUBE	J STAND OVER	K STACK	L REACH	REAR OLD
CODA COMP	15	inch	385	545	71	74	435	1029	45	65	105	715	518	395	130
	17	inch	422	560	71	74	435	1045	45	65	120	742	532	407	130
	19	inch	472	570	72	73.5	435	1041	45	65	135	776	550	407	130
CODA SPORT	15	inch	385	545	71	74	435	1035	50	65	105	723	537	390	130
	17	inch	422	560	71	74	435	1051	50	65	120	750	551	401	130
	19	inch	472	570	72	73.5	435	1047	50	65	135	785	569	401	130
ALLEGRO COMP ALLEGRO SPORT	15	inch	371	545	71	74	435	1040	50	55	135	733	545	387	130
	17	inch	408	560	71	74	435	1056	50	55	150	760	559	398	130
	19	inch	459	570	72	73.5	435	1052	50	55	175	799	586	395	130

WOMEN'S BIKE Geometries

MODEL	SIZE		A SEAT TUBE	B EFFECTIVE TT LENGTH	C HEAD ANGLE	D SEAT ANGLE	E CHAIN STAY	F WHEEL BASE	G FORK RAKE	H BB DROP	I HEAD TUBE	J STAND OVER	K STACK	L REACH	REAR OLD
VENTURA SPORT FEMME	44	cm	383	495	70.5	76	415	986	50	68	120	712	525	361	130
	48	cm	416	505	71	75.5	415	985	50	68	120	717	527	366	130
QUEST SPORT FEMME	48	cm	422	505	71	75.5	415	988	50	68	120	726	536	365	130
	51	cm	464	515	71.5	75	415	991	50	68	140	768	557	365	130
	54	cm	482	530	71.5	74	415	996	50	68	160	785	558	364	130
CODA SPORT FEMME	14	inch	347	520	70	75	435	1028	50	65	95	696	524	378	130
	16	inch	385	530	71	75	435	1030	50	65	105	725	537	385	130
ALLEGRO SPORT FEMME	14	inch	335	520	70.5	74.5	435	1024	50	55	125	721	533	370	130
	16	inch	372	530	71	74	435	1025	50	55	135	733	545	372	130
	16	inch	372	530	71	74	435	1025	50	55	135	733	545	372	130



We Speak
JAMIS

私たちが語るのは Jamis の一部にすぎません。
次はあなたが Jamis に乗り、Jamis を知り、
Jamis の語り手になってください。