


JAMIS® BIKES

JAMIS BIKES



**JAMIS®
BIKES**

ジェイミスジャパン株式会社

東京都台東区蔵前4丁目8-2

TEL.03-3866-2333 FAX.03-5829-4775

ホームページ： <http://www.jamis-japan.com>

Facebook： <https://www.facebook.com/jamis.japan>

- 自転車に乗るときは取扱説明書をよくお読みになり、特に安全についての内容を十分に理解してからお乗りください。
- スポーツバイクについて：スポーツバイクは一般的な自転車と比べ、速度が出やすく、走行距離も伸びますが、走行速度が上がるにともない、万が一の走行事故による危険も大きくなります。乗車の際はヘルメットや、グローブなどを必ず装着し、事故から身を守りましょう。またマウンテンバイクでのオフロード走行時には、必要に応じ転倒時に体を守るプロテクター類も装着してください。
- 製品カラーは印刷のため実物と異なる場合があります。
- 改良のため予告なく仕様、価格を変更する場合があります。あらかじめご了承ください。
- 本カタログ内の製品記載内容(価格含む)は2017年9月1日現在のものです。



INTRODUCTION	1979- [JAMIS HISTORY]	04
	JAMIS TECHNOLOGY	06
ROAD	XENITH	
Racing Road / Carbon	XENITH LTD	13
	XENITH TEAM	14
	XENITH PRO	14
	XENITH COMP	15
Racing Road / Aluminium	ICON	
	ICON ELITE	16
	ICON PRO	18
	ICON PRO LTD	19
Performance Road / Aluminium	VENTURA	
	VENTURA RACE	21
	VENTURA COMP	21
	VENTURA SPORT	22
Performance Road / Chromoly	QUEST	
	QUEST COMP	25
	QUEST SORT	26
Adventure Road	RENEGADE	
	RENEGADE ELITE	30
	RENEGADE EXPERT	31
	RENEGADE EXPLOIT	32
	RENEGADE EXPAT	33
	RENEGADE EXPLORE	34
	RENEGADE EXILE	35
Touring / Chromoly	AURORA	
	AURORA	36
MOUNTAIN	ROUGHNECK	
FatBike	ROUGHNECK	37
27.5+ MTB / Chromoly	DRAGONSLAYER	
	DRAGONSLAYER PRO 27.5+	39
	DRAGONSLAYER SPORT 27.5+	40
27.5+ MTB / Aluminium	KOMODO	
	KOMODO 27.5+ EXPERT	43
	KOMODO 27.5+ SPORT	43
URBAN	CODA	
Urban / Chromoly	CODA ELITE	45
	CODA COMP	45
	CODA SPORT	46
Fitness / Aluminium	ALLEGRO	
	ALLEGRO COMP	49
	ALLEGRO SPORT	50
APPENDIX	SPECIFICATIONS	52

We Speak
JAMIS

1979-

Jamisは、大きなブランドになろうとしたことはない。
ただ、いいバイクを作り続けていただけだ。
35年以上に渡り、自分たちがすべきことをし続けているだけだ。
自分が本当に乗りたいバイクを作る、ただそれだけだ。



1988-
QUEST series



1988-
ICON series

25年以上作られ続けてきた歴史あるEclipseというモデルの思想は、現在ではIconシリーズに引き継がれ、新たな素材と設計の元に同じ歴史を刻んでいる。



1993-
DRAGON series

2003-
XENITH series



2015-
RENEGADE series

2015年、新たに登場したアドベンチャーロードバイクRENEGADEは、これからその歴史と轍を刻んでいく。

JAMIS[®]
BIKES
TECHNOLOGY

“NEAR NET” CARBON TECHNOLOGY

— なぜJAMISのカーボンフレームは、見えない内側まで滑らかなのか？



nearnet MOLDING

一般にカーボンフレームは、カーボンシートを重ねて積層したものをフレームの形状をした型に敷き、熱をかけて成形する。一方で Near Net Molding は、カーボンフレームの主要部分(ヘッドチューブ、BB、シートチューブ、トップチューブ)を、シリコンの軸を用いて成形。これらをフレーム状に配置し、内部から圧力をかける芯材=ブラダー内には、ポリスチレンのコアが使われる。

成形のために過熱されると、内圧を保ったままこのポリスチレンコアは溶け流れ、内側表面が滑らかに保たれたカーボンフレームが完成する。内側表面が滑らかであるというのは、成形に必要な余分な樹脂が外に押し出され、狙った厚みが保たれているということ。さらに言えば、シワや凸凹など余分な重量を増やし強度を下げる原因を排除できるということである。

そのため設計した理想的な軽さ、剛性、そして強度をそのまま体現した、高い品質のカーボンフレームとなるわけだ。

対応モデル：RENEGADE ELITE、RENEGADE EXPERT

nearnet SPV


カーボンフレームを、無駄のない理想的な形状にする Near Net Molding を、さらに進化させる製法が、Near Net SPV である。

これはカーボンシートを重ねる積層の際に、真空状態にて行うことで、カーボン積層内にある空気を押し出すというもの。これにより、積層内の空気は限りなく0に近くなり、カーボンは理想的な積層状況、すなわち設計理論に即した高強度、軽量なカーボンとなるのだ。JAMISのトップモデル、XENITHシリーズに採用される技術である。

対応モデル：XENITH シリーズ

SIZE SPECIFIC DESIGN (サイズごとに合わせたデザイン)

— 同じモデルであれば、すべてのフレームサイズが、同じ乗り味であるべきだ。



JAMISはフレームサイズを、トップチューブやシートチューブなどの数字ではなく、フレーム構造全体として考える。それが、JAMISの提唱する《SSD》=フレームサイズごとに合わせたデザイン、の基礎となる考え方である。同じモデルであれば、すべてのフレームサイズが同じ乗り味であるべきだ。JAMISが提唱する《SST》=サイズごとにパイプの太さまで変更するこの考えを、さらに推し進めたものである。

起点となるのは、リーチとスタックの設定だ。スタックとはBBの中心から垂直に、トップチューブ高(現実でも仮想でも)までの距離、そしてリーチとはヘッドチューブ中心からこのスタックまでの距離のこと。この2つの線がつくる逆L字を基準として、サイズごとの調整が行われる。

さらに、4種のBBドロップ(フレームにおけるBBの位置)と3種のチェーンステー長を使い(上図参照)、異なるサイズでも変わらないフレームの走りを作り出す。例えば身長の高いライダーはクランクも長くなるものだが、それにBBドロップも対応させないと、ライダーの位置は理想よりも高く、あるいは低くなってしまい、バイクの乗り心地を大きく左右してしまうからだ。加えて異なるオフセットのフォークを3種用意し、サイズごとに最適なものを利用。そしてRENEGADEのため、太いサイズのタイヤを履いても繊細なステアリングを実現する新たなフォークも用意した。

1988年から続くSST(Size Specific Tubing)は、このSSDの核となる考え方だ。メインチューブ群とシートステーの太さをサイズごとに太く、または細くすることで、全体の剛性や乗りごこちをより同じくする。SSTは、それぞれのモデルに託された真の走り心地を、チューブの太さという要素まで使い、体現する技術である。

QUALITY TESTING

— JAMISバイクが誇る大きな性能の一つが、綿密なまでの耐久試験である。



JAMISのすべてのフレームとフォークは、スポーツ自転車における強度規格、ISO4210をクリアするように作られる。この耐久試験は、継続的に行われている。場合によっては、これら規格をはるかに上回る強度を持たせることもある。

ペダリングによるねじれを始めとする、あらゆるポイントにおける強度、そして歪みへの変形率などを調べ、固定したフレーム、フォークに大きく加重した状態で過酷な試験を実地していく。さらにモデルチェンジの折には、重りを取り付けたフレームを高さから落下させるという破壊試験を行っている。

破壊試験は強度を図るシンプルな方法ではあるが、製作されたばかりのフレームとフォークへの非破壊検査も重要なパートを占めている。特にカーボンフレームは、一本ずつ重量を量ることで樹脂の過不足を判断し、重要な6箇所については、積層状況を確認しながらの剛性を測定する。各部のたわみは、JAMISにおける標準値から5%以内に収まっていることを確認する。

JAMISが造るフレームの一本一本すべてが、これら試験により私たちの厳格な製造基準を満たすことを保証した上で出荷される。これもJAMISバイクが誇る性能の一つである。

FRAME TECHNOLOGY

REYNOLDS (クロモリ)

JAMISは、クロモリという素材の性能を信じている。その滑らかな乗り味と耐久性を始めとする、自転車素材として時代を超える魅力が備わっているからだ。そのクロモリパイプには、歴史ある英国パイプメーカー、REYNOLDS社のものを使用する。高級グレードのREYNOLDS 631、クロモリの特性を味わえるREYNOLDS 520、そして4130クロモリバテッドチューブの3種である。

REYNOLDS 631 : RENEGADE EXPLOIT
REYNOLDS 520 : QUEST COMP, RENEGADE EXPAT,
AURORA, DRAGONSLAYER,
CODA ELITE, CODA COMP
4130クロモリバテッドチューブ : QUEST SPORT, CODA SPORT

FEMME (女性用)

女性のためにアレンジされたライン。身長が低い女性にも乗りやすいジオメトリーのアレンジ、からだに触れる部位を女性専用パーツとしたコンポーネント、フレーム剛性やパイプ径なども、女性の体格のために配慮され、JAMISの性能を余すところなく味わえる。

対応モデル : VENTURA SPORT FEMME, QUEST SPORT FEMME, CODA COMP FEMME, CODA SPORT FEMME, ALLEGRO SPORT FEMME



RS SYNTHESIS (アルミ)

2年の製作期間と、数多いテストを重ねて完成された、アルミ素材を使用する最高峰のフレーム、SYNTHESIS (シンセサイズ)。カーボンフレームに肉薄する走行性能、そして重量。これに加え、金属フレームにしかない耐久性とコストパフォーマンスを実現する、JAMISならではのアルミフレームである。

対応モデル : ICON シリーズ



FORK TECHNOLOGY

ECO

Enhanced Compliance Offsetの略。フォークの振動吸収性を高めつつ、確かなコントロール性をキープするフォーク設計である。フォークブレード全体を、前方に押し出したことにより、路面からの振動をより多く吸収させる特性をもたせ、同時に前輪のハブ軸を後方に寄せたことで、ハンドリング性能を決定するトレール値を通常のフォークと同様にした。

対応モデル : VENTURE RACE, VENTURA COMP,
RENEGADE ELITE, RENEGADE EXPERT,
RENEGADE EXPLOIT, RENEGADE EXPAT
RENEGADE EXPLORE



BOOST SPACING

BOOST 148

現在MTBでの一般的なリアエンド幅、142mmに、6mmをプラスして148mm幅としたのがBOOST 148だ。これはリアハブのフランジ幅を広げてスポークの組み角度を大きくすることで、さらに剛性高く組まれたホイールが装備可能となる。さらには太いタイヤを履くクリアランスを設け、チェーンステーも短くできる。嬉しいのは、リアエンド幅は広がるが、クランクのQファクターは広がらないよう新デザインのクランクアームスライダを装備すること。変わらぬ走り心地で走りの質を変える新規格である。

対応モデル : DRAGONSLAYER 27.5+PRO,
DRAGONSLAYER 27.5+SPORT,
KOMODO 27.5+EXPERT,
KOMODO 27.5+SPORT



POSITIONING

Adjustable Threadless System

JAMISが特許を取得する、独自のステム高調整システム、ATS (Adjustable Threadless System)。従来型のステムとスペーサーではなく、特殊な加工を施されたシムとステムを利用し、シム自体がヘッドセットを抑える仕組み。これによりステムの高さを、ヘッドを緩めることなく60mmの範囲で自在にそして細かく調整できる。従来型のステムでは難しかったミリ単位での好みのステム高調整、さらに専門技術を必要としないポジション調整が可能に。サドル高とステム高を合わせて最適な位置へと細かく調整できる、初心者から上級者まですべてのサイクリストが待ち望んでいた、ポジション調整システムだ。

対応モデル : QUEST COMP, AURORA, CODA ELITE, CODA COMP, ALLEGRO COMP



BB SYSTEM

ENDURO Bearing

BBの回転を担うベアリング、そしてリアサスの滑らかな動きを実現するベアリングには、アメリカ製『ENDURO』社のものが使われる。このベアリングは、リテイナーの表面積を増やしたことで耐荷重性を一般より35~45%アップ。さらにベアリングの両脇をシールで防護しグリスの流出を90%防いでいる。またカーボンフレームには、磁鉄鉱にて表面加工したMAX BLACK OXIDEを採用。ボールの固さと耐久性を高め、BB、ピボットともに長期間の滑らかな回転を実現する。

対応モデル : XENITH シリーズ, ICON シリーズ, RENEGADE ELITE, RENEGADE EXPERT



BB386EVO

BBスピンドルの直径を30mmのままに、全体の幅を86.5mmまで広げた新規格のBBシステム。Qファクターを変えずにBB周りの剛性を高められたことに加え、デザインの自由度も上げられた。その結果、チェーンステー剛性を高めるフレームサイズごとの専用デザイン、そしてタイヤクリアランスを大幅に広げる (RENEGADE) ことが可能となった。

対応モデル : XENITH シリーズ,
RENEGADE ELITE, RENEGADE EXPERT



SHIFTING

ACE

Adaptive Cable Entryの頭文字をとったACEシステム。変速ケーブル、電動変速のワイヤーをフレーム内蔵にするためのシステムである。将来的に電動変速へのアップグレードを見越しライダーのため、それぞれに対応する各種グロメットが付属する。

対応モデル : XENITH シリーズ,
RENEGADE ELITE, RENEGADE EXPERT



PRESS FIT BB30

BBスピンドルの直径を30mmまで太くし、ベアリング全体の直径も上げたことにより、ベアリングとハウジング接触面での回転抵抗を下げ耐久性を高めるBBシステム。

対応モデル : ICON シリーズ



TIRES

PLUS TIRES

サイズ3.0、太めのタイヤを履く『プラス』規格だ。太めのタイヤには、多くの空気量=エアボリュームがある。このため空気圧を下げてもパンクせず、やわらかなタイヤがしっかりと路面をつかむ。登りでさらにトラクションを高め、ドロクや岩場など不安定な路面でも安定したグリップ力を発揮する。つまり大きな自信を持ち、オフロードをこれまで以上に楽しく走れる、タイヤの太さなのだ。

対応モデル : DRAGONSLAYER 27.5+PRO,
DRAGONSLAYER 27.5+SPORT,
KOMODO 27.5+EXPERT,
KOMODO 27.5+SPORT



XENITH

Racing Road / Carbon

JAMIS 最高峰のレースモデル、XENITH(ゼニス)は2017年、ディスクブレーキを装備し新たな走り創造した。これまでいくつもの賞を獲得し、レースでも実証されてきたXENITHの性能ではあったが、JAMISエンジニアは、さらなる高みを求めた。それはただディスクブレーキを搭載するだけではなく、XENITH全体の再デザイン、全く新しい製法の採用にまで行き着く。そして新デザインのフレームとフォークは、軽さ、剛性、そしてエアロ効果をこれまでにないレベルに高めた最速ロードバイクを創りだした。Silber Pro Cycling Team の勝利を担うマシンである。

XENITH LTD

Price ¥未定 (完成車 本体価格) ※受注生産商品

Size 48, 51, 54, 56, 58, 61cm / **Frame** Jamis Road carbon fiber monocoque
Dyad Elite M30/T700 / **Fork** Jamis Road Disc carbon fiber

meannet

SGT

ACE

386

Equipped with Enduro



Gloss Carbon



ディスクブレーキへの進化

Jamisは、ロードレーシングバイクの多くに、状況を選ばず、強力で操作しやすい制動力のディスクブレーキを採用した。悪天候でも指先のかじかむ寒さでも、正確に減速し止まれる理想的なブレーキシステムだからだ。またリムブレーキのように摩擦によるリムへの加熱もなく、これはカーボンリムへの大きな利点でもある。

XENITH TEAM

Price ¥635,000 (本体価格) ※受注生産商品
Size 48, 51, 54, 56, 58cm / **Frame** Jamis Road carbon fiber monocoque Dyad Elite M30/T700 / **Fork** Jamis Road Disc carbon fiber / **Rear Derailleur** Shimano Dura Ace RD-R9100 / **Crank** Shimano Dura Ace FC-R9100 / **Wheels** American Classic Argent Tubeless Centerlock 11-speed wheelset, 24H, front 12mm/rear 12x142 Shimano thru axle



Gloss Carbon / Red



XENITH PRO

Price ¥430,000 (本体価格) ※受注生産商品
Size 48, 51, 54, 56, 58cm / **Frame** Jamis Road carbon fiber monocoque Dyad Plus T700/FRP / **Fork** Jamis Road Disc carbon fiber / **RearDerailleur** Shimano Ultegra RD-R8000 / **Crank** Shimano Ultegra FC-R8000 / **Wheels** American Classic Victory 30 Centerlock disc tubeless 11-speed wheelset, 24H, front 12mm/rear 12x142 thru-axle



Gloss Carbon / Lime



XENITH COMP

Price ¥280,000 (本体価格)
Size 48, 51, 54, 56cm / **Frame** Jamis Road carbon fiber monocoque Dyad Plus T700/FRP / **Fork** Jamis Road Disc carbon fiber / **RearDerailleur** Shimano 105 RD-5800 / **Crank** Shimano 105 FC-5800 / **Wheels** Alex ATD 470 disc specific rim with TCS (Tubeless Compatible System), 32H, front 12mm/rear 12x142 thru-axle



Gloss Carbon / White



ICON

Racing Road / Aluminium

アルミ製のICON。2013年の発表以来、その性能の確かさは、専門各誌でのいく度もの受賞歴が実証する。その確証をもとにICONは、素材まで全てを新たに基本思想を最新技術で進化させた。天候を選ばず確かな制動力を生むディスクブレーキを搭載させたのはもちろん、トップモデルXENITHの走り性質をアルミ素材に特化させたのだ。プロトタイプは常にXENITHと乗り比べ、走り心地を近づけた。コーナーでの小気味良いハンドリング、スプリントでの圧倒的な加速感、高速で下るときの安心感。高い耐久性に加え、踏んだその瞬間に走り出すアルミの特性が、ICONならではの推進力を生む。

ICON ELITE

Price ¥330,000 (本体価格)

Size 48, 51, 54, 56cm / **Frame** Synthesis double-butted 6061 aluminum tubeset / **Fork** Jamis Road Disc carbon fiber / **RearDerailleur** Shimano Ultegra RD-R8000 / **Crank** Rotor 3D30 / **Wheels** American Classic Victory 30 Centerlock disc tubeless 11-speed wheelset, 24H, front 12mm/rear 12x142 thru-axle



Charcoal





Nimbus Grey

ICON PRO DISC

Price ¥229,000 (本体価格)

Size 48, 51, 54, 56cm / **Frame** Synthesis double-butted 6061 aluminum tubeset / **Fork** Jamis Road Disc carbon fiber / **RearDerailleur** Shimano 105 RD-5800 / **Crank** Shimano 105 FC-5800 / **Wheels** American Classic 2622 Tubeless 6-bolt Disc wheelset, 11-speed wheelset, 32H, front 12mm/rear 12x142 thru-axle



Inferno

ICON PRO LTD

Price ¥189,000 (本体価格)

Size 48, 51, 54, 56, 58cm / **Frame** New Synthesis double-butted 6061 aluminum / **Fork** Jamis Road carbon composite fork / **RearDerailleur** Shimano 105 RD-5800 / **Crank** Shimano 105 FC-5800 / **Wheels** American Classic ACRD2218 Tubeless Wheelset



Team

VENTURA

Performance Road / Aluminium

週末のライドで先頭をきって走れる速さと軽さは上位レースバイク譲り。それに加え疲れにくい心地よさ、という要素を大切にアルミバイク、VENTURA(ベンチュラ)。土曜日の市民レースにも、ツーリングでの頂上までのレースにも全力を注ぐライダーのため、XENITHとICONの性能を存分に取り入れながらも、その研ぎ澄まされた機能を少し丸め、体に疲れが残りにくい設計となった。米国・Bicycling誌のエディターズ・チョイスとして何度も選ばれているのも、楽しく走るための基本性能を実直に積み上げていることの証明だ。



Ano Galaxy Gray

VENTURA RACE

Price ¥125,000 (本体価格)

Size 48, 51, 54, 56cm / **Frame** Size Specific Design Double-butted 6061 aluminum / **Fork** Jamis Performance ECO carbon composite with carbon steerer / **RearDerailleur** Shimano Tiagra RD-4700 GS / **Crank** FSA Vero compact / **Wheels** Alex ATD 470 disc specific rims with TCS(Tubeless Compatible System), 28/32H



VENTURA COMP

Price ¥110,000 (本体価格)

Size 48, 51, 54cm / **Frame** Size Specific Design Double-butted 6061 aluminum / **Fork** Jamis Performance ECO carbon composite with carbon steerer / **RearDerailleur** Shimano Sora RD-R3000 / **Crank** FSA Vero compact / **Wheels** Alex ATD 470 disc specific rims with TCS(Tubeless Compatible System), 32H



Charcoal

VENTURA SPORT

Price ¥85,000 (本体価格)

Size 48, 51, 54, 56cm / 44, 48[Femme] / **Frame** Redesigned Performance geometry, 6061 aluminum / **Fork** Aero straight blade road fork / **Rear Derailleur** Shimano Claris RD-2400 / **Crank** FSA Tempo / **Wheels** Alex ID-19 double wall alloy rims with GSW sidewall, 28/32H



Cosmo Blue



Gloss Black



Cherryade

Femme

QUEST

Performance Road / Chromoly

1988年に生まれ、アップデートを繰り返してきた万能スチールロードバイク、QUEST(クエスト)。なめらかな走りのクロモリ素材を基に、長めのヘッドチューブと寝かせ気味のヘッド角でハンドリングはゆったり、長めのホイールベースで疲れにくくなっている。そしてリアギアには最大歯数32Tを選択、長距離をのんびり走りたいサイクリストに配慮した。キャリアや泥除けなどの取り付けダボ、28cまで対応するタイヤサイズなど、将来のカスタマイズにも確かに対応する。クロモリ素材の優しい乗り心地と耐久性の高さも含め、長く付き合えるスタンダードなロードバイクだ。



QUEST COMP

Price ¥110,000 (本体価格) ※48サイズはシートステーキャリアダボは付きません

Size 48, 51, 54cm / **Frame** Size Specific Design Reynolds 520 doublebutted chromoly main tubes / **Fork** Jamis Road ECO full carbon composite with carbon steerer / **RearDerailleur** Shimano Sora RD-R3000GS / **Crank** FSA Vero / **Wheels** Alex AT 470 rims with TCS (Tubeless Compatible System), 28/32H



Sahara Silver

QUEST SPORT

Price ¥85,000 (本体価格) ※48サイズはシートステーキャリアアダプタは付きません

Size 48, 51, 54, 56cm / 48, 51, 54cm (Femme) / **Frame** Redesinged Performance geometry, 4130 double-butted chromoly main tubes / **Fork** Full 4130 chromoly lugged crown / **RearDerailleur** Shimano Claris RD-2400 / **Crank** Shimano Claris FC-2450 / **Wheels**Alex ID-19 double wall alloy rims with GSW sidewall,28/32H



Gloss Black



Winter Dusk



Femme

Cadenza Rose

RENEGADE

Adventure Road

この先にあるものを知らない道を進むなら、RENEGADE(レネゲード)と走りたい。あらゆる路面をそのまま走れる、行き先の可能性を大きく広げるアドベンチャーロード、それがRENEGADEだ。長距離ライドのために設計されたジオメトリー。太くて心地よい40cタイヤまで対応するクリアランス。そして天候に左右されない安定した制動力を備えたディスクブレーキ。これら性能がRENEGADEの走破性の高い走りを実現。さらには、すべてのモデルのホイールに、より走り心地を軽くしなやかにするチューブレスシステム対応リムを採用、泥除けやキャリアの取り付けなど好みでカスタムできる、柔軟性のある仕様とスペック。舗装が尽きオフロードが始まって、RENEGADEなら喜んで前に進んでいける。





Beer Foam

RENEGADE ELITE

Price ¥499,000 (本体価格) ※受注発注商品 ※ブレーキは右後、左前となります。

Size 48, 51, 54, 56, 58, 61cm / **Frame** Jamis Size Specific Design Omniad M30 monocoque carbon fiber frame / **Fork** Jamis Adventure ECO monocoque carbon composite / **RearDerailleur** Shimano Ultegra RD-R8000GS / **Crank** Shimano Ultegra FC-R8000 / **Wheels** American Classic MTB RACE Tubeless Centerlock 11-speed wheelsset, 32H, front 12mm/rear 12x142 thru-axle



Mat Carbon

RENEGADE EXPERT

Price ¥299,000 (本体価格)

Size 48, 51, 54, 56cm / **Frame** Jamis Size Specific Design Dyad Plus T700/FRP monocoque carbon fiber frame / **Fork** Jamis Adventure ECO monocoque carbon composite / **RearDerailleur** Shimano 105 RD-5800GS / **Crank** Shimano 105 FC-5800 / **Wheels** WTB i23 STS disc rims with TCS (UST Tubeless Compliant System), 32H, front 12mm/rear 12x142 thru-axle



RENEGADE EXPLOIT

Price ¥255,000 (本体価格)
Size 48 650B, 51, 54 700c / **Frame** Jamis Size Specific Design frame geometry, Reynolds 631 double-butted SST chromoly main tubes / **Fork** Jamis Adventure ECO monocone carbon composite / **RearDerailleur** Shimano 105 RD-5800GS / **Crank** Shimano 105 FC-5800 / **Wheels** WTB i23 STS disc rims with TCS (UST Tubeless Compliant System), 32H, front 12mm/rear 12x142 thru-axle



Ano Palladium



Charcoal

RENEGADE EXPAT

Price ¥145,000 (本体価格)
Size 44 and 48 650B, 51, 54, 56, 58, 61 700c / **Frame** Jamis Size Specific Design frame geometry, Reynolds 520 double-butted chromoly main tubes / **Fork** Jamis Adventure ECO monocone carbon composite / **RearDerailleur** Shimano Tiagra RD-4700 GS / **Crank** FSA Gossamer MegaExo / **Wheels** WTB i23 STP disc rims with TCS (UST Tubeless Compliant System), 32H, Formula 12mm front and QR rear



Flat Steel



Armer Green

RENEGADE EXPLORE

Price ¥118,000 (本体価格)
Size 44 and 48 650B, 51, 54, 56, 58 700c / **Frame** Jamis Size Specific Design frame geometry, 6061 aluminum double-butted SST main frame / **Fork** Jamis Adventure ECO monocoque carbon composite / **RearDerailleur** Shimano Sora RD-R3000G5 / **Crank** FSA Vero / **Wheels** WTB i23 STP disc rims with TCS (UST Tubeless Compliant System), 32H, Formula 12mm front and QR rear



Ano Black

RENEGADE EXILE

Price ¥98,000 (本体価格)
Size 44 and 48 650B, 51, 54, 56, 58 700c / **Frame** Jamis Size Specific Design frame geometry, 6061 aluminum double-butted SST main frame / **Fork** Jamis Adventure 6061 air-formed aluminum / **RearDerailleur** Shimano Claris RD-R2000 / **Crank** FSA Vero / **Wheels** WTB i23 STP disc rims with TCS (UST Tubeless Compliant System), 32H, Formula QR front and rear



Cream Stout



Ano Inferno

AURORA

Touring / Chromoly

賢いサイクルツーリストのためのロードバイクを、JAMISが知恵を絞って形にしたのがこのAURORA(オーロラ)だ。Raynolds 520クロモリ素材を使うのは、滑らかな乗り味と、信頼の置ける高い耐久性のため。フラップ付きの泥除け、高さが調整可能なATSアジャストシステム。あらゆるスペックにスタンダードなものを使い、快適に、便利に、そして安心と共に旅を続けていける。そんな機能性を、旅人の賢さに負けないよう盛り込んだ、旅する人のためのバイクである。

AURORA

Price ¥115,000 (本体価格)

Size 50, 53cm / **Frame** Reynolds 520 double-butted chromoly main tubes / **Fork** Lugged semi-sloping chromoly / **RearDerailleur** Shimano Sora RD-R3000G5 / **Crank** FSA Alpha Drive / **Wheels** Alex ACE19 eyeleted double walled rims, 36H



Crimson

ROUGHNECK

FatBike

オフシーズンなんかない、走れないところなんかない。このRoughneck(ラフネック)は、ラフでタフなところをも走っていく。26x4.5インチという極太タイヤは、雪の上でも砂の上でも泥の上でも沈まず路面をつかんで走っていく。しかもだれでも簡単に。フレームにはたくさんのウォーターマウント、カーゴマウント、ラックマウントがついているので、いろんなものを積み込んだリアルなアドベンチャー仕様にも変貌できる。もうあなたの走りを守るものは何もない。フロントシングルのシンプルな変速機構とともに、走り出すだけである。

ROUGHNECK

Price ¥189,000 (本体価格)

Size 15", 17" / **Frame** Triple-butted 6061 air-formed aluminum / **Fork** Triple-butted 6061 air-formed aluminum / **RearDerailleur** Shimano SLX Shadow Plus / **Crank** Race Face Ride / **Wheels** Sun Ringle MuleFut 80 SL, STR Tubeless Ready, 15x150 Front hub, 12x197 Rear hub



Flat Ink

27.5+

DRAGONSLAYER

27.5+ MTB / Chromoly

JAMISの歴史を担ってきた伝説的なクロモリMTB、DRAGONシリーズが、新機軸 27.5+(プラス)タイヤを履くDRAGONSLAYER(ドラゴンスレイヤー)として進化を遂げた。Raynolods 520クロモリの滑らかに路面振動を吸収するパネ感はDRAGONシリーズならではの。これにサイズ3.0の太い『プラス』規格のタイヤが、通常のMTBでは体感できないフワリとした自然な乗り心地の良さを加え、さらには荒れた路面、緩い路面でも、想像を超える安定したグリップ感を獲得。自転車という乗り物の概念を変えるかもしれない、地球の路面と人との新たなつながり、それがDRAGONSLAYERの役目である。


低い空気圧で滑らない、圧倒的なグリップ力

27.5+規格の『プラス』とは、その外径が、ひとつ上のホイールサイズのタイヤとほぼ同じとなる、ということなのだ。

大きいホイールサイズの通常タイヤと同じ外径であるというのは、同じような走破性と速度を得られるということだ。ただしプラス規格で重要とされるのは、その太さによる空気量の多さである。空気量が多ければ、リムとタイヤとの距離も長くなり、パンクしにくくなる。つまりその分タイヤの空気圧を落とせるというわけだ。

タイヤの空気圧を落とすと(最低が1.5気圧程度)、接地面積は圧倒的に広がる。より広い範囲で路面をつかみ、これまで以上のグリップ力を作るのだ。特に、細かな根っこが多い凸凹した路面、ドロや砂などのやわらかな路面でペダルを踏んでも滑らずに進む推進力、荒れた岩場での安心したライン取りを可能とする。

つまり、『プラス』でなければ感じられない、MTBに最適な走り心地となるのである。



MTBの一般的タイヤサイズは2.25。これがプラスサイズになると幅3.0となるのだが、太いサイズのタイヤというのはそのぶん高さも増える。そのため、プラス規格のタイヤは、26プラスであれば27.5x2.25と同じ外径、27.5プラスなら29x2.25と同じになる。

DRAGONSLAYER 27.5+ PRO

Price ¥280,000 (本体価格) ※限定商品

Size 15", 17" / Frame Reynolds 520 steel / Fork Fox Rhythm 34 Float / Rear Derailleur SRAM GX Eagle, 12-speed / Crank Truvativ Stylo / Wheels WTB Scraper i40 TCS tubeless 27.5" rims, Formula 15x110mm front & 12x148mm

REYNOLDS TIRES BOOST 148



Surreal Teal

DRAGONSLAYER 27.5+ SPORT

Price ¥180,000 (本体価格) ※限定商品
Size 15", 17", 19" / Frame Reynolds 520 steel / Fork Rock Shox Recon RL / RearDerailleur Shimano SLX Shadow Plus, 11-speed / Crank Shimano SLX / Wheels WTB Scraper i40 TCS tubeless 27.5" rims, Formula 15x110mm front & 12x148mm

REYNOLDS TIRES BOOST 148



Ano Black



KOMODO

27.5+ MTB / Aluminium

最先端のMTB遊びを、存分に味わうためのマシン。それがための27.5+(プラス) タイヤを履くKOMODO(コモド)である。アルミフレームの軽さと反応性の良さによる走るの軽さを備えつつ、寝かせ気味のヘッドアングルが、トレールで自信を持てるライン取りを可能とした。トラベル量120mmのフロントサスの実力と、サイズ3.0幅の27.5+タイヤのやわらかく路面をつかむグリップ力が合い混じり、初級者には路面を選ばない安心感を、遊び好きにはタイヤの跳ね返りの力という新たなジャンプ力を与えもする。



Ink

KOMODO 27.5+ SPORT

Price ¥128,000 (本体価格)

Size 15", 17", 19" / **Frame** Triple-buttet 6061 aluminum / **Fork** SR Suntour XCR 34 LOR / **RearDerailleur** Shimano Deore Shadow Plus / **Crank** SR Suntour Zeron / **Wheels** WTB Scraper i40 TCS tubeless 27.5" rims, Formula 15x110mm front 612x148mm

 **BOOST 148**



KOMODO 27.5+ EXPERT

Price ¥199,000 (本体価格)

Size 15", 17" / **Frame** Triple-buttet 6061 aluminum / **Fork** Rock Shox Recon RL / **RearDerailleur** Shimano XT Shadow Plus, 11-speed / **Crank** Race Face Aeffect / **Wheels** WTB Scraper i40 TCS tubeless 27.5" rims, Formula 15x110mm front 612x148mm

 **BOOST 148**



Lime Lite

CODA

Urban / Chromoly

CODA(コーダ)は、Raynoldsクロモリを利用する、ロングセラーのクロスバイク。Raynolds クロモリ素材特有の滑らかな乗り心地と、上体の立ったポジションは、周囲の状況を把握しやすく疲れにくい、街を走るのに最適な設定。リア変速に設定された広いギアレンジで、直線道路でスピードを出すときにも、急な上り坂を越えるときにもあなたの思い通りに反応する。ポジション調整も可能なJAMIS独自のステムで、慣れるに連れ好みのポジションに変更できる。CODAはあなたの行動範囲を広げ、街をさらに楽しくする一台だ。



Pewter



Impulsive Purple

CODA COMP

Price ¥81,000 (本体価格)

Size 14",16" [Femme] / 15",17",19" / **Frame** Size Specific Design Disc Brake Reynolds 520 double-butted chromoly main tubes / **Fork** Aluminum air-formed fork / **RearDerailleur** Shimano Acera RD-M360 SGS / **Crank** Shimano FC-TY501 / **Wheels** Alex TD-26 double wall disc specific alloy rims,32H



CODA ELITE

Price ¥105,000 (本体価格)

Size 17",19" / **Frame** Size Specific Design Disc Brake Reynolds 520 double-butted chromoly main tubes / **Fork** Jamis full carbon composite with carbon steerer / **RearDerailleur** Shimano Deore M591 SGS / **Crank** Shimano FC-T4010 / **Wheels** Alex TD-26 double wall disc specific alloy rims,32H



Galaxy Grey



Thunder Gray



Pure White

Femme



Black Ice



Icy Mint

Femme



Winter Dusk

CODA SPORT

Price ¥65,000 (本体価格)
Size 14",16" (Femme) / 15",17",19",21"(Black Ice only) / **Frame** Size Specific Design Double-butted chromoly frame / **Fork** Chromoly unicrown / **RearDerailleur** Shimano Acera M360 SGS / **Crank** Shimano FC-TY501 / **Wheels** Alex ID-19 double wall alloy rims with GSW sidewall, 32H

ALLEGRO

Fitness / Aluminium

ALLEGRO(アレグロ)には、スポーツバイクの楽しさが凝縮されている。ロードバイク同様のギアを使い、走りやすい上体の立ったポジションとフラットハンドルによる直感的な操作性。これらが軽量で俊敏なアルミ製フレームにまとめられ、街中での通勤から郊外でのライドまで、小気味よく走るバイクとなった。その性能は、モデル名が最もよく表している。ALLEGRO、すなわち音楽用語での「快活な、速いテンポ」である。



ALLEGRO COMP

Price ¥95,000 (本体価格)

Size 17" / **Frame** Triple-butted 6061 aluminum / **Fork** Jamis Road carbon composite / **RearDerailleur** Shimano Sora RD-3500 SS / **Crank** FSA Tempo / **Wheels** Alex ID-19 double wall alloy rims with GSW sidewall, 32H



Galaxy Grey

Fitness 49

ALLEGRO SPORT

Price ¥65,000 (本体価格)

Size 14",16" [Femme] / 15",17",19" / Frame 6061 aluminum / Fork Redesigned chromoly straight blade unicrown / RearDerailleur Shimano Acera RD-M360 / Crank Shimano FC-M171 triple / Wheels Alex DC26 double wall alloy rims, 32H



Gloss Black



Orange Crush



Teal Fo' Real

Femme

ROAD BIKE Specifications

RACING ROAD

Model	XENITH TEAM	XENITH TEAM	XENITH PRO	XENITH COMP
Price	¥未定	¥635,000	¥430,000	¥280,000
Frame	Jamis Road carbon fiber monocoque Dyad Elite M30/T700, FEA optimized Near Net SPV molding process,SST tubing diameters, oversized seat tube, 1.5 - 1 1/8" head tube with carbon bearing races,EVO386 carbon BB shell, ACE internal cable routing compatible for both Di2 wires or traditional cables, rider tuned twin seat stays, oversized asymmetrical chainstays with flat mount disc brake mounts, 12x142 thru-axle with Jamis MTS (Modular Thru-axle System), carbon drop outs with replaceable alloy FD mount and RD hanger	Jamis Road carbon fiber monocoque Dyad Elite M30/T700, FEA optimized Near Net SPV molding process,SST tubing diameters, oversized seat tube, 1.5 - 1 1/8" head tube with carbon bearing races,EVO386 carbon BB shell, ACE internal cable routing compatible for both Di2 wires or traditional cables, rider tuned twin seat stays, oversized asymmetrical chainstays with flat mount disc brake mounts, 12x142 thru-axle with Jamis MTS (Modular Thru-axle System), carbon drop outs with replaceable alloy FD mount and RD hanger	Jamis Road carbon fiber monocoque Dyad Plus T700/FRP, FEA optimized Near Net SPV molding process, SST tubing diameters, oversized seat tube, 1.5 - 1 1/8 " head tube with carbon bearing races,EVO386 carbon BB shell, ACE internal cable routing compatible for both Di2 wires or traditional cables, rider tuned twin seat stays, oversized asymmetrical chainstays with flat mount disc brake mounts,12x142 thru-axle with Jamis MTS (Modular Thru-axle System), carbon drop outs with replaceable alloy FD mount and RD hanger	Jamis Road carbon fiber monocoque Dyad Plus T700/FRP, FEA optimized Near Net SPV molding process, SST tubing diameters, oversized seat tube, 1.5 - 1 1/8 " head tube with carbon bearing races,EVO386 carbon BB shell, ACE internal cable routing compatible for both Di2 wires or traditional cables, rider tuned twin seat stays, oversized asymmetrical chainstays with flat mount disc brake mounts,12x142 thru-axle with Jamis MTS (Modular Thru-axle System), carbon drop outs with replaceable alloy FD mount and RD hanger
Fork	Jamis Road Disc carbon fiber,FEA optimized Near Net SPV molding process, 1.5" hollow formed crown,monocoque one-piece forming technology,flat mount disc brakes with internal cable,12mm Jamis MTS (Modular Thru-axle System) with carbon dropouts	Jamis Road Disc carbon fiber,FEA optimized Near Net SPV molding process, 1.5" hollow formed crown,monocoque one-piece forming technology,flat mount disc brakes with internal cable,12mm Jamis MTS (Modular Thru-axle System) with carbon dropouts	Jamis Road Disc carbon fiber,FEA optimized Near Net SPV molding process, 1.5" hollow formed crown,monocoque one-piece forming technology,flat mount disc brakes with internal cable,12mm Jamis MTS (Modular Thru-axle System) with carbon dropouts	Jamis Road Disc carbon fiber,FEA optimized Near Net SPV molding process, 1.5" hollow formed crown,monocoque one-piece forming technology,flat mount disc brakes with internal cable,12mm Jamis MTS (Modular Thru-axle System) with carbon dropouts
Headset		FSA integrated, sealed bearing with nylon upper compression ring, 1.5 - 1 1/8"	FSA integrated, sealed bearing with nylon upper compression ring, 1.5 - 1 1/8"	FSA integrated, sealed bearing with nylon upper compression ring, 1.5 - 1 1/8"
Wheels		American Classic Argent Tubeless Centerlock 11-speed wheelset, 24H, 30mm rim height with 23x19mm width, AC High-Low/Micro 58 hubs with stainless steel cartridge bearings and AC stainless steel bladed spokes, front 12mm/rear 12x142 Shimano thru axle	American Classic Victory 30 Centerlock disc tubeless 11-speed wheelset, 24H, 30mm rim height with 22.7x18.1 width, AC Victory 30 alloy hubs and bladed spokes, front 12mm/rear 12x142 thru-axle	Alex ATD 470 disc specfic rim with TCS(Tubeless Compatible System),32H, Formula 6-bolt alloy hubs,14g stainless steel spokes, front 12mm/rear 12x142 thru-axle
Tires		Vittoria Corsa 4c with Graphene, 700 x 25c	Vittoria Rubino Pro with Graphine, 700 x 25c, folding	Vittoria Zaffiro Slick, 700 x 23c
Derailleurs		Shimano Dura Ace RD-R9100 rear and Dura Ace FDR9100 braze-on front	Shimano Ultegra RD-R8000 rear and Ultegra FDR8000 braze-on front	Shimano 105 RD-5800 rear and 105 FD-5800 braze-on
Shift levers		Shimano Dura Ace ST-R9120 Dual Control STI, 22-speed	Shimano ST-R8020 Dual Control STI, 22-speed	Shimano ST-RS505 Dual Control STI, 22-speed
Chain		Shimano CN-HG701	Shimano CN-HG701	Shimano HG601-11-Speed
Cassette		Shimano Dura Ace CS-R9100 11-speed, 11-28T	Shimano Ultegra CS-R8000 11-speed, 11-28T	Shimano 11-Speed 11-28T
Crankset		Shimano Dura Ace FC-R9100, 52/36T, 170mm (48/51), 172.5mm (54/56), 175mm (58)	Shimano Ultegra FC-R8000 50/34T, 170mm (48/51),172.5mm (54/56), 175mm (58)	Shimano 105 FC-5800, 50/34T,170mm(48/51), 172.5mm (54/56)
BB Set		Enduro EVO PressFit 30 and Wheels MFG EVO adaptors	Enduro EVO PressFit 30 and Wheels MFG EVO adaptors	Enduro EVO PressFit 30 and Wheels MFG EVO adaptors
Pedals		N/A	N/A	N/A
Brakeset		Shimano Dura Ace BR-R9170 flat mount hydraulic disc brakes with resin pads, Centerlock Ice Tech Freeza front 160mm/rear 140mm rotors with Shimano ST-R9120 Dual Control STI levers	Shimano BR-R8070 flat mount hydraulic disc brakes with resin pads, Centerlock Ice Tech 160mm rotors with Shimano ST-R8020 Dual Control STI levers	Shimano BR-RS505 hydraulic disc brakes with resin pads, Shimano 160mm rotors, with Shimano STRS505 Dual Control STI levers
Handlebar		3T Ernova Pro, 7075 aluminum, 31.8 x 400mm (48/51), 420mm (54/56), 440mm (58)	3T Ernova, 7075 aluminum, 31.8 x 400mm (48/51), 420mm (54/56), 440mm (58)*	Ritchey Comp Logic, 6061 aluminum, 31.8 x 380mm (44), 400mm (48/51), 420mm (54/56)
Stem		3T ARX II Team Stealth, 3D forged 7075 T6 alloy, 6" x 90mm (48/51), 100mm (54/56), 120mm (58)	3T ARX II, 3D forged 2010 alloy, 6" x 90mm (48/51),100mm (54/56), 120mm (58)*	Ritchey 4-Axis, 3D forged 6061 alloy, 6" x 90mm (48/51), 100mm (54/56)
Grips		Fizik Microtex Superlight Glossy Fluo tape	Fizik Microtex Superlight Soft Touch tape	Fizik Microtex Superlight Soft Touch tape
Seat Post		3T Zero25 Team Carbon, 31.6 x 350mm with Jamis7075-AL CNC aluminum 1-bolt seat post clamp	3T Zero25 Team Carbon, 31.6 x 350mm with Jamis 7075-AL CNC aluminum 1-bolt seat post clamp	Jamis carbon fiber micro-adjust, 31.6 x 300mm with Jamis 7075-AL CNC aluminum 1-bolt seat post clamp
Saddle		Fizik Artares R5 with intergrated clip system and S Alloy rails	Fizik Artares R7 with intergrated clip system and S Alloy rails	Fizik Artares R7 with intergrated clip system and manganese rails
Sizes	48, 51, 54, 56, 58, 61cm	48, 51, 54, 56, 58cm	48, 51, 54, 56, 58cm	48, 51, 54, 56cm
Color		Gloss Carbon	Gloss Carbon	Gloss Carbon
Weight		7.48kg	8.1kg	8.96kg

RACING ROAD

Model	ICON ELITE	ICON PRO DISC	ICON PRO LTD
Price	¥330,000	¥229,000	¥189,000
Frame	Synthesis double-butted 6061 aluminum tubeset, SST tubing diameters, 12x142thru-axle with Jamis MTS(Modular Thru-axle System), butted chainstays with clearance for 28c and flat mount disc brake mounts,twin seat stays, 1.5 - 1 1/8" tapered head tube, Press Fit 30 BB shell, 34.9mm seat tube andreplaceable derailleur hanger.	Synthesis double-butted 6061 aluminum tubeset, SST tubing diameters, 12x142thru-axle with Jamis MTS(Modular Thru-axle System),butted chainstays with flat mount disc brake mounts, twin seat stays, 1.5 - 1 1/8" tapered head tube, Press Fit 30 BB shell, 34.9mm seat tube andreplaceable derailleur hanger.	New Synthesis double-butted 6061 aluminum, tapered top tube, ovalized down tube, butted chainstays, twin seat stays, 1 1/8-1.5" tapered head tube,Press Fit 30 BB shell, 34.9mmseat tube and replaceable derailleur hanger
Fork	Jamis Road Disc carbon fiber, FEA optimized Near Net SPV molding process, 1.5" hollow formed crown, monocoque one-piece forming technology, flat mount disc brakes with internal cable, 12mm Jamis MTS (Modular Thru-axle System) with stainless interface and carbon dropouts	Jamis Road Disc carbon fiber, FEA optimized Near Net SPV molding process, 1.5" hollow formed crown, monocoque one-piece forming technology, flat mount disc brakes with internal cable, 12mm Jamis MTS (Modular Thru-axle System) with stainless interface and carbon dropouts	Jamis Road carbon composite fork, 1.5" hollow formed crown, monocoque one-piece forming technology, carbon dropouts with stainless axle interfaces
Headset	FSA integrated, sealed bearing with nylon upper Compression ring, 1 1/8-1 1/2	FSA integrated, sealed bearing with nylon upper Compression ring, 1 1/8-1 1/2	FSA integrated, sealed bearing with nylon upper Compression ring, 1 1/8-1 1/2
Wheels	American Classic Victory 30 Centerlock disc tubeless 11-speed wheelset, 24H, 30mm rim height with 22.7x18.1 width, AC Victory 30 alloy hubs and bladed spokes, front 12mm/rear 12x142 thru-axle	American Classic 2622 Tubeless 6-bolt Disc wheelset, 11-speed wheelset, 32H, 18mm rim height with 22.3x18 width, AC 6-bolt alloy hubs with round spokes, front 12mm/rear 12x142 thru-axle	American Classic ACRD2218 Tubeless Wheelset
Tires	Vittoria Rubino Pro with Graphine, 700 x 25c, folding	Vittoria Zaffiro Slick, 700 x 25c, folding(700×23c)	Vittoria Zaffiro Slick, 700 x 23c, folding
Derailleurs	Shimano Ultegra RD-R8000 rear and Ultegra FDR8000 braze-on front	Shimano 105 RD-5800 rear and 105 FD-5800 braze-on front with 34.9mm alloy clamp	Shimano 105 RD-5800 rear and 105 FD-5800 braze-on front with 34.9mm alloy clamp
Shift levers	Shimano ST-R8020 Dual Control STI, 22-speed	Shimano ST-RS505 Dual Control STI, 22-speed	Shimano 105, ST- 5800 Dual Control STI, 22-Speed
Chain	Shimano CN-HG701	Shimano HG601-11-Speed	Shimano HG601-11-Speed
Cassette	Shimano Ultegra CS-R8000 11-speed, 11-28T	Shimano 11-Speed 11-28T	Shimano 11-Speed 11-28T
Crankset	Rotor 3D30, 52/36T,170mm (48/51),172.5mm (54/56)	Shimano 105 FC-5800, 50/34T,170mm(48/51), 172.5mm (54/56)	Shimano 105 FC-5800, 50/34T, 165mm (44), 170mm (48/51), 172.5mm (54/56), 175mm(58)
BB Set	Enduro PressFit 30 with Wheels MFG adaptors	Enduro PressFit 30 with Wheels MFG adaptors	Enduro PressFit 30 with Wheels MFG adaptors
Pedals	N/A	N/A	N/A
Brakeset	Shimano BR-R8070 flat mount hydraulic disc brakes with resin pads, Centerlock Ice Tech 160mm rotors with Shimano ST-R8020 Dual Control STI levers	Shimano BR-RS505 hydraulic disc brakes with resin pads, Shimano 160mm rotors, with Shimano STRS505 Dual Control STI levers	Tektro R540 forged alloy dual pivot calipers with cartridge pads and Shimano 105 ST-5800 STI brake levers
Handlebar	3T Ernova Pro, 7075 aluminum, 31.8 x 400mm (48/51), 420mm (54/56), 440mm (58)	3T Ernova, 7075 aluminum, 31.8 x 400mm (48/51), 420mm (54/56), 440mm (58),(Ritchey Comp)	Ritchey Comp Logic Curve, 6061 aluminum, 31.8 x 400mm (48/51), 420mm (54/56)
Stem	3T ARX II Team Stealth, 3D forged 7075 T6 alloy, 6" x 90mm (48/51), 100mm (54/56), 120mm (58)	3T ARX II, 3D forged 2010 alloy, 6" x 90mm (48/51), 100mm (54/56), 120mm (58),(Ritchey 4-Axis)	Ritchey 4-Axis, 3D forged 6061 alloy, 6" x 90mm (48/51), 100mm (54/56)
Grips	Fizik Microtex Superlight Glossy Fluo tape	Fizik Microtex Superlight Soft Touch tape	Fizik Superlight Microsoft Touch with Fizik logo end plug
Seat Post	3T Zero25 Team Carbon, 31.6 x 350mm with Jamis 7075-AL CNC aluminum 1-bolt seat post clamp	3T Zero25 Team Carbon, 31.6 x 350mm(Jamis carbon fiber micro-adjust, 31.6 x 300mm)	Jamis carbon fiber micro-adjust, 31.6 x 300mm with Jamis 7075-AL CNC aluminum 1-bolt seat post clamp
Saddle	Fizik Artares R5 with intergrated clip system and S Alloy rails	Fizik Artares R7 with intergrated clip system and manganese rails	Selle Royal Seta S1 with Integrated Clip System, embossed cover and steel rails
Sizes	48, 51, 54, 56, 58, 61cm	48, 51, 54, 56cm	48, 51, 54, 56, 58cm
Color	Charcoal	Nimbus Grey or Inferno	Cosmo Blue / Black (TEAM Color)
Weight	8.2kg	8.73kg	8.1kg

※赤文字表示は ICON PRO DISC Inferno カラーモデル

PERFORMANCE ROAD

Model	VENTURA RACE	VENTURA COMP	VENTURA SPORT	QUEST COMP	QUEST SPORT
Price	¥125,000	¥110,000	¥85,000	¥110,000	¥85,000
Frame	Size Specific Design Double-butted 6061 aluminum, compact sloping top tube frame design with SSD frame geometry and SST tubing diameters, 1.5 - 1 1/8" tapered head tube, butted seat tube for 27.2 seat post, replaceable derailleur hanger and fender/rack eyelets	Size Specific Design Double-butted 6061 aluminum, compact sloping top tube frame design with SSD frame geometry and SST tubing diameters, 1.5 - 1 1/8" tapered head tube, butted seat tube for 27.2 seat post, flat mount disc brake mount, replaceable derailleur hanger and fender/rack eyelets*	Resesinged Performance geometry, 6061 aluminum, compact sloping top tube frame design, SST tubing diameters, 1.5 - 1 1/8" tapered head tube, 31.8 seat tube for 27.2 seat post, replaceable derailleur hanger and fender /rack mount eyelets	Size Specific Design Reynolds 520 doublebutted chromoly main tubes with SSD frame geometry and SST tubing diameters, sloping top tube frame design, double-tapered cromo stays, forged dropouts and fender/rack eyelets	Resesinged Performance geometry, 4130 double-butted chromoly main tubes with SST tubing diameters, sloping top tube frame design, double-tapered cromo stays, forged dropouts and fender/rack mount eyelets
Fork	Jamis Performance ECO carbon composite with carbon steerer, 1.5" hollow formed crown, monocoque one-piece forming technology, alloy dropouts with hidden fender mount eyelets	Jamis Performance ECO carbon composite with carbon steerer, 1.5" hollow formed crown, monocoque one-piece forming technology, carbon dropouts with stainless tabs, flat mount disc brake mount with internal cable routing exposed fender eyelets	Aero straight blade road fork, 1.5 aluminum crown, aluminum blades with chromoly steerer and fender mount eyelets	Jamis Road ECO full carbon composite with carbon steerer, carbon drop out with stainless steel tabs with fender eyelets	Full 4130 chromoly lugged crown, radius blades, forged dropouts with fender mount eyelets
Headset	FSA Integrated, threadless, 1.5 - 1 1/8"	FSA Integrated, threadless, 1.5 - 1 1/8"	FSA Integrated, threadless, 1.5 - 1 1/8"	Ritchey LB threadless, 1 1/8"	Ritchey LB AheadSet, 1 1/8"
Wheels	Alex ATD 470 disc specific rims with TCS(Tubeless Compatible System), 28/32H, Formula alloy hubs with QR and 14g stainless steel spokes	Alex ATD 470 disc specific rims with TCS(Tubeless Compatible System), 32H, Formula 6-bolt alloy hubs with QR and 14g stainless steel spokes	Alex ID-19 double wall alloy rims with GSW sidewall,28/32H, Formula alloy hubs with QR and 14g stainless steel spokes	Alex AT 470 rims with TCS(Tubeless Compatible System), 28/32H, Formula alloy hubs with QR and 14g stainless steel spokes	Alex ID-19 double wall alloy rims with GSW sidewall, 32H, Formula alloy hubs with QR and 14g stainless steel spokes
Tires	Vittoria Zaffiro, 700 x 25c	Vittoria Zaffiro, 700 x 28c	Vittoria Zaffiro, 700 x 25c	Vittoria Zaffiro, 700 x 28c	Vittoria Zaffiro, 700 x 25c
Derailleurs	Shimano Tiagra RD-4700 GS rear and Tiagra FD-4700 front with 31.8mm alloy clamp	Shimano Sora RD-R3000 rear and Sora FDR3000front with 31.8mm alloy clamp	Shimano Claris RD-2400 rear and Shimano Claris FD-2400 front with 31.8mm alloy clamp	Shimano Sora RD-R3000GS rear and Sora FDR3030 front with 28.6mm alloy clamp	Shimano Claris RD-2400 rear and Shimano Claris FD-2400 front with 31.8mm alloy clamp
Shift levers	Shimano Tiagra ST-4700 Dual Control STI, 20-speed	Shimano Sora ST-R3000 Dual Control STI,18-speed	Shimano Claris ST-2400 Dual Control STI, 16-Speed	Shimano Sora ST-R3030 Dual Control STI, 27-speed	Shimano Claris ST-2400 Dual Control STI, 16-Speed
Chain	KMC 10-speed X10	KMC Z99	KMC 8-speed Z8	KMC Z99	KMC 8-speed Z8
Cassette	Shimano 10-speed, 11-32T	Shimano HG201 9-speed, 11-32T	Shimano HG41 8-Speed 11-32T	Shimano HG201 9-speed, 11-32T	SRAM PG 820 8-Speed 11-30T
Crankset	FSA Vero compact, 50/34T, 170mm (48/51), 172.5mm (54/56)	FSA Vero compact, 50/34T, 170mm (48/51), 172.5mm(54)	FSA Tempo, 50/34T, 165mm (44/48), 170mm (48/51), 172.5mm (54/56)	FSA Vero, 50/39/30T, 170mm (48/51), 172.5mm(54)	Shimano Claris FC-2450, 50/34T, 165mm(48) , 170mm(51/54,48/51/54), 175mm (56)
BB Set	FSA sealed cartridge, 68 x 110.5mm	FSA sealed cartridge, 68 x 110.5mm	FSA sealed cartridge, 68 x 110.5mm	FSA sealed cartridge, 68 x 116mm	Shimano octalink, 68 x 116mm
Pedals	N/A	Touring platform style, full alloy with toe clips	Touring platform style, full alloy with toe clips	Touring platform style, full alloy with toe clips	Touring platform style, full alloy with toe clips
Brakeset	Tektro R312 alloy dual pivot calipers with cartridge pads and Shimano Tiagra ST-4700 brake levers	Tektro Lyra mechanical disc brakes and Shimano Sora ST-R3000 STI levers	Tektro R312 alloy dual pivot calipers with cartridge pads and Shimano Tiagra ST-4700 brake levers	Tektro R317 long reach dual-pivot calipers with adjustable pads and Shimano Sora ST-R3030 STI lever	Tektro R317 long reach dual-pivot calipers with adjustable pads Shimano Claris ST-2400 STI brake levers
Handlebar	Ritchey Logic, 6061 aluminum, 31.8x400mm(48/51), 420mm (54/56)	Ritchey Logic, 6061 aluminum, 31.8 x 400mm(48/51) 420mm (54)	Jamis Ergo, 6061 aluminum, 31.8 x 380mm(44/48), 400mm (48/51), 420mm (54/56)	Ritchey Comp Logic Curve, 6061 aluminum, 31.8 x 400mm (48/51), 420mm (54)*	Jamis Ergo, 6061 aluminum, 31.8 x 380mm(48/48), 400mm (51/54, 51/54), 420mm (56)
Stem	Ritchey 4-Axis, 3D forged 6061 alloy, 6" x 90mm(48/51), 100mm (54/56)	Ritchey 4-Axis, 3D forged 6061 alloy, 6" x 90mm(48/51), 100mm (54)	Jamis road 3D forged 6061 alloy, 7" x 90mm (44/48,48/51), 100mm (54/56)	Jamis adjustable threadless system (ATS),forged aluminum 10" x 90mm (48/51), 105mm (54)ATS shim length 80mm	Jamis Road, 3D forged 6061 alloy, 7" x 90mm (48/51/48/51), 100mm (54/54/56), 110mm (58/61)
Grips	Jamis suede tape with gel	Jamis suede tape with gel	Jamis suede tape	Jamis suede tape with gel	Jamis suede tape
Seat Post	Jamis carbon fiber micro-adjust, 27.2x350mm,with alloy clamp	Ritchey Road, 27.2 x 350mm with alloy clamp	Jamis alloy micro-adjust,27.2 x 350mm with cromos seat pin	Jamis alloy micro-adjust,27.2 x 300mm with cromos seat pin	Jamis alloy micro-adjust,26.6 x 300mm with cromos seat pin
Saddle	Selle Royal Seta S1 with integrated clip system	Selle Royal Seta S1 with integrated clip system	Jamis Road Sport with SL top and satin steel rails Jamis Road Sport Femme with SL top and satin steel rails	Selle Royal Seta S1 with integrated clip system	Jamis Road Sport with SL top and satin steel rails / Jamis Road Sport Femme with SL top and satin steel rails
Sizes	48, 51, 54, 56cm	48, 51, 54cm	48, 51, 54, 56cm, 44, 48cm	48, 51, 54cm	48, 51, 54, 56cm, 48, 51 54cm
Color	Ano Galaxy Grey	Charcoal	Gloss Black, Cosmo Blue or <i>Cherryade</i>	Saharah Silver	Gloss Black , Winter Dusk or <i>Cadenza Rose</i>
Weight	9.0kg	10.22kg	10.55kg	10.43kg	11.0kg

※水色表記は FEMME MODEL

ADVENTURE ROAD

Model	RENEGADE ELITE	RENEGADE EXPERT	RENEGADE EXPLOIT	RENEGADE EXPAT
Price	¥499,000	¥299,000	¥255,000	¥145,000
Frame	Jamis Size Specific Design Omnid M30 monocoque carbon fiber frame, Near Net molding process, 12x142 thru-axle with Jamis MTS (Modular Thru-axle System), SST tubing diameters, integrated seat post clamp, 1.5 - 1 1/8" head tube, EV0386 carbon BB shell, ACE internal cable routing compatible for both Di2 wires or traditional cables and internal dropper post, oversized asymmetrical chainstays with flat mount disc brakes and exposed carrier/fender mount eyelets, carbon drop outs, replaceable FD mount and RD hanger	Jamis Size Specific Design Dyad Plus T700/FRP monocoque carbon fiber frame, Near Net molding process, 12x142 thru-axle with Jamis MTS (Modular Thru-axle System), SST tubing diameters, integrated seat post clamp, 1.5 - 1 1/8" head tube, EV0386 carbon BB shell, ACE internal cable routing compatible for both Di2 wires or traditional cables and internal dropper post, oversized asymmetrical chainstays with flat mount disc brakes and exposed carrier/fender eyelets, carbon drop outs, replaceable FD mount and RD hanger	Jamis Size Specific Design frame geometry, Reynolds 631 double-butted SST chromoly main tubes, 44mm head tube for tapered fork, threaded BB shell, 12x142mm Jamis MTS (Modular Thru-axle System), flat mount disc brake mounts, top tube mounted full cable housing, dropper post cable guides, 3 waterbottle mounts, rack and fender eyelets, clearance for 40c tires	Jamis Size Specific Design frame geometry, Reynolds 520 double-butted chromoly main tubes, 44mm head tube for tapered fork, threaded BB shell, seat stay disc brake mounts, top tube mounted full cable housing, 3 waterbottle mounts, rack and fender eyelets, clearance for 40c tires.
Fork	Jamis Adventure ECO monocoque carbon composite, 12mm Jamis MTS (Modular Thru-axle System) with stainless interface and carbon dropouts, tapered steerer with 1.5" hollow formed crown, flat mount disc brakes with internal cable routing, exposed fender, lowrider and water bottle eyelets	Jamis Adventure ECO monocoque carbon composite, 12mm Jamis MTS (Modular Thru-axle System) with stainless interface and carbon dropouts, tapered steerer with 1.5" hollow formed crown, flat mount disc brakes with internal cable routing, exposed fender, lowrider and water bottle eyelets	Jamis Adventure ECO monocoque carbon composite, 12mm Jamis MTS (Modular Thru-axle System) with stainless interface and carbon dropouts, tapered steerer with 1.5" hollow formed crown, flat mount disc brakes with internal cable routing, exposed fender, lowrider and water bottle eyelets	Jamis Adventure ECO monocoque carbon composite, 12mm Jamis MTS (Modular Thru-axle System) with stainless interface and carbon dropouts, tapered steerer with 1.5" hollow formed crown, flat mount disc brakes with internal cable routing, exposed fender, lowrider and water bottle eyelets
Headset	Ritchey Pro Drop-In,sealed bearing with nylon upper compression ring, 1.5 - 1 1/8"	FSA integrated, sealed bearing with nylon upper compression ring, 1.5 - 1 1/8"	FSA Orbit ITA B Internal/External, 1.5 - 1 1/8"	FSA Orbit ITA B Internal/External, 1.5 - 1 1/8"
Wheels	American Classic MTB RACE Tubeless Centerlock 11-speed wheelset, 32H, 22mm rim height with 28x24mm width, AC hubs with sealed bearings and round spokes, front 12mm/rear 12x142 thru-axle	WTB i23 STS disc rims with TCS (UST Tubeless Compliant System), 32H, Formula alloy Centerlock sealed bearing hubs with front 12mm/rear 12x142 thru-axle and 14g black stainless steel spokes	WTB i23 STS disc rims with TCS (UST Tubeless Compliant System), 32H, Formula alloy Centerlock sealed bearing hubs with front 12mm/rear 12x142 thru-axle and 14g black stainless steel spokes	WTB i23 STP disc rims with TCS (UST Tubeless Compliant System), 32H, Formula 12mm front and QR rear alloy 6-bolt hubs and 14g stainless steel spokes
Tires	Clement X Plor MSO 700 x 36c, 60TPI, protection belt and Kevlar folding bead	Clement X Plor MSO, 700 x 36c, 30TPI with protection belt	Clement X Plor MSO, 700 x 36c, 30TPI with protection belt	Clement X Plor MSO, 700 x 36c, 30TPI with protection belt
	Shimano Ultegra RD-R8000GS rear and Ultegra FDR8000 braze-on front	Shimano 105 RD-5800GS rear and 105 FD-5800 braze-on front with 34.9mm alloy clamp	Shimano 105 RD-5800GS rear and 105 FD-5800 braze-on front with 28.6mm alloy clamp	Shimano Tiagra RD-4700 GS rear and Tiagra FD-4700 front with 28.6mm alloy clamp
Shift levers	Shimano ST-R8020 Dual Control STI, 22-speed	Shimano 105, ST- 5800 Dual Control STI, 22-Speed	Shimano 105, ST- 5800 Dual Control STI, 22-Speed	Shimano Tiagra ST-4700 Dual Control STI, 20-speed
Chain	Shimano CN-HG701	Shimano HG601-11-Speed	Shimano HG601-11-Speed	KMC 10-speed X10
Cassette	Shimano 11-speed, 11-32T	Shimano 11-Speed 11-32T	Shimano 11-Speed 11-32T	Shimano 10-speed, 11-32T
Crankset	Shimano Ultegra FC-R8000 50/34T, 170mm (48/51),172.5mm (54/56), 175mm (58/61)	Shimano 105 FC-5800, 50/34T, 165mm (44), 170mm (48/51), 172.5mm (54/56)	Shimano 105 FC-5800, 50/34T, 165mm (44), 170mm (48/51), 172.5mm (54)	FSA Gossamer MegaExo, 50/34T, 165mm (44/48), 170mm (51), 172.5mm (54/56) 175mm (58)
BB Set	Enduro EVO PressFit 30 and Wheels MFG EVO adaptors	Enduro EVO PressFit 30 and Wheels MFG EVO adaptors	Shimano SM-BBR60	FSA BB-6200 MegaExo
Pedals	N/A	N/A	N/A	N/A
Brakeset	Shimano BR-R8070 flat mount hydraulic disc brakes with resin pads, Centerlock Ice Tech 160mm rotors with Shimano ST-R8020 Dual Control STI levers	Shimano BR-RS505 hydraulic disc brakes with resin pads, Shimano 160mm rotors, with Shimano STRS505 Dual Control STI levers	Shimano BR-RS505 hydraulic disc brakes with resin pads, Shimano 160mm rotors, with Shimano STRS505 Dual Control STI levers	TRP Spyre mechanical disc brake with 160mm rotors and Shimano Tiagra ST-4700 brake levers
Handlebar	Ritchey Evomax Comp, 6061 aluminum,73 reach,120drop with 12° flare, 31.8 x 420 (48-51) 440(54-56)460(58-61)	Ritchey Evomax Comp, 6061 aluminum,73 reach,120drop with 12° flare, 31.8 x 420 (48-51) 440 (54-56)	Ritchey Evomax Comp, 6061 aluminum,73 reach,120drop with 12° flare, 31.8 x 420 (48-51) 440 (54)	Ritchey Evomax Comp, 6061 aluminum, 73 reach, 120 drop with 12° flare, 31.8 x 400 (44) 420 (48-51) 440mm (54-56), 460mm (56-58)
Stem	Ritchey Comp 4-Axis, 3D net forged 6061 alloy, 6" x80mm (48/51), 90mm (54/56), 110mm (58/61)	Ritchey Comp 4-Axis, 3D net forged 6061 alloy, 6" x80mm (48/51), 90mm (54/56)	Ritchey Comp 4-Axis, 3D net forged 6061 alloy, 6" x80mm (48/51), 90mm (54)	Ritchey 4-Axis 3D forged 6061 alloy, 6" x 70mm (44), 80mm (48/51), 90mm (54/56), 110mm (58)*
Grips	Fizik Microtex Superlight Soft Touch with gel inserts	Fizik Microtex Superlight Soft Touch with gel inserts	Fizik Microtex Superlight Soft Touch with gel inserts	Jamis suede tape with gel inserts
Seat Post	Ritchey Comp Carbon, 27.2 x 350mm, 25mm offset with Jamis 7075-AL CNC aluminum 1-bolt seat post clamp	Jamis carbon fiber micro-adjust,27.2x350mm, 25mm offset with Jamis 7075-AL CNC aluminum 1-bolt seat post clamp	Jamis carbon fiber micro-adjust,27.2x350mm, 25mm offset with Jamis 7075-AL CNC aluminum 1-bolt seat post clamp	Ritchey Road, 27.2 x 300mm with cromos seat pin
Saddle	Fizik Aliante Delta with intergrated clip system and manganese rails	Selle Royal Seta S1 with integrated clip system	Selle Royal Seta S1 with integrated clip system	Selle Royal Seta S1 with integrated clip system
Sizes	48, 51, 54, 56, 58, 61cm	48, 51, 54, 56cm	44 and 48 650B, 51, 54 700c	44 and 48 650B, 51, 54, 56, 58 700c
Color	Charcoal	Beer Foam	Ano Palladium	Charcoal or Flat Steel
Weight	8.6kg	9.52kg	10.8kg	11kg

ADVENTURE ROAD

Model	RENEGADE EXPLORE	RENEGADE EXILE
Price	¥118,000	¥98,000
Frame	Jamis Size Specific Design frame geometry,6061 aluminum double-buttet SST main frame,top tube mounted full cable housing, 1.5 - 11/8" tapered head tube, 31.8mm seat tube for 27.2 seat post,seat stay disc brake mounts,replaceable derailleur hanger,3 waterbottle mounts, rack and fender eyelets, clearance for 40c tires.	Jamis Size Specific Design frame geometry,6061 aluminum double-buttet SST main frame,top tube mounted full cable housing, 1.5 - 11/8" tapered head tube, 31.8mm seat tube for 27.2 seat post,seat stay disc brake mounts,replaceable derailleur hanger,3 waterbottle mounts, rack and fender eyelets, clearance for 40c tires.
Fork	Jamis Adventure ECO monocoque carbon composite, 12mm Jamis MTS (Modular Thru-axle System) with stainless interface and carbon dropouts, tapered steerer with 1.5" hollow formed crown, flat mount disc brakes with internal cable routing, exposed fender, lowrider and water bottle eyelets	Jamis Adventure 6061 air-formed aluminum, tapered aluminum steerer, integrated cable cradles with post disc brake mounts, mounts for lowrider rack, waterbottle and fenders*
Headset	FSA Orbit C-40B Internal/External, 1.5 - 1 1/8"	FSA Orbit C-40B Internal/External, 1.5 - 1 1/8"
Wheels	WTB i23 STP disc rims with TCS (UST Tubeless Compliant System), 32H, Formula 12mm front and QR rear alloy 6-bolt hubs and 14g stainless steel spokes	WTB i23 STP disc rims with TCS (UST Tubeless Compliant System), 32H, Formula front and rear alloy 6-bolt hubs and 14g stainless steel spokes
Tires	Clement X Plor MSO, 700 x 36c, 30TPI with protection belt	Clement X Plor MSO, 700 x 36c, 30TPI with protection belt
Derailleurs	Shimano Sora RD-R3000GS rear and Sora FDR3030 front with 28.6mm alloy clamp	Shimano Claris RD-R2000 rear and Claris FDR2000 front with 28.6mm alloy clamp
Shift levers	Shimano Sora ST-R3000 Dual Control STI, 18-speed	Shimano Claris ST-R2000 Dual Control STI,16-speed
Chain	KMC Z99	KMC Z7
Cassette	Shimano HG400 9-speed, 11-32T	Shimano HG41 8-speed, 11-32T
Crankset	FSA Vero, 50/34T, 165mm (44/48), 170mm (51) 172.5mm (54/56) 175mm (58)	FSA Vero, 50/34T, 165mm (44/48), 170mm (51) 172.5mm (54/56) 175mm (58)
BB Set	FSA sealed cartridge, 68 x 110.5mm	FSA sealed cartridge, 68 x 110.5mm
Pedals	N/A	N/A
Brakeset	Tektro Lyra mechanical cable actuated disc brake with 160mm wave rotors and Shimano Sora ST-R3000 levers	Tektro Lyra mechanical cable actuated disc brake with 160mm wave rotors and Shimano Claris ST-R2000 levers
Handlebar	Ritchey Evomax Comp, 6061 aluminum, 73 reach, 120 drop with 12° flare, 31.8 x 400 (44) 420 (48-51) 440mm (54-56), 460mm (56/58)	Ritchey Evomax Comp, 6061 aluminum, 73 reach, 120 drop with 12° flare, 31.8 x 400 (44) 420 (48-51) 440mm (54-56), 460mm (56/58)
Stem	Ritchey 4-Axis 3D forged 6061 alloy, 6° x70mm (44), 80mm (48/51), 90mm (54/56), 110mm (58)	Jamis road 3D forged 6061 alloy, 6° x 70mm (44), 80mm (48/51), 90mm (54/56), 110mm (58)
Grips	Jamis suede tape with gel inserts	Jamis suede tape with gel inserts
Seat Post	Jamis Road, micro-adjust, 27.2 x 350mm crommo seat pin	Jamis Road, micro-adjust, 27.2 x 350mm crommo seat pin
Saddle	Selle Royal Seta S1 with integrated clip system	Jamis Road with SL top, front and rear bumpers and satin steel rails
Sizes	44 and 48 650B, 51, 54, 56, 58 700c	44 and 48 650B, 51, 54, 56, 58 700c
Color	Cream Stout or Armor Green	AnoBlack or Ano Infelno
Weight	10.4kg	10.9kg

TOURING

Model	AURORA
Price	¥115,000
Frame	Reynolds 520 double-buttet chromoly main tubes with SST tubing diameters, double-tapered crommo stays, extended head tube with reinforced collars, forged dropouts,fender/rack eyelets and 3 spokecarrier
Fork	Lugged semi-sloping chromoly with canti bosses, low-rider carrier braze-ons, forged dropout with fender eyelets
Headset	Threadless, 1 1/8"
Wheels	Alex ACE19 eyeleted double walled rims, 36H, Shimano Tiagra RS400 hubs with QR and 14g stainless steel spokes
Tires	Vittoria Randonneur with Double Shielding puncture protection, 700 x 32c
Derailleurs	Shimano Sora RD-R3000GS rear and Sora FDR3030 front with 28.6mm alloy clamp
Shift levers	
Chain	KMC Z99
Cassette	Shimano HG201 9-speed, 11-34T
Crankset	FSA Alpha Drive, 48/36/26T, 170mm (50/53)
BB Set	FSA sealed cartridge, 68 x 118mm
Pedals	Touring platform, full alloy cage & body with toe clips
Brakeset	Tektro 992 forged alloy cantilevers with Tektro RL340 road brake levers
Handlebar	Jamis Ergo, 6061 aluminum, 31.8 x 400mm
Stem	Jamis adjustable threadless system (ATS), forged aluminum, 10° x 90mm (50), 105mm (53)
Grips	Jamis natural cork bar tape
Seat Post	Jamis alloy micro-adjust, 27.2x300mm with crommo seat pin
Saddle	Jamis Touring Sport with pressure relief cut-out
Sizes	50, 53cm
Color	Crimson
Weight	13.5 kg

MOUNTAIN BIKE Specifications
PLUS TIRE / FAT

Model	DRAGONSLAYER 27.5+ PRO	DRAGONSLAYER 27.5+ SPORT	KOMODO27.5+ EXPERT	KOMODO27.5+ SPORT	ROUGHNECK
Price	¥280,000	¥180,000	¥199,000	¥128,000	¥189,000
Frame	Disc Brake Reynolds 520 double-buttet chromoly main tubes, extended head tube with reinforced collars, double tapered crommo stays, forged dropouts and fender/rack mount eyelets	Reynolds 520 steel, 44mm head tube, 31.6 I.D. seat tube, internal dropper post routing, ISCG05, sliding 12x148mm dropouts, Formula thru-axle	Triple-buttet 6061 aluminum, 1.5 - 1 1/8" tapered head tube, post mount disc brakes, 12x148mm thru-axle drop-outs, High Direct Mount (HDM) front derailleur with front-pull internal cable routing, internal dropper post routing, replaceable derailleur hanger, Formula thru-axle	Triple-buttet 6061 aluminum, 1.5 - 1 1/8" tapered head tube, post mount disc brakes, 12x148mm thru-axle drop-outs, High Direct Mount (HDM) front derailleur with front-pull internal cable routing, internal dropper post routing, replaceable derailleur hanger, Formula thru-axle	Triple-buttet 6061 air-formed aluminum, 1.5 - 1 1/8" tapered head tube, 12x197mm rear hub spacing, post mount disc brakes, 100mm bottom bracket shell,rack mounts, internal cable routing,dropper seat post routing,replaceable derailleur hanger
Fork	Fox Rhythm 34 Float 29/27.5+ w/ sweep adjust compression & lock-out,15x110mm axle, air spring compression, rebound adjust, tapered alloy steerer, 120mm travel	Rock Shox Recon RL 29/27.5+, Solo Air spring, external rebound, lockout adjust, 32mm stanchions, 15x110mm axle, tapered aluminum steerer, 120mm travel	Rock Shox Recon RL 29/27.5+, Solo Air spring, external rebound, lockout adjust, 32mm stanchions, 15x110mm axle, tapered aluminum steerer, 120mm travel	SR Suntour XCR 34 LOR 29/27.5+, coil spring,external rebound, lockout adjust, 34mm stanchions,tapered aluminum steerer,15x110mm axle,120mm travel	Triple-buttet 6061 air-formed aluminum, suspension corrected, tapered steerer, 15x150mm hub spacing, post-mount disc, rack/bottle mounts
Headset	FSA Orbit, Alloy cups	FSA Orbit, Alloy cups	FSA Orbit 1.5Zero-Stack internal cup,8mm cone spacer	FSA Orbit 1.5Zero-Stack internal cup,8mm cone spacer	FSA Orbit, Alloy cups
Wheels	WTB Scrapper i40 TCS tubeless 27.5" rims, Formula 15x110mm front &12x148mm rear sealed bearing 6-bolt disc hubs, stainless spokes	WTB Scrapper i40 TCS tubeless 27.5" rims, Formula 15x110mm front &12x148mm rear sealed bearing 6-bolt disc hubs, stainless spokes	WTB Scrapper i40 TCS tubeless 27.5" rims, Formula 15x110mm front &12x148mm rear sealed bearing 6-bolt disc hubs, stainless spokes	WTB Scrapper i40 TCS tubeless 27.5" rims, Formula 15x110mm front &12x148mm rear sealed bearing 6-bolt disc hubs, stainless spokes	Sun Ringle MuleFut 80 SL, STR Tubeless Ready, 15x150 Front hub, 12x197 Rear hub, Wheelsmith spokes, Brass nipples
Tires	Vittoria Cannoli, 27.5 x 3.0", TNT tubeless	Vittoria Cannoli, 27.5 x 3.0", TNT tubeless	Vittoria Cannoli, 27.5 x 3.0", TNT tubeless	Vittoria Cannoli, 27.5 x 3.0"	Kenda Juggernaut Sport, 26 x 4.5", 60 tpi, folding
Derailleurs	SRAM GX Eagle, 12-speed	Shimano SLX Shadow Plus, 11-speed	Shimano XT Shadow Plus, 11-speed	Shimano Deore Shadow Plus rear	Shimano SLX Shadow Plus rear
Shift levers	SRAM GX Eagle, 1x12-speed	Shimano SLX, 1x11-speed	Shimano XT, 1x11-speed	Shimano Deore, 1x10-speed	Shimano SLX, 1x11-speed
Chain	SRAM GX Eagle, 12-speed	KMC X11, 11-speed	KMC X11, 11-speed	KMC X10, 10-speed	KMC X11-1 EPT (Anti-Rust), 11-speed
Cassette	SRAM XG-1275, 12-speed, 10-50T	Shimano M7000, 11-speed, 11-46T	Shimano M7000, 11-speed, 11-46T	Shimano HG500, 10-speed, 11-42T	Shimano M7000, 11-speed, 11-46T
Crankset	Truvativ Stylo, 32T, 170mm (15"), 175mm (17-19")	Shimano SLX, 32T, 170mm (15"), 175mm (17-19")	Race Face Aeffect, 32T, 170mm (15"), 175mm(17")	SR Suntour Zeron, 32T, 170mm (15"), 175mm(17-19")	Race Face Ride, 30T, 170mm (15"), 175mm(17")
BB Set	SRAM GXP	SHIMANO External	Race Face External	SR Suntour External	Race Face External
Pedals	N/A	MTB alloy platform	N/A	MTB alloy platform	MTB alloy platform
Brakeset	Shimano SLX hydraulic disc,180mm front & 160mm rear RT66 6-bolt rotors*	Shimano M396 hydraulic disc, 180mm front & 160mm rear RT26 6-bolt rotors	Shimano MT500 hydraulic disc, 180mm front & 160mm rear RT56 6-bolt rotors	Tektro M285 hydraulic disc, 180mm front & 160mm rear 6-bolt rotors	TRP Spyke 2-piston Mechanical, 180mm front & 160mm rear 6-bolt rotors
Handlebar	Ritchey Trail, 710mm x 20mm rise	Ritchey Trail, 710mm x 20mm rise	Race Face Ride, 710mm x 25mm rise	Race Face Ride, 710mm x 25mm rise	Race Face Ride, 740mm x 25mm rise
Stem	Ritchey Trail, 60mm (15"), 70mm (17")	Ritchey Trail, 60mm (15"), 70mm (17"), 80mm(19")	Race Face Ride, 60mm (15"), 70mm (17")	Race Face Ride, 60mm(15"),70mm (17"), 80mm(19")	Race Face Ride, 70mm
Grips	Jamis Lock-On	Jamis Lock-On	Jamis Lock-On	Dual compound	Jamis Lock-On
Seat Post	KS eTen Integra, 100mm travel, Southpaw remote	Ritchey Trail Comp, 31.6 x 400mm	KS eTen Integra, 100mm travel, Southpaw remote	Race Face Ride, 31.6 x 400mm	Race Face Ride, 31.6 x 400mm
Saddle	WTB Volt Comp	WTB Volt Sport	WTB Volt Comp	WTB Volt Sport	WTB Volt Sport
Sizes	15", 17"	15", 17", 19"	15", 17"	15", 17", 19"	15", 17"
Color	Surreal Teal	Ano Black	Limelight	Ink	Flat Ink
Weight	14.17kg	13.83kg	14.5kg	14.5kg	15.45kg

URBAN BIKE Specifications

URBAN / FITNESS

Model	CODA ELITE	CODA COMP	CODA SPORT	ALLEGRO COMP	ALLEGRO SPORT
Price	¥105,000	¥81,000	¥65,000	¥95,000	¥65,000
Frame	Size Specific Design Disc Brake Reynolds 520 double-butted chromoly main tubes, extended head tube with reinforced collars, double tapered crommo stays, forged dropouts and fender/rack eyelets	Size Specific Design Disc Brake Reynolds 520 double-butted chromoly main tubes, extended head tube with reinforced collars, double tapered crommo stays, forged dropouts and fender/rack eyelets	Size Specific Design Double-butted chromoly frame, extended head tube with reinforced collars, double tapered crommo stays, forged dropouts and fender/rack eyelets	Triple-butted 6061 aluminum with hydro-formed top and down tube, taper gauge "S" bend stays, replaceable derailleur hanger and fender/rack mount eyelets	6061 aluminum with hydro-formed top and down tube, taper gauge "S" bend stays, replaceable derailleur hanger and fender/rack mount eyelets
Fork	Jamis full carbon composite with carbon steerer, disc brake post mounts, low-rider carrier mounts and carbon drop out with stainless steel tabs and fender eyelets	Aluminum air-formed fork with disc brake mounts, aluminum steerer, low-rider carrier mounts, forged dropouts and fender eyelets	Chromoly unicrown, bulge butted steerer, low-rider carrier mounts and forged dropouts with fender eyelets	Jamis Road carbon composite with brake mounts, low-rider carrier mounts and forged dropouts with fender mount eyelets	Redesigned chromoly straight blade unicrown with bulge butted chromoly steerer, low-rider carrier mounts and forged dropout with fender mount eyelets
Headset	Threadless, 1 1/8"	Threadless, 1 1/8"	Threadless, 1 1/8"	FSA Integrated IS threadless, 1 1/8"	FSA Integrated IS threadless, 1 1/8"
Wheels	Alex TD-26 double wall disc specific alloy rims, 32H, Formula hubs with QR and 14g stainless steel spokes	Alex TD-26 double wall disc specific alloy rims, 32H, Formula hubs with QR and 14g stainless steel spokes	Alex ID-19 double wall alloy rims with GSW sidewall, 32H, Formula alloy hubs with QR and 14g stainless steel spokes	Alex ID-19 double wall alloy rims with GSW sidewall, 32H, Formula alloy hubs with QR and 14g stainless steel spokes	Alex DC26 double wall alloy rims, 32H, Formula alloy hubs with QR and 14g stainless steel spokes
Tires	Vittoria Randonneur with Double Shielding puncture protection and reflective sidewalls, 700 x 32c	Vittoria Randonneur with Double Shielding puncture protection and reflective sidewalls, 700 x 32c	Vittoria Randonneur with Double Shielding puncture protection and reflective sidewalls, 700 x 32c	Vittoria Randonneur with Double Shielding puncture protection and reflective sidewalls, 700 x 32c	Vittoria Randonneur with Double Shield puncture protection and reflective sidewalls, 700 x 32c
Derailleurs	Shimano Deore M591 SGS rear and Alivio FDT4000 bottom-pull front	Shimano Acera RD-M360 SGS rear and Altus FD-M313 down swing front	Shimano Acera M360 SGS rear and FD-TY710 bottom pull front	Shimano Sora RD-3500 SS rear and Shimano Sora FD-3500 front	Shimano Acera RD-M360 rear and Shimano FD-M191 bottom pull front
Shift levers	Shimano Alivio RapidFire Plus SL-M4000, 27-speed	Shimano RapidFire Plus SL-M310, 24-speed	Shimano RapidFire Plus SL-M310, 24-speed	Shimano Sora SL-3500 for flat-bar, 18-Speed	Shimano Rapidfire ST-M310, 24-Speed
Chain	Shimano 9-Speed	KMC Z7	KMC Z7	KMC Z99	KMC Z7
Cassette	Shimano 9-speed, 11-32T	Shimano HG41 8-speed, 11-34T	Shimano HG41 8-speed, 11-32T	SRAM PG-950 9-Speed 11-32T	SRAM PG 820 8-Speed 11-32T
Crankset	Shimano FC-T4010, 48/36/26T, 170mm(17), 175mm(19)	Shimano FC-TY501, 48/38/28T, 170mm	Shimano FC-TY501, 48/38/28T, 170mm	FSA Tempo compact double, 50/34T, 170mm	Shimano FC-M171, 48/38/28T, 170mm(14/16,15-17), 175mm(19")
BB Set	Shimano BB-ES300, 68 x 122.5mm	FSA sealed cartridge, 68 x 110.5mm	FSA sealed cartridge, 68 x 110.5mm	FSA sealed cartridge, 68 x 110.5mm	FSA sealed cartridge, 68 x 110.5mm
Pedals	Full alloy platform, toe clip attachable	Full alloy platform, toe clip attachable	Platform style, steel cage/resin body	Platform style, steel cage/resin body, toe clip attachable	Comfort platform style with TPE non-slip insert
Brakeset	Shimano BL-M315 hydraulic disc brakes with Shimano 160mm rotors and brake levers with reach adjust	Tektro Novelo mechanical disc brakes and Tektro brake levers	Tektro 855AL alloy linear-pull brakes with front power modulator and Tektro brake levers	Tektro RX-1.0 linear-pull with front power modulator and Shimano brake levers	Tektro RX-1.0 linear-pull with front power modulator and Shimano brake levers
Handlebar	Jamis Urban bar, 6061T-6aluminum, 25.4x10" sweep x 580mm	Jamis Urban bar, 6061T-6aluminum, 25.4x10" sweep x 580mm	Jamis Urban bar, 6061T-6aluminum, 25.4x10" sweep x 580mm	Jamis flat bar, 6061 T-6 aluminum, 31.8x10" sweep x 680mm	Jamis flat bar, 6061 T-6 aluminum, 31.8x10" sweep x 680mm
Stem	Jamis adjustable threadless system (ATS), forged aluminum, 25.4 x 10" x 105mm ATS shim length 100mm	Jamis adjustable threadless system (ATS), forged aluminum, 25.4 x 10" x 90mm (14/16,15), 105mm (17/19), ATS shim length 100mm	Jamis Road, 3D forged 6061 alloy, 25.4 x 10" x 90mm (14/16,15/17), 110mm(19/21)	Jamis adjustable threadless steering system (ATS), forged aluminum stem, 10" x 90mm	Jamis Trekking, 3D forged alloy, 10" rise x 90mm (14/16,15/17), 110mm (19)
Grips	Anatomic double density kraton	New Anatomic double density kraton grip with end plug	Anatomic double density kraton	Anatomic double density kraton grip with end plug	Anatomic double density kraton grip with end plug
Seat Post	Jamis alloy micro-adjust, 27.2 x 350mm alloy clamp with QR seatpin	Jamis alloy micro-adjust, 27.2 x 350mm alloy clamp with QR seatpin	Jamis alloy micro-adjust, 27.2 x 350mm alloy clamp with QR seatpin	Jamis alloy micro-adjust, 27.2 x 350mm alloy clamp with QR seatpin	Jamis alloy micro-adjust, 27.2 x 350mm, alloy clamp with QR seatpin
Saddle	Selle Royal S1 with integrated clip system	Selle Royal S1 with integrated clip system / Selle Royal Seta S1 femme with integrated clip system	Jamis Touring with SL cover / Jamis Touring Femme with SL top	Selle Royal S1 with fine grain cover, steel rails with integrated clip system	Jamis Touring with SL cover / Jamis Touring Femme with SL top
Sizes	17", 19"	14", 16", 15", 17", 19"	14", 16", 15", 17", 19", 21" (Black Ice only)	17"	14", 16", 15", 17", 19"
Color	Galaxy Grey	Pewter or Impulsive Purple	Black Ice, Winter Dusk, Thuder Gray, Pearl White or Icy Mint	Galaxy Grey	Gloss Black, Orange Crush or Teal Fo' Real
Weight	11kg	12.24kg	12.24kg	10.7kg	11.6kg

※水色表記は FEMME MODEL





JAMIS[®] BIKES

Jamis は、大切にフレームを作る。カーボンもアルミも、もちろんクロモリも一本一本丁寧に作る。あなたのもとに届くまで、しっかりと見届ける。ハンドメイドであり、ハートメイドである。